

## WATER & SEWER INTERNAL REVIEW BOARD HEARINGS 2022

Date	Name	Nature of Appeal	Billed Amount	Adjustment	Sanitary Sewer Units Waived
9/19/2022	DEANNA K SAYRE 135 NORTH ST [REDACTED]	High use due to kids playing in sprinkler. Excess use of 73,000 gallons, used outside and did not enter sanitary sewer system. Waive Sanitary Sewer and Sewer Capital Improvement charges.	\$1,639.87	(\$641.67)	73
9/19/2022	PHI HARRIS 3717 HINES RD [REDACTED]	High use due to burst water line in crawl space. Water loss of 197,000 gallons which did not enter sanitary sewer system. Waive Sanitary Sewer, and Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water.	\$3,616.21	(\$2,657.53)	197
9/19/2022	CHARLES & GWEN REID 1178 GWYNDALE DR [REDACTED]	High use due to malfunctioning electric sump pump resulting in water back up pump use. Water loss of 69,000 gallons which did not enter sanitary sewer system. Waive Sanitary Sewer, and Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water.	\$1,436.55	(\$985.32)	69
9/19/2022	MARILYN R SHIE 399 COLONY PL [REDACTED]	High use due to running toilet while resident was out of the country. Water loss of 92,000 gallons. Waive Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water and Sewer.	\$1,754.67	(\$590.93)	
9/19/2022	DEBORAH MEYERSBURG 186 DOUGLAS DR [REDACTED]	High use due to running toilet. Water loss of 35,000 gallons. Waive Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water and Sewer.	\$796.62	(\$246.40)	
9/19/2022	DESTINY JUSTICE 573 PALACE LN [REDACTED]	High use due to leaking toilet. Water loss of 69,000 gallons. Waive Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water and Sewer.	\$1,068.96	(\$465.06)	

<b>Date</b>	<b>Name</b>	<b>Nature of Appeal</b>	<b>Billed Amount</b>	<b>Adjustment</b>	<b>Sanitary Sewer Units Waived</b>
9/19/2022	MARVIN PASTOR 255 DUNCHURCH RD [REDACTED]	High use due to outside spigot left on while resident on vacation. Water loss of 41,000 gallons which did not enter sanitary sewer system. Waive Sanitary Sewer, and Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water.	\$877.70	(\$553.09)	41
9/19/2022	RANDY MCCOY 1129 SLEEPING MEADOW DR [REDACTED]	High use due to leaking toilet. Water loss of 17,000 gallons. Waive Water and Sewer Capital Improvement charges. Charge Columbus Rate for Water and Sewer.	\$404.08	(\$114.58)	
<b>Total Adjustments 2022</b>				(\$6,254.58)	380