

**ASTM PHASE I
ENVIRONMENTAL SITE ASSESSMENT**
60 ROCKY CREEK DRIVE/348 GRANVILLE STREET
GAHANNA, OHIO 43230

Prepared for:
Mr. Matt Von Bargaen
947 East Johnstown Road, Suite 113
Columbus, Ohio 43230



3508 Wilmington Pike
Kettering, OH 45429
(937) 859-8998
(937) 859-9132 (Fax)
www.eratechenv.com

May 24, 2022

22-13050

**ERAtch ENVIRONMENTAL, INC.
SITE ASSESSMENT TEAM
60 ROCKY CREEK DRIVE/348 GRANVILLE STREET
GAHANNA, OHIO 43230**

ERAtch Environmental, Inc. has performed this assessment in accordance with the ASTM *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* (Designation E1527-21). The statements contained in this report are true and accurate to the best of our knowledge.


We declare that, to the best of our professional knowledge and belief, we meet the definition of environmental professional as defined in §312.10 of 40 CFR 312 and we have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all-appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

LEAD SITE ASSESSOR:



Timothy D. Farrell
Vice President

REVIEWED BY:



Douglas M. Kohnen, MS, CMC
President

TABLE OF CONTENTS

SECTION	PAGE
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	3
2.1 Purpose.....	3
2.2 Special Terms and Conditions	3
2.3 Limitations and Exceptions of Assessment	4
2.4 Limiting Conditions and Methodology Used	4
2.5 Data Gaps.....	4
3.0 SITE DESCRIPTION	6
3.1 Site Description and Local Vicinity Characteristics	6
3.2 Structures, Roads, and Other Improvements on Site	6
3.3 Environmental Liens/Activity and Use Limitations/Specialized Knowledge or Experience.....	7
3.4 Current and Past Uses of the Property	7
3.5 Current Use of the Adjoining Properties	7
4.0 RECORDS REVIEW.....	9
4.1 Standard Environmental Record Sources	9
4.1.1 National Priority List (NPL) – Active Sites.....	9
National Priority List (NPL) – Deleted Sites.....	9
4.1.2 Superfund Enterprise Management System (SEMS).....	10
4.1.3 Federal RCRA CORRACTS Facilities List.....	10
Federal RCRA Non - CORRACTS TSD Facilities List.....	10
Federal RCRA Generators List.....	10
4.1.4 Federal, State and Tribal Institutional/Engineering Controls Lists	11
4.1.5 Federal ERNS List/National Response System (NRS).....	12
4.1.6 State and Tribal-Equivalent NPL.....	12
4.1.7 State and Tribal-Equivalent CERCLIS	12
4.1.8 State and Tribal Landfill and/or Solid Waste Disposal Site List.....	13
4.1.9 State and Tribal Leaking Storage Tank Lists.....	13
State and Tribal Registered Storage Tank Lists.....	13
4.1.10 State and Tribal Voluntary Cleanup Sites.....	15
4.1.11 State/Tribal and Federal Brownfield Sites.....	15
4.2 Physical Setting.....	18
4.2.1 Topography/Surface Features	18
4.2.2 Soils.....	18
4.2.3 Hydrogeology	19
4.2.4 Zoning/Flood Zone	19
4.3 Historical Records Review	19
4.3.1 Aerial Photographs.....	19
4.3.2 Street Directories	21
4.3.3 Chain of Title	29
4.3.4 Additional Record Sources	30
5.0 INFORMATION FROM SITE RECONNAISSANCE.....	32
5.1 Hazardous Substances and/or Petroleum Products Connected with Identified Uses ..	32
5.2 Hazardous, Petroleum and/or Unidentified Substance Containers	32

5.3	Storage Tanks.....	32
5.4	Indications of PCBs	32
5.5	Indications of Solid Waste Disposal or Hazardous Substance/Petroleum Releases	33
5.6	Drains and Sumps	33
5.7	Waste Water.....	34
5.8	Wells	34
5.9	Physical Setting Analysis.....	34
6.0	INTERVIEWS	36
7.0	OPINION	37
8.0	FINDINGS AND CONCLUSIONS	38
	Bibliography	39

APPENDICES

Appendix A:	Vicinity Map
Appendix B:	Tax Map
Appendix C:	Site Plan
Appendix D:	Government Records Report
Appendix E:	U.S. EPA ECHO Information
Appendix F:	Topographic Maps
Appendix G:	Soils Information
Appendix H:	FEMA Flood Map
Appendix I:	Aerial Photographs
Appendix J:	Current Property Deeds
Appendix K:	Historic Maps
Appendix L:	Site Photographs
Appendix M:	User Questionnaire
Appendix N:	Resumes of ERAtech Environmental, Inc. Personnel

1.0 EXECUTIVE SUMMARY

On behalf of Mr. Matt Von Bargen, ERAtech Environmental, Inc. has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-21 of the approximate 5.5-acre tract of land at 60 Rocky Creek Drive and 348 Granville Street in Gahanna, Ohio.

This Phase I Environmental Site Assessment includes:

- An assessment of the past and present land use activities of the site and surrounding properties, including a review of aerial photographs to confirm the historical record.
- A review of publicly available documents relevant to the environmental condition of the site and surrounding properties, including the proximity of the site to known environmental contamination as it pertains to CERCLA.
- An on-site visual reconnaissance of the property to survey for “recognized environmental conditions” as defined by ASTM E1527-21. The reconnaissance focused on identifying potential sources of contamination such as underground storage tanks, wastewater discharges, storage of regulated substances and general waste handling practices.

In defining a standard of good commercial and customary practice for conducting an Environmental Site Assessment of a parcel of property, the goal of the processes established by this practice (ASTM E1527-21) is to identify recognized environmental conditions. The term recognized environmental conditions means (1) the presence of hazardous substances or petroleum products in, on or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on or at the subject property under conditions that pose a material threat of a future release to the environment. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions, defined as a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not recognized environmental conditions.

In addition to the definition of a “REC”, ASTM E1527-21 includes definitions for “controlled” and “historical” RECs. A controlled REC (CREC) is a REC a recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of controls (for example, activity and use limitations or other property use limitations). An historical REC (HREC) is defined as a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities, without subjecting the property to any controls (for example activity and use limitations, or other property use limitations).

Before calling the past release a HREC, the environmental professional must determine whether the past release is a REC at the time the Phase I Environmental Site Assessment is conducted (for example, if there has been a change in the regulatory criteria).

This Environmental Site Assessment has revealed no evidence of RECs, CRECs, or HRECs in connection with the subject property

The findings and conclusions stated in this report represent conditions that existed at the subject property at the time this Phase I Environmental Site Assessment was performed. Additional information concerning this property or surrounding properties that was not made available to ERAtech Environmental, Inc. or was outside of the contracted scope of services could modify the stated conclusion.

2.0 INTRODUCTION

ERAtch Environmental, Inc. has performed a Phase I Environmental Site Assessment of the approximate 5.5-acre tract of land at 60 Rocky Creek Drive and 348 Granville Street in Gahanna, Ohio (see Appendix A, Vicinity Map). The subject property is located in Quarter Township 1, Township 1, Range 17, United States Military Lands and consists of the site identified by Franklin County Auditor Parcel Numbers 025-000276-00 and 025-001977-00 (see Appendix B, Tax Map).

2.1 Purpose

This Phase I Environmental Site Assessment provides Mr. Matt Von Bargen with an "all appropriate inquiries" property assessment to identify potential environmental liability associated with ownership of the property, and to qualify for CERCLA defenses such as the Bona Fide Prospective Purchaser Defense and Innocent Landowner Defense. The assessment was conducted to determine if current or past uses of the subject property or surrounding properties have had an adverse effect on the environmental condition of the property.

2.2 Special Terms and Conditions

This assessment has been produced under an agreement between ERAtch Environmental, Inc. and Mr. Matt Von Bargen. All terms and conditions of that agreement are included in this document by reference. Other than to Mr. Matt Von Bargen, ERAtch Environmental, Inc. disclaims any duty to any other person with respect to the material presented in this document and no person may rely upon this document without advance and express written permission of ERAtch Environmental, Inc. and without such person agreeing to be bound by the limitations, qualifications, terms, conditions, and indemnities set forth in that agreement. The physical inspection of the property in question is subject to monetary restraints and scope limitations. Given those limitations and conditions, ERAtch Environmental, Inc. has made what, in its opinion, is a reasonable investigation, limited to visual observation. ERAtch Environmental, Inc. has also relied upon interviews and documents with the understanding that independent verification is beyond the scope of ERAtch Environmental, Inc.'s work. The information in this document is presented "to Consultant's knowledge" which means to Consultant's actual knowledge after reasonable inquiry in light of the limitations on the scope of work.

Assumptions regarding the overall condition of the property have been developed based upon observation of representative areas of the property. As such, the development of schematic methods and associated costs for correction of identified deficiencies is limited with respect to completeness and cannot be guaranteed.

Disclosure of the contents of this report is at the discretion of Mr. Matt Von Bargen. ERAtch Environmental, Inc. requires that all reproductions of this report be made in its entirety to avoid the dissemination of out-of-context information.

2.3 Limitations and Exceptions of Assessment

A Phase I Environmental Site Assessment is a non-intrusive investigation including observations of the property and all structures on it, a visual observation of the surrounding properties, and a review of available records to help identify controlled recognized environmental conditions (CRECs), historical recognized environmental conditions (HRECs) and/or recognized environmental conditions (RECs) in relation to current and former activities on the property and surrounding properties. There were no additions or deletions to the ASTM Standard Practice for Environmental Site Assessments (E1527-21). No “Non-Scope Considerations” listed in ASTM E1527-21 Appendix X6 were assessed. In no manner was any environmental media sampled or analyzed as part of this Phase I Environmental Site Assessment.

2.4 Limiting Conditions and Methodology Used

All work was conducted in accordance with ASTM E 1527-21, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*. All accessible areas of the subject property were visually observed using a systematic walk-through approach. A representative sample of the apartment units were observed during the site reconnaissance. This included a minimum of one unit per building. The occupied suites in the Rocky Creek Professional office building were unable to be accessed. One of the suites on the ground floor of the two-story office building was unoccupied and able to be accessed. Otherwise, observations of all necessary portions of subject property and the structures on it were not significantly impaired by obstructions and the extent of the subject property was observed from all public thoroughfares.

The ERAtech Site Assessment Team was under the supervision or responsible charge of an environmental professional who possesses sufficient specific education, training, and experience necessary to exercise professional judgment to develop opinions and conclusions regarding the presence of releases or threatened releases to the surface or subsurface of a property. Resumes of the ERAtech Environmental, Inc. personnel responsible for preparing this Phase I Environmental Site Assessment are found in Appendix N.

2.5 Data Gaps

ASTM E1527-21 defines a data gap as a lack of or inability to obtain information required by this practice despite good faith efforts by the environmental professional to gather such information. Data gaps may result from incompleteness in any of the activities required by this practice, including, but not limited to site reconnaissance (for example, an inability to conduct the site visit), and interviews (for example, an inability to interview the key site manager, regulatory officials, etc.). It is important to note that data gap by itself is not inherently significant. A data gap is only significant if it affects the ability of the environmental professional to identify a recognized environmental condition.

The occupied suites in the Rocky Creek Professional office building were unable to be accessed. One of the suites on the ground floor of the two-story office building was unoccupied and able to

be accessed. While the inaccessibility of the occupied spaces is considered a data gap, it is our opinion that it does not impact our ability to identify recognized environmental conditions in connection with the subject property. ERAtech attempted to contact the Mifflin Township Division of Fire to obtain information that may be in their files relating to hazardous waste and or spill responses. No response has been received from them at the time of this writing. While the lack of a response from the Division of Fire is considered a data gap, it is our opinion that it does not impact our ability to identify recognized environmental conditions in connection with the subject property. Also, in some cases, historical records were not readily ascertainable at the five-year interval called for in the ASTM standard; therefore, some historic data gaps (time periods greater than five years) were unavoidable. While this historic data gap makes it difficult to establish for certain the earliest and consistent usage/development of the subject property, it is our opinion that the available information regarding property is otherwise sufficient to allow for our ability to identify recognized environmental conditions in connection with the subject property.

3.0 SITE DESCRIPTION

3.1 Site Description and Local Vicinity Characteristics

The current owner of the subject property is Kassel Co. The subject property features the Rocky Creek Townhouse Apartments (business address = 60 Rocky Creek Drive) and the Rocky Creek Professional Building at 348 Granville Street. Paved parking/access and green space makes up the remainder of the subject property. The property is bound on the north by Rocky Fork (tributary of Big Walnut Creek), and the south by Granville Street Avenue. The northern majority of the west side of the subject property is separated from on-going construction on the adjacent property by a chain-link fence. The southern portion of the west side of the subject property is adjacent to a professional office building. The majority of the east side of the subject property is separated from the adjacent school property by a wood fence. The southern portion of the east side of the subject property is adjacent to a restaurant. The property is located approximately 0.55-mile east of the center of Gahanna, Ohio as defined by the intersection of Granville and Mill Streets. The southern portion of the roughly rectangular-shaped subject property features topography that slopes down to the west, while the northern section of the site slopes down gently to the north toward Rocky Fork, which drains generally to the southwest along the north side of the subject property. Vehicular access to the property is gained via Rocky Creek Drive, which terminates into Granville Street in the southwest corner of the subject property.

3.2 Structures, Roads, and Other Improvements on Site

The eight 9,240 square foot apartment buildings were constructed on the subject property in the early 1970s (circa 1973). The on-site swimming pool and clubhouse building were constructed at this time also. The two-story 7,000 square foot office building was constructed on the south end of the subject property in the early 1980s (circa 1982). The office building is constructed on a concrete slab, with no basement or crawl space beneath the slab. The approximate 1,800 square foot clubhouse building in the northwest section of the site is built on a concrete slab and includes the pool operations/storage room at its west end. There are 10 units/building for a total of 80 units. The apartment offices are located at the west end of the southernmost building, leaving a total of 79 leasable units. Six of the eight apartment buildings are oriented in an east/west direction and are located on the east portion of the subject property, while the two remaining apartment buildings, oriented in a north/south direction, are on the west section of the subject property. Paved Rocky Creek Drive separates these two sets of apartment buildings. The swimming pool and clubhouse building are located in the northwest corner of the subject property, while the office building is at the south end of the subject property along the north side of Granville Street. The far north end of the subject property includes overgrown/heavily wooded land and also includes a portion of Rocky Fork, a generally southwesterly-flowing stream that flows along the north property boundary. Green space/maintained lawn is along the east and west sides of the subject property and also exists along the west sides of several of the apartment buildings. Paved parking areas are maintained between every other of the east/west oriented apartment buildings on the east side of the site and parking for the north/south oriented buildings on the west side of the subject

property is provided along the east sides of the two buildings (see Appendix C, Site Plan).

Each leasable apartment unit is similar in size and layout and includes two bedrooms upstairs, 1.5 baths, a full-service kitchen with stove, refrigerator and dishwasher, and a full basement with washer/dryer hookups available. Natural gas forced air furnaces are located in the basements of each unit. The office building features five separate suites, four of which are currently occupied. This two-story building features drywall partitioning, acoustic drop ceiling panels with recessed fluorescent lighting fixtures and a mix of vinyl tile and carpeted flooring. Natural gas fired forced air heating system is maintained on the ground floor of the office building.

All significant public utilities are available at the subject property. Electric service is supplied by American Electric Power (AEP) - Ohio, natural gas is supplied by Columbia Gas of Ohio, and the City of Gahanna provides water and sewer services to the property.

3.3 Environmental Liens/Activity and Use Limitations/Specialized Knowledge or Experience

Reasonably ascertainable land title records were accessed to identify environmental liens or activity and use limitations recorded against the subject property. No information on environmental liens or activity and use limitations (AUL's) recorded against the subject property was revealed during the preparation of the Phase I Environmental Site Assessment for this property. The property owner representative (Mr. Steve Lassel) was not aware of any environmental liens or activity and use limitations recorded against the subject property and no pre-existing environmental reports or specialized knowledge concerning the subject property were made available or communicated to ERAtech during the course of this assessment.

3.4 Current and Past Uses of the Property

Rocky Creek Townhouses, which include eight separate apartment buildings, and the Rocky Creek Professional Office building currently occupy the subject property. The apartment buildings were constructed on the subject property in the early 1970s, and the office building was constructed in the early to mid-1980s. Prior to the early 1970s the subject property featured a residence at its south end and the property was used for residential and/or agricultural purposes. While the earliest on-site development could not be established due to the lack of consistent, reliable historic sources, a 1948 aerial photograph appears to indicate on-site development on the south side of the subject property. A USGS topographic map dated 1904 does not indicate the presence of any on-site structural development.

3.5 Current Use of the Adjoining Properties

The majority of the adjacent property to the west is currently under construction for the Gahanna branch of the Columbus Metropolitan Library system. The building on the west side of the south section of the subject property is occupied by North Central Counseling, a mental health services

provider. Wooded residential property along the south side of Carpenter Road is across Rocky Fork, adjacent to the north side of the subject property. The land adjacent to the majority of the east side of the subject property exists as a parking lot for Gahanna-Lincoln High School. The building on the east side of the south section of the subject property is occupied by a Dairy Queen restaurant. En Effect Hair Design, Enjoy Life by Rebecca (massage) and Ted's Classic Cuts Barber Shop occupy the building at 345 Granville Street, adjacent to the west half of the south side of the subject property, and a vacant building at 355 Granville Street, most recently occupied by Swan Cleaners, is adjacent to the east half of the south side of the subject property.

4.0 RECORDS REVIEW

The purpose of the records review is to obtain and review records that will help identify RECs in connection with the subject property. The records review included only sources that were reasonably ascertainable. ASTM E1527-21 identifies “Standard Environmental Record Sources”, which must be reviewed where applicable, and “Additional Environmental Record Sources”, which should be reviewed when in the judgment of the environmental professional, such records are reasonably ascertainable, are sufficiently useful, accurate and complete, and are generally obtained, pursuant to customary practice, when preparing ESAs.

ERAtch contracted Envirosite Corporation (Envirosite) to provide the governmental record searches for the property and for sites located within specified ASTM radii of the property boundaries. All of the databases supplied by Envirosite were updated for the most recent additions. A copy of the Government Records Report, dated May 10, 2022, is included in Appendix D. The following sections describe the Standard Environmental Record Sources and the accompanying approximate minimum search distances as defined by the ASTM Standard.

4.1 Standard Environmental Record Sources

4.1.1 National Priority List (NPL) – Active Sites (1.0-Mile Search Distance) National Priority List (NPL) – Deleted Sites (0.5-Mile Search Distance)

NPL Active Sites: The National Priorities List (NPL) is the list of national priorities among the known releases or threatened releases of hazardous substances, pollutants, or contaminants throughout the United States and its territories. The NPL is intended primarily to guide the EPA in determining which sites warrant further investigation.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

Sites between 0.5 and 1.0-mile - None

NPL Deleted Sites: The U.S. EPA may delete a NPL site if it determines that no further response is required to protect human health or the environment. Under Section 300.425(e) of the National Contingency Plan (55 FR 8845, March 8, 1990), a site may be deleted where no further response is appropriate if EPA determines that the site meets its criteria to be deleted.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

4.1.2 Superfund Enterprise Management System (SEMS) (0.5-Mile Search Distance)

The U.S. Environmental Protection Agency's (EPA) Office of Solid Waste and Emergency Response, Office of Superfund Remediation and Technology Innovation (OSRTI), has implemented The Superfund Enterprise Management System (SEMS), formerly known as CERCLIS (Comprehensive Environmental Response, Compensation and Liability Information System) to track and report on clean-up and enforcement activities taking place at Superfund sites. SEMS represents a joint development and ongoing collaboration between Superfund's Remedial, Removal, Federal Facilities, Enforcement and Emergency Response programs.

The U.S. EPA SEMS Archived Site Inventory (List 8R Archived) replaced the CERCLIS NFRAP reporting system in 2015. This listing reflects sites at which the EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

4.1.3 Federal RCRA CORRACTS Facilities List (1.0-Mile Search Distance) Federal RCRA Non - CORRACTS TSD Facilities List (0.5-Mile Search Distance) Federal RCRA Generators List (Subject and Adjacent Properties Only)

Hazardous waste information is contained in the Resource Conservation and Recovery Act Information (RCRAInfo), a national program management and inventory system about hazardous waste handlers. In general, all generators, transporters, treaters, storers, and disposers of hazardous waste are required to provide information about their activities to state environmental agencies. These agencies, in turn pass on the information to regional and national EPA offices. This regulation is governed by the Resource Conservation and Recovery Act (RCRA), as amended by the Hazardous and Solid Waste Amendments of 1984.

Federal RCRA CORRACTS Facilities: The U.S. EPA maintains a database of the Treatment, Storage and Disposal (TSD) of hazardous waste from reporting facilities under the Resource Conservation and Recovery Act (RCRA). The CORRACTS database is the EPA's list of TSD facilities subject to corrective action.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

Sites between 0.5 and 1.0-mile - None

Federal RCRA Non - CORRACTS TSD Facilities: The U.S. EPA maintains a database (U.S. EPA Comprehensive Permitting Report) of the Treatment, Storage and Disposal (TSD) of hazardous waste from reporting facilities under the Resource Conservation and Recovery Act (RCRA).

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

Federal RCRA Generator List: Small quantity generators (SQGs) and large quantity generators (LQGs) are differentiated based on the amount of hazardous waste generated per month. Under RCRA Subtitle C (40 CFR Part 262), an SQG generates an amount greater than 100 kg (221 pounds), but less than 1,000 kg (2,210 pounds) per month of non-acutely hazardous waste. An LQG generates more than 1,000 kg (2,210 pounds) per month. A “VSQG” is defined as “a generator who generates less than or equal to the following amounts in a calendar month:

- 100 kilograms (kg) (220 pounds (lb.)) of non-acute hazardous waste; *and*
- 1 kg (2.2 lb.) of acute hazardous waste listed in Section 261.31 or Section 261.33(e); *and*
- 100 kg (220 lb.) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in Section 261.31 or Section 261.33(e)”. If a facility exceeds any of the listed parameters, it must operate as an SQG or LQG.
- A RCRA “non-generator” designation is used for facilities that either generates non-regulated/ non-RCRA material or facilities that no longer generate hazardous waste.

Subject Property - Not listed

Adjacent Properties - One site listed

The former Swan Cleaners #39 facility at 355 Granville Street is considered a “non-generator” of RCRA hazardous waste; therefore, the site is included in the U.S. EPA’s Enforcement & Compliance History Online (ECHO) database (<http://echo.epa.gov/>). The ECHO list includes all alleged current significant violations and informal enforcement actions/notices of violations (NOVs) that have been taken against a facility within the twenty most recently completed quarters (5 years). ECHO allows users to find permit, inspection, violation, enforcement action, and penalty information covering the past five years. It includes facilities regulated as Clean Air Act stationary sources, Clean Water Act direct dischargers, and Resource Conservation and Recovery Act hazardous waste generators/handlers. The data in ECHO are updated monthly. No current significant violations, notices of violation, or informal or formal enforcements actions on file for the subject property. The status of the site is listed as “Inactive”. Appendix E includes information collected from the U.S. EPA’s ECHO website for the subject property.

In addition, ERAtech accessed the Ohio EPA’s e-document (EDOC) search page at <http://edocpub.epa.ohio.gov/publicportal/edochome.aspx> for the subject facility. This search page enables the general public access to Ohio EPA’s public records. With the exception of air permitting documents, no environmentally related documentation was procured via the Ohio EPA’s EDOC search page.

4.1.4 Federal, State and Tribal Institutional/Engineering Controls Lists (Subject Property Only)

IC/EC is a list of Superfund sites that have either engineering or institutional controls. Engineering controls include caps, building foundations, liners, and treatment methods to eliminate the means by which regulated substances can enter into the environment or affect human health. Institutional controls seek to prevent exposure to contaminants remaining on-site. Common institutional

controls include groundwater-use restrictions, construction restrictions, property use restrictions, deed restrictions, and post-remediation care requirements.

Subject Property - Not Listed

4.1.5 Federal ERNS List/National Response System (NRS) (Subject Property Only)

The Emergency Response Notification System (ERNS) is a national database used to store information on releases of oil and hazardous substances. Its primary purpose is to standardize and collect notifications made to the federal government under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), the Superfund Amendments and Reauthorization Act (SARA), the Clean Water Act (CWA), and the Hazardous Material Transportation Act. Since its inception in 1986, ERNS has received over 170,000 release notifications.

The ERNS program is a cooperative data sharing effort among EPA Headquarters, DOT Research and Special Programs Administration's John A. Volpe National Transportation Systems Center (VNTSC), and the National Response Center (NRC) (a nationwide response center for chemical emergencies, staffed by the U.S. Coast Guard and sponsored by 14 federal agencies). EPA manages and funds ERNS, and the VNTSC provides operation and maintenance support through an interagency agreement with EPA.

Currently, ERNS data are used to assist decision-makers in emergency response and release prevention issues. Specific examples of ERNS data applications include guidance and regulatory development, responses to congressional inquiries, response preparedness, compliance and enforcement support, statistical and trend analysis, environmental planning, spill prevention programs, legal analyses, property transfers/site audits, and academic research.

The NRS is the government's mechanism for emergency response to discharges of oil and the release of chemicals into the navigable waters or environment of the United States and its territories. The NRS functions through a network of interagency and inter-government relationships that were formally established and described in the National Oil and Hazardous Substances Pollution Contingency Plan. Incidents involving reportable quantities of chemicals or petroleum products are required to be reported to the National Response Center of the NRS.

Subject Property - Not Listed

4.1.6 State and Tribal-Equivalent NPL (1.0-Mile Search Distance)

There is no state or tribal-equivalent NPL in Ohio. The Ohio EPA - DERR database comes closest to matching the ASTM category of "State-Equivalent CERCLIS" (see Section 4.1.7).

4.1.7 State and Tribal-Equivalent CERCLIS (0.5-Mile Search Distance)

Ohio does NOT have a State-Equivalent NPL. Ohio EPA's DERR Database is an index of sites for which the district offices maintain files. This database most closely matches the ASTM requirement for state and tribal-equivalent CERCLIS. The database is NOT a record of

contaminated sites or sites suspected of contamination. Not all sites in the database are contaminated, and a site's absence from the database does not imply that it is uncontaminated. Unlike U.S. EPA's CERCLIS database, there is no prescreening process for the inclusion of sites in the DERR database, and no process for archiving sites at this time, though Ohio EPA plans to implement these processes in the future. This database includes all sites that DERR has conducted work and includes all Ohio Master Sites. Not all of these sites are contaminated: contamination may never have been found at some sites, or cleanup may be complete.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

4.1.8 State and Tribal Landfill and/or Solid Waste Disposal Site List (0.5-Mile Search Distance)

Ohio EPA, Division of Materials and Waste Management (DMWM): The DMWM administers rules and regulations relating to municipal solid waste landfills; residual waste landfills; industrial waste landfills; construction/demolition debris landfills; solid waste transfer facilities; scrap tire storage, transportation, and disposal; composting facilities; and infectious waste generation, treatment, and transportation.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

4.1.9 State and Tribal Leaking Storage Tank Lists (0.5-Mile Search Distance) State and Tribal Registered Storage Tank Lists (Subject and Adjacent Properties Only)

In conjunction with OAC 1301:7-9-04, the Ohio State Fire Marshal establishes registration requirements for underground storage tanks containing petroleum or other regulated substances. Owners of the registered UST systems must submit an annual registration application to the fire marshal to comply with the registration requirements.

Leaking Registered Underground Storage Tanks:

Subject Property - Not listed

Adjacent Properties - Not listed

Incidents within ¼ mile - Seven incidents listed

Incidents between 0.25 and 0.5-mile - 11 incidents listed

Incidents within 0.25-mile

Six of the seven incidents that have occurred within 0.25-mile of the subject property have received "No Further Action" status, indicating a release was confirmed and/or initial corrective actions have been conducted. BUSTR has determined that further corrective actions are not necessary for these incidents. Based on their status, assumed downgradient location in relation to the subject

property, and/or distance from the subject property, it is our opinion that regulatory file reviews for these incidents are not warranted. The seventh and final incident listed within 0.25-mile of the subject property occurred within the right-of-way at the northeast corner of State Routes 62 and 317 (Granville Street/Hamilton Road), approximately 600 feet east of the southeast corner of the subject property. This incident is in “Closure” status, indicating a closure assessment is required for the incident. A closure assessment is performed when a UST system is removed and/or abandoned to determine if a release from that system has occurred. Based on its distance from the subject property, it is our opinion that a regulatory file review for this incident is not warranted.

Incidents between 0.25 and 0.5-mile

Nine of the 11 incidents that have occurred between 0.25-0.5-mile of the subject property have received “No Further Action” status, indicating a release was confirmed and/or initial corrective actions have been conducted. BUSTR has determined that further corrective actions are not necessary for these incidents. One of the two remaining incidents has been “disproved”. BUSTR “Disproved” status indicates a suspected release investigation was conducted and a release was disproved following the required confirmation procedure or was disproved following a field investigation by BUSTR staff. The final incident is listed as “Closure Sampling Not Required”. BUSTR rules state that some piping modification activities do not require the collection of closure samples at the time the activities are conducted. However, these activities require the completion and submittal of a Closure Assessment Form – Sampling Not Required 2017 report. Based on their statuses, assumed downgradient location in relation to the subject property, and/or distance from the subject property, it is our opinion that regulatory file reviews for these incidents are not warranted.

Non-Regulated Storage Tanks with Releases: This listing of non-regulated facilities with release incidents is provided by the Bureau of Underground Storage Tank Regulation (BUSTR), a bureau of the State of Ohio Fire Marshal’s office of the Ohio Department of Commerce. BUSTR regulates and supervises the investigation and cleanup of suspected releases from tank facilities to protect human health and preserve the environment. Although these facilities are not regulated by the Bureau, based on various reasons such as tank type, capacity, contents and/or prior to regulation by the state, when a release incident is reported to the Bureau a record of this facility is entered into their system.

Subject Property - None listed

Adjacent Properties - None listed

Incidents within ¼ mile - One incident listed

Incidents between 0.25 and 0.5-mile - One incident listed

Incident within ¼ mile

The lone “non-regulated” incident listed within 0.25-mile of the subject property occurred within the right-of-way at the northeast corner of State Routes 62 and 317 (Granville Street/Hamilton Road), approximately 600 feet east of the southeast corner of the subject property. This incident is in “Closure” status, indicating a closure assessment is required for the incident. A closure assessment is performed when a UST system is removed and/or abandoned to determine if a release from that system has occurred. Based on its distance from the subject property, it is our opinion that a regulatory file review for this incident is not warranted.

Incidents between 0.25 and 0.5-mile

The sole “non-regulated” incident listed between 0.25 and 0.5-mile of the subject property occurred at the Kroger Fuel #N522 facility located approximately 0.45-mile south-southeast of the subject property. This incident is listed as being a “Reported” release. “Reported” status indicates a release incident has been reported to BUSTR and the report has not been examined or investigated by BUSTR or an incident has been reported to BUSTR, but the source of the release is not known. Based on its distance, it is our opinion that a regulatory file review for this incident is not warranted.

Registered Underground Storage Tanks:

Subject Property - Not Listed

Adjacent Properties - None Listed

4.1.10 State and Tribal Voluntary Cleanup Sites (0.5-Mile Search Distance)

Ohio’s Voluntary Action Program (VAP) was created to give individuals a way to investigate possible environmental contamination, clean it up if necessary and receive a promise from the State of Ohio that no more clean-up is needed.

The VAP minimizes governmental red tape and maximizes resources and expertise in the private sector. If someone wants to clean up a piece of property, it may be done following specific standards developed by Ohio EPA. When cleanup requirements are met, the director of Ohio EPA issues a covenant not to sue. This covenant protects the property owner or operator and future owners from being legally responsible to the State of Ohio for further investigation and cleanup. This protection applies only when the property is used and maintained in the same manner as when the covenant was issued.

Subject Property - Not Listed

Adjacent Properties - None Listed

Sites within ¼ mile - None

Sites between 0.25 and 0.5-mile - None

4.1.11 State/Tribal and Federal Brownfield Sites (0.5-Mile Search Distance)

Ohio Brownfield Inventory is a statewide inventory of an abandoned, idled, or under-used industrial or commercial property where expansion or redevelopment is complicated by known or potential releases of hazardous substances and/or petroleum products.

US Brownfields: Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land and improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions.

Subject Property - Not Listed

Adjacent Properties - None Listed
Sites within ¼ mile - One site listed
Sites between 0.25 and 0.5-mile - None

The Gahanna Municipal Complex at 200 South Hamilton Road is considered a Federal Brownfield/Brownfield-ACRES site. This property is located approximately 0.28-mile south-southeast of the subject property. Based on its distance from the subject property, it is our opinion that regulatory file reviews for these sites are not warranted.

Database Sites Summary and a Discussion of Potential Vapor Migration/Vapor Intrusion Issues

LISTED OCCURRENCE SUMMARY

LIST SEARCHED	CRITICAL DISTANCE (IN MILES)	SUBJECT	Adjacent	0.25	0.5	1.0	TOTAL
CERCLIS/SEMS (active/archived)	0.5	0	0	0	0	-	0
ERNS	SP	0	-	-	-	-	0
US-EC	0.5	0	0	0	0	-	0
US-IC	0.5	0	0	0	0	-	0
NPL (active/delisted)	1.0	0	0	0	0	0	0
RCRA – GEN	SP/AP	0	0	-	-	-	0
RCRA-COR	1.0	0	0	0	0	0	0
RCRA-TSD	0.5	0	0	0	0	-	0
RCRA – Non – US	SP/AP	0	1	-	-	-	1
Tribal-LUST-Closed	0.5	0	0	0	0	-	0
Tribal-LUST-Open	0.5	0	0	0	0	-	0
Tribal-UST	SP/AP	0	0	-	-	-	0
BF-US	0.5	0	0	0	1	-	1
Brownfield-OH	0.5	0	0	0	0	-	0
DERR-OH	0.5	0	0	0	0	-	0
EC-OH	SP	0	-	-	-	-	0
IC-OH	SP	0	-	-	-	-	0
LUST-CLOSED-OH	0.5	0	0	6	11	-	17
LUST-OPEN-OH	0.5	0	0	1	0	-	1
Non-reg-LUST (closed)	0.5	0	0	0	0	-	0
Non-reg-LUST (open)	0.5	0	0	1	1	-	2
SWF-OH	0.5	0	0	0	0	-	0
HIST-LF	0.5	0	0	0	0	-	0
UST-OH	SP/AP	0	0	-	-	-	0
Spills – OH	SP	0	-	-	-	-	0
VAP-OH	0.5	0	0	0	0	-	0

*SP – subject property, AP – adjacent properties

The ASTM E 2600-15 vapor encroachment screening standard (*Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions*) was published in December 2015 and provides guidance on evaluating vapor migration from contaminated properties and media. The standard specifically focuses on screening for the likelihood of migrating vapors from nearby contaminated properties and media, such as soil and groundwater, to encroach upon the subsurface of a property involved in a real estate transaction. Two tiers for screening are included in the practice. The first tier is based upon the existence of known or suspect contaminated sites in an identified area of concern. The second tier is more comprehensive and investigates specific characteristics associated with the contaminated plumes from these sites, or if no plume information is available, relies on sampling. If the likelihood exists for vapors to reach the subsurface of the property, further investigation would be necessary to determine if intrusion is occurring into any buildings on the property. The first check in the screening process is a search distance test to identify if there are any known or suspected contaminated sites with volatile or semi-volatile hazardous chemicals of concern (COC) in the area of concern (AOC). If there are none, no further action is required.¹

¹ Buonicore, A.J., *Methodology for Identifying the Area of Concern Around a Property Potentially Impacted by Vapor Migration from Nearby Contaminated Sources*, Paper No. 2011-A-301, *Proceedings*, Air & Waste Management Association, 104th Annual Meeting, Orlando, Florida, June 24-25, 2011.

According to the ASTM E 2600-15 standard the AOC for contaminated sites with petroleum hydrocarbon chemicals of concern (COC) is 528 feet (0.1-mile) from the subject property boundaries and the AOC for contaminated sites with non-petroleum hydrocarbon COC, such as chlorinated solvents, is 1,760 feet (0.33-mile) from the subject property boundaries.

POTENTIAL HIGH RISK* OCCURRENCES FOUND IN CRITICAL SEARCH RADIUS

LIST SEARCHED	CRITICAL DISTANCE (IN MILES)	OCCURRENCES FOUND
SEMS (active)	0.33	0
DERR-OH	0.33	0
LUST-OPEN-OH	0.1	0
Non-reg-LUST (open)	0.1	0
NPL (active/delisted)	0.33	0
ERNS/Spills-OH	SP	0
Tribal-LUST-Open	0.1	0
VAP - OH	0.33	0

* For this report, potential “high risk” occurrences are those that have known contamination and have not received a “case closed” or “no further action” status from the agency that maintains the records.

Based on criteria established in ASTM E 2600-10, there are no “high risk” sites located within the designated AOC’s, minimizing the potential for an on-site vapor encroachment condition (VEC) at the subject property.

4.2 Physical Setting

4.2.1 Topography/Surface Features

The southern portion of the roughly rectangular-shaped subject property features topography that slopes down to the west, while the northern section of the site slopes down gently to the north toward Rocky Fork, which drains generally to the southwest along the north side of the subject property. Elevations across the subject property range from approximately 810 feet above mean sea level (MSL) along the east side of the south portion of the subject property to approximately 790 feet above MSL along Rocky Fork on the north side of the subject property. With the notable exception of Rocky Fork, no significant topographic or land surface features exist within the confines of the subject property. Rocky Fork empties into the generally southerly-flowing Big Walnut Creek approximately 0.55-mile southwest of the subject property (see Appendix F, Topographic Maps).

4.2.2 Soils

The generalized pedology of the site was determined from the United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) Web Soil Survey (<http://websoilsurvey.nrcs.usda.gov>). The majority of the native soils at the subject property are roughly equally divided between the Eel silt loam, 0 to 2 percent slopes, occasionally flooded (Ee) soil mapping unit, which occur on the north half of the subject property and the Eldean-Urban land complex, 2 to 6 percent slopes (EmB) soil mapping unit which occurs on the south half of the subject property. A small section of Eldean-Urban land complex, 0 to 2 percent slopes (EmA)

soils are present on the west-central section of the subject property. Appendix G of this report includes characteristics of the soil mapping units that occur on the subject property as well as a map depicting their distribution across the site.

4.2.3 Hydrogeology

According to the Ground-Water Resources of Franklin County map, the subject property is located in an area where groundwater yields of 25 to 100 gallons per minute (GPM) may be developed. The subject property is underlain by lenses of sand and gravel thinly scattered in the thin to thick layers of clayey till which overlies non-water-bearing Mississippian or Devonian shale. Properly constructed screened wells may yield 25 to 100 GPM at average depths of 80 to 135 feet but ranging to depths of 225 feet. This map does not indicate the presence of any water supply wells on or in the immediate vicinity of the subject property. Based on the local topography and hydrologic features, groundwater flow direction in the vicinity of the subject property is expected to be toward the west.

4.2.4 Zoning/Flood Zone

According to the Gahanna Zoning Map accessed via the City of Gahanna GIS Department web page (<https://www.gahanna.gov/gis-maps/>), the west section of the subject property is zoned SO (suburban office), while the east section of the subject property is zoned CC, community commercial. According to the flood insurance rate map provided by the Federal Emergency Management Agency the south and central sections of the east half of the subject property and the central section of the west half of the subject property are located in Flood Zone X, an area determined to be outside the 0.2% annual chance flood plain. The majority of the north half of the subject property is located in Flood Zone X – Other Flood Areas, which are areas of the 0.2% annual chance flood; areas of 1% chance annual flood with average depths of less than one foot or with drainage areas less than one square mile; and areas protected by levees from the 1% annual chance flood. The far northern extent of the subject property is located in Flood Zone AE, a special flood hazard area subject to inundation by the 1% annual chance flood where base flood elevations have been determined. Additionally, the portion of the subject property including and along the south bank Rocky Fork is considered to be part of the “floodway”. The floodway is the channel of the stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights (see Appendix H, FEMA Flood Map). This information was taken from FEMA Map Number 39049C0213K, dated June 17, 2008, accessed via the FEMA web page (www.fema.gov).

4.3 Historical Records Review

ERAtch reviewed past ownership and usage of the property to identify any usage that could impact the present environmental condition of the property.

4.3.1 Aerial Photographs

Dated aerial photographs were reviewed for possible industrial activity and other activities that

may present an environmental risk to the subject property.

2021	Each of the eight present-day apartment buildings, including six east/west-oriented buildings on the east half of the property, and two north/south-oriented building on the west half of the site are observed on these photos. The swimming pool and clubhouse building are observed in the northwest corner of the property and the Rocky Creek Professional building is evident in the southeast corner of the site. Rocky Creek Drive separates the six apartment buildings and the Professional building from the two apartment buildings and pool/clubhouse. The majority of the adjacent property to the west appears to be undergoing construction. The present-day North Central Counseling building is observed along the west side of the southwest corner of the subject property. Wooded land along Rocky Fork is along the north side of the subject property and residential development along the south side of Carpenter Road is beyond the creek to the north. Commercial development along the south side of Granville Street is adjacent to the south side of the subject property and a large, paved lot and the present-day Gahanna-Lincoln School building are adjacent to the east side of the subject property. The present-day Dairy Queen building is adjacent to the east side of the Professional Office building.
2019 2011	The former Gahanna Public Library building is observed on the adjacent property to the west; otherwise, the subject property and all adjacent properties appear similar to the 2021 aerial photo.
2007 2000 1995	These photos predate the construction of the school building and parking lot on the adjacent property to the east. Additional historic research indicates that the building located on this adjacent property on these photos is a strip shopping center anchored by a Kroger grocery store. Otherwise, the subject property, including the eight apartment buildings, the swimming pool and clubhouse building, and the professional building appears similar to the later aerial photographs. The 1995 aerial photo predates an addition to the north side of the adjacent library building to the west; otherwise, with the exception of the shopping center building to the east, all adjacent properties appear similar to the 2011/2019 aerial photos
1989	The subject property and the majority of the adjacent properties appear similar to the 1995/2007 aerial photos as described above. This photo appears to predate construction of the Public Library building on the adjacent property to the west. This adjacent land appears to be mostly undeveloped on this photo.
1980 1973	This photo appears to predate the construction of the present-day Rocky Creek Professional building in the southeast section of the subject property. Additional historic research indicates that the structure in this location at this time is residential in nature. Otherwise, the subject property, including the eight apartment buildings and the swimming pool and clubhouse building, appears similar to the later aerial photos. Residential development along the south side of Carpenter Road continues to be apparent across the wooded creek bed north of the subject property. The Kroger-anchored shopping center building, slightly smaller than in the 1989 photo, continues to be located on the adjacent property to the east. This adjacent shopping center may be undergoing construction in the 1973 photo. Commercial and/or residential structures along the south side of Granville Street are adjacent to the south side of the subject property, while the majority of the west side of the subject property is adjacent to undeveloped wooded land. The present-day North Central Counseling building is observed to the west of the southwest corner of the subject property.
1971	This photo predates the construction of the Rocky Creek Apartments on the subject property. A building along Granville Street at the south end of the subject property is assumed to be residential in nature. The remaining majority of the subject property is undeveloped and consists of open fields and areas of trees. The land adjacent to the majority of the east and west sides of the subject property are also undeveloped and lightly wooded; however, buildings along Granville Street are adjacent to the east and west sides of the south end of the subject property. Commercial and/or residential development is across Granville Street to the south and residential development along the south side of Carpenter Road continues to be observed beyond the wooded creek bed north of the subject property.
1965 1963	Two buildings are present at the south end of the subject property on both of these photos. These are assumed to be residential and/or agricultural-related structures. The remaining majority of the subject property is undeveloped and consists of open fields and areas of trees. Adjacent properties appear similar in usage and configuration to the 1971 aerial photo.

1960	This photo suffers from poor resolution making it difficult to ascertain site details. To the extent visible, the subject property and all adjacent properties appear similar to the 1963/1965 photos.
1953	The south section of the subject property continues to include two buildings, while the remainder of the site consists of undeveloped land with scattered tree growth. Undeveloped fields/agricultural land is adjacent to the majority of the east side of the subject property and the entirety of the west side of the subject property on this photo. Wooded Rocky Fork and residential development is apparent north of the subject property, and undeveloped land and assumed residential development is across Granville Street to the south of the subject property.
1948	This photo suffers from poor resolution making it difficult to ascertain site details. The south portion of the subject property continues to appear to support structural development, the nature and number of buildings of which cannot be accurately determined. The remaining majority of the subject property exists as undeveloped lightly wooded fields, similar to the adjacent lands to the east and west. The majority of the land across Granville Street to the south also appears to be used for agricultural purposes, while the land across the wooded creek bed to the north is mostly undeveloped with a couple assumed residences along the south side of Carpenter Road being present.

Aerial photographs reviewed during this assessment are included in Appendix I of this report.

4.3.2 Street Directories

Available local street directories from 1949-50 to 2022 were reviewed at regular intervals for the subject property and selected surrounding properties to identify past uses of potential environmental concern. “xxxx” entries denote addresses with no people, no phone, or an unlisted phone number. The subject property addresses/occupants are listed in **bold print**.

2022

306 Granville Street	No current listing
309-335 Granville Street	Residential
338 Granville Street	North Central Counseling
345B Granville Street	Ted’s Classic Cuts Barber Shop
345D Granville Street	En Effect Hair Studio
<i>Rocky Creek Drive begins</i>	
348 Granville Street	Joseph L. Zakas & Co. (accountants)/Phalen & Phalen (health-related facility)/Wiles Insurance Agency
355 Granville Street	Swan Cleaners
364 Granville Street	DQ Ice Cream Parlor
377 Granville Street	Donato’s Pizza
380 Granville Street	Columbus State Community College
<i>Jahn Drive intersects</i>	
73 North Hamilton Road	Rusty Bucket Restaurant & Tavern
83 North Hamilton Road	Optometry office
91 North Hamilton Road	Panera Bread
95 North Hamilton Road	Chipotle Mexican Grill
105 North Hamilton Road	Geico Insurance
115 North Hamilton Road	Suffl LLC (attorneys)
125 North Hamilton Road	Clothing Care (tailors)
135 North Hamilton Road	Mancuso Law Office
137 North Hamilton Road	Gold & Diamonds Inc.
151 North Hamilton Road	Gatsby’s Bar
60-178 Rocky Creek Drive	Kassel Co. (apartments)/Rocky Creek Townhouses

2018

310 Granville Street	Gahanna Public Library
309-335 Granville Street	Residential
338 Granville Street	North Central Counseling
345B Granville Street	Ted's Classic Cuts Barber Shop
345D Granville Street	En Effect Hair Studio

Rocky Creek Drive begins

348 Granville Street	Joseph L. Zakas & Co. (accountants)/Phalen & Phalen (psychologists)/Wiles Insurance Agency/MedPac Technologies
355 Granville Street	Swan Cleaners
364 Granville Street	Dairy Queen
377 Granville Street	Donato's Pizza
380 Granville Street	Columbus State Community College

Jahn Drive intersects

73 North Hamilton Road	Rusty Bucket Restaurant & Tavern
83 North Hamilton Road	Gahanna Vision Center
91 North Hamilton Road	Panera Bread
95 North Hamilton Road	Chipotle Mexican Grill
103 North Hamilton Road	Red Skye Wireless
109 North Hamilton Road	Smash Burger
125 North Hamilton Road	Clothing Care (tailors)
133 North Hamilton Road	Gahanna Shoe Repair
137 North Hamilton Road	Gold & Diamonds Inc.
151 North Hamilton Road	Gatsby's Bar

60-178 Rocky Creek Drive	Kassel Co. (apartments)/Rocky Creek Townhouses
---------------------------------	---

2014

310 Granville Street	Gahanna Public Library
309-335 Granville Street	Residential
338 Granville Street	North Central Counseling
345 Granville Street	Ted's Classic Cuts Barber Shop/Lura's Beauty Salon/Detwiler-Brofford Insurance/En Effect Hair Studio

Rocky Creek Drive begins

348 Granville Street	Insurance Advisors/Joseph L. Zakas & Co. (accountants)/Phalen & Phalen (psychologists)/Wiles Insurance Agency/Asphalt Services of Ohio
355 Granville Street	Swan Cleaners
364 Granville Street	Dairy Queen
377 Granville Street	Donato's Pizza
380 Granville Street	Columbus State Community College

Jahn Drive intersects

73 North Hamilton Road	Rusty Bucket Gahanna
83 North Hamilton Road	Gahanna Vision Center
85 North Hamilton Road	Menchie's Frozen Yogurt
91 North Hamilton Road	Panera Bread
95 North Hamilton Road	Chipotle Mexican Grill
103 North Hamilton Road	Red Skye Wireless
105 North Hamilton Road	Supercuts
109 North Hamilton Road	Smash Burger
115 North Hamilton Road	Tuffy Auto Service Center
125 North Hamilton Road	Clothing Care (cleaners)

133 North Hamilton Road
137 North Hamilton Road
151 North Hamilton Road

Gahanna Shoe Repair/Distefano Enterprises Inc.
Gold & Diamonds Inc.
Gatsby's Bar & Grille

60-178 Rocky Creek Drive

Kassel Co. (apartments)/Rocky Creek Townhouses

2010

310 Granville Street
309-335 Granville Street
338 Granville Street
345 Granville Street

Gahanna Public Library
Residential
Children's Hospital Home/North Central Mental Services
Ted's Classic Cuts Barber Shop/Lura's Beauty Salon/Detwiler-Brofford Insurance/En Effect Hair Studio

Rocky Creek Drive begins

348 Granville Street

Insurance Advisors/Joseph L. Zakas & Co. (accountants)/Phalen & Phalen (psychologists)/Wiles Insurance Agency/Mid- Ohio Insurance

355 Granville Street
364 Granville Street
367 Granville Street
377 Granville Street

Swan Cleaners
Dairy Queen
Daniel Morgenstern
Donato's Pizza

Jahn Drive intersects

115 North Hamilton Road
125 North Hamilton Road
133 North Hamilton Road
151 North Hamilton Road

Tuffy Auto Service Center
Clothing Care (cleaners)
Gahanna Shoe Repair/Distefano Enterprises Inc.
Gatsby's Bar & Grille

60-178 Rocky Creek Drive

Kassel Co. (apartments)/Rocky Creek Townhouses

2006

306 Granville Street
309-335 Granville Street
338 Granville Street
345 Granville Street

Residential
Residential
Children's Hospital Home/North Central Counseling
Ted's Classic Cuts Barber Shop/Lura's Beauty Salon/En Effect Hair Studio

Rocky Creek Drive begins

348 Granville Street

Burnside-Kelly Law Office/Insurance Advisors/In-Depth Tutoring/Joseph L. Zakas & Co. (accountants)/Fenix Construction Solutions

355 Granville Street
364 Granville Street
367 Granville Street
377 Granville Street

Swan Cleaners
Dairy Queen
Morningstar Chiropractic
Donato's Pizza

Jahn Drive intersects

83 North Hamilton Road
87 North Hamilton Road
107 North Hamilton Road
109 North Hamilton Road
115 North Hamilton Road
125 North Hamilton Road
135 North Hamilton Road
137 North Hamilton Road
151 North Hamilton Road

Kroger
Great Clips
Advance America/American Family Mortgage
Wes Banco
Tuffy Auto Service Center
Wedding Gown Specialists
Acacia Life Insurance
Gahanna Shoe Repair
Gatsby's Bar & Grille

60-178 Rocky Creek Drive

Kassel Co. (apartments)/Rocky Creek Townhouses

2002

310 Granville Street
309-335 Granville Street
338 Granville Street
345 Granville Street

Gahanna Public Library
Residential
Children’s Close to Home Health/North Central Counseling
Perfect Pair Antiques/Lura’s Beauty Salon/En Effect Hair Studio

Rocky Creek Drive begins

348 Granville Street

Bruce S. Kay MD/Prodigy Construction Management/Joseph L. Zakas & Co. (accountants)

355 Granville Street
364 Granville Street
367 Granville Street
377 Granville Street

Swan Cleaners
Dairy Queen
Morningstar Chiropractic
Donato’s Pizza

Jahn Drive intersects

83 North Hamilton Road
87 North Hamilton Road
109 North Hamilton Road
115 North Hamilton Road
119 North Hamilton Road
125 North Hamilton Road
135 North Hamilton Road
137 North Hamilton Road
151 North Hamilton Road

Kroger
Great Clips
Wes Banco
Tuffy Auto Service Center
Convenient Food Mart
Clothing Care (cleaners)/Wedding Gown Specialists
Acacia Life Insurance Co.
Gahanna Shoe Repair
Gatsby’s Pizza & Saloon

60-178 Rocky Creek Drive

Kassel Co. (apartments)/Rocky Creek Apartments

1997

310 Granville Street
309-335 Granville Street
345 Granville Street

Columbus Metropolitan Library
Residential
Columbus Bridal/Lura’s Hair Crafters

Rocky Creek Drive begins

348 Granville Street

B. Kay MD Inc./Jaz Inc. (accounting, auditing, bookkeeping)/John Paulus/M.S. Grulkowski

355 Granville Street
364 Granville Street
367 Granville Street

Swan Super Cleaners Inc.
Dairy Queen
Terry Hummel Attorney/Joel Rovito (legal services)

Jahn Drive intersects

83 North Hamilton Road
107 North Hamilton Road
109 North Hamilton Road
115 North Hamilton Road
119 North Hamilton Road
125 North Hamilton Road
133 North Hamilton Road
135 North Hamilton Road
151 North Hamilton Road

Kroger
Thompson King (real estate)
American Bancorporation
Tuffy Auto & Brake
Ed’s Convenient Mart
Convenient Cleaner & Laundry (dry cleaning plant)
Creations – The Hair Sophisticut
Riddell Mancuso & Co. LPA (legal services)/Rudy’s Pawn Shop
Gregory Chapin

60-178 Rocky Creek Drive

Lassel & Karst Sons Masonry Co./Rocky Creek Apartments

1994

310 Granville Street

Columbus Metropolitan Library

309-335 Granville Street 345 Granville Street <i>Rocky Ford Drive begins</i> 348 Granville Street	Residential Columbus Bridal Sales/Lura's Hair Crafters
355 Granville Street 364 Granville Street 367 Granville Street 377 Granville Street	Rocky Creek Professional Building – Bruce S. Kay MD/Rocky Fork Realty/John Paulus (psychologist)/Mary S. Grulkowski MD Swan Cleaners Dairy Queen Terry V. Hummel/Darrolyn C. Krippel (attorneys) Vacant
83 North Hamilton Road 107 North Hamilton Road 109 North Hamilton Road 119 North Hamilton Road 125 North Hamilton Road 133 North Hamilton Road 135 North Hamilton Road 137 North Hamilton Road 151 North Hamilton Road	Kroger Thompson King William Holzer (real estate) Columbus National Bank Ed's Convenient Mart Convenient Cleaner & Laundry Creations – The Hair Sophisticut Riddell & Mancuso & Co. LPA (lawyers) Gahanna Shoe Repair Gatsby's Pizza Parlor & Saloon
60-178 Rocky Creek Drive	Lassel & Karst Contractors (brick masons)/Rocky Creek Apts.
<u>1991</u>	
310 Granville Street 309-335 Granville Street 338 Granville Street 345 Granville Street <i>Rocky Ford Drive begins</i> 348 Granville Street	Columbus Metropolitan Library Residential Vacant Columbus Bridal Sales/Lura's Hair Crafters
355 Granville Street 364 Granville Street 367 Granville Street 377 Granville Street	Rocky Creek Professional Building – physician's offices/Dairy Queen of Mid-Ohio (offices)/Rocky Ridge Grace Brethren Church (offices)/Theracare Physical Therapy Swan Cleaners Dairy Queen Terry V. Hummel/Darrolyn C. Krippel (attorneys) Residential
83 North Hamilton Road 87 North Hamilton Road 107 North Hamilton Road 109 North Hamilton Road 119 North Hamilton Road 125 North Hamilton Road 133 North Hamilton Road 135 North Hamilton Road 137 North Hamilton Road 151 North Hamilton Road	Kroger State Farm Insurance Ben Kramer & Son Inc. (paint & wallpaper) Columbus National Bank Ed's Convenient Mart Convenient Cleaner & Laundry Creations – The Hair Sophisticut Peter H. Riddell Co. LPA (lawyer) Gahanna Shoe Repair Gatsby's Pizza Parlor & Saloon
60-178 Rocky Creek Drive	Lassel & Karst Contractors (brick masons)/Rocky Creek Apts.
<u>1986</u>	
310 Granville Street 312 Granville Street 309-335 Granville Street 338 Granville Street	No return Residential Residential Gahanna Counseling Service Inc.

345 Granville Street
Rocky Creek Drive begins
348 Granville Street

Lura's Hair Crafters/Vacant

Rocky Creek Professional Building – physician's offices/Dairy Queen of Mid-Ohio Inc./Nationwide Insurance/Farmers Insurance Group

355 Granville Street
 364 Granville Street
 367 Granville Street
 377 Granville Street

Swan Cleaners
 Dairy Queen
 ARTA of Ohio (title company)/Faist, Hummel, Krippel (attorneys)
 Residential

83 North Hamilton Road
 85 North Hamilton Road
 87 North Hamilton Road
 107 North Hamilton Road
 109 North Hamilton Road
 119 North Hamilton Road
 125 North Hamilton Road
 133 North Hamilton Road
 135 North Hamilton Road
 137 North Hamilton Road
 151 North Hamilton Road

Kroger
 Vacant
 State Farm Insurance
 Ben Kramer & Son Inc. (paint & wallpaper)
 Equitable Savings Bank
 Convenient Food Mart
 Convenient Cleaning Center
 Creations – The Hair Sophisticut
 Ohio Special Olympics
 Gahanna Shoe Repair
 Gatsby's Pizza Parlor & Saloon

60-178 Rocky Creek Drive

Lassel & Karst Contractors (brick masons)/Rocky Creek Apts.

1982

310 Granville Street
 312 Granville Street
 309-335 Granville Street
 326 Granville Street
 338 Granville Street
 345 Granville Street

Residential
 Residential
 Residential
 No return
 Gahanna Counseling Service Inc.
 Residential

Rocky Creek Drive begins
348 Granville Street

Vacant

355 Granville Street
 364 Granville Street
 367 Granville Street
 377 Granville Street

Arthur Treacher's Fish & Chips
 Dairy Queen
 Don Connor Realtor
 Residential

83 North Hamilton Road
 85 North Hamilton Road
 87 North Hamilton Road
 107 North Hamilton Road
 109 North Hamilton Road
 119 North Hamilton Road
 125 North Hamilton Road
 133 North Hamilton Road
 135 North Hamilton Road
 137 North Hamilton Road
 151 North Hamilton Road
60-178 Rocky Creek Drive

Kroger
 Super X Drugs
 Vacant
 Gahanna Decorating Center (paint & wallpaper)
 Vacant
 Convenient Food Mart
 Convenient Cleaning Center
 Sheer Creations (beauty shop)
 Joe Benedict Realty
 Gahanna Shoe Repair
 Great Gatsby's Saloon
Rocky Creek Apts.

1979

348 Granville Street

J. Clark & Co. Realtor

1978

310 Granville Street	Residential
312 Granville Street	Residential
309-335 Granville Street	Residential
326 Granville Street	Residential
338 Granville Street	Residential.
345 Granville Street	Residential (Lintner)

Rocky Creek Drive begins

348 Granville Street	Vacant
355 Granville Street	Arthur Treacher's Fish & Chips
364 Granville Street	Dairy Queen
367 Granville Street	Tom Young & Associates Inc. (real estate)
377 Granville Street	Residential

83 North Hamilton Road	Kroger
85 North Hamilton Road	Super X Drugs
89 North Hamilton Road	Olan Mills Studio (photography)
107 North Hamilton Road	Gahanna Decorating Center (paint & wallpaper)
109 North Hamilton Road	Central Trust Co.
119 North Hamilton Road	Convenient Food Mart
125 North Hamilton Road	Convenient Cleaning Center
151 North Hamilton Road	The Great Gatsby Saloon

60-178 Rocky Creek Drive	Rocky Creek Apts.
---------------------------------	--------------------------

1976

310 Granville Street	Residential
312 Granville Street	Residential
309-335 Granville Street	Residential
326 Granville Street	Residential
338 Granville Street	Residential.
345 Granville Street	Residential (Lintner)

Rocky Creek Drive begins

348 Granville Street	Residential (Stephenson)
355 Granville Street	Arthur Treacher's Fish & Chips
364 Granville Street	Dairy Queen
367 Granville Street	Vacant
377 Granville Street	Residential

83 North Hamilton Road	Kroger
85 North Hamilton Road	Super X Drugs
89 North Hamilton Road	Olan Mills Studio (photography)
107 North Hamilton Road	The Decorating Centre (paint & wallpaper)
109 North Hamilton Road	Central Trust Co.
119 North Hamilton Road	Convenient Food Mart
125 North Hamilton Road	Convenient Cleaning Center

Carpenter Road intersects

Rocky Creek Drive is not listed in this edition.

1972

310 Granville Street	Residential
312 Granville Street	Vacant
309-335 Granville Street	Residential

326 Granville Street	Residential
338 Granville Street	Residential
345 Granville Street	Residential (Lintner)
348 Granville Street	Vacant
355 Granville Street	Residential
364 Granville Street	Residential
367 Granville Street	Residential
374 Granville Street	Residential
377 Granville Street	Residential
81 North Hamilton Road	Residential
87 North Hamilton Road	Residential
109 North Hamilton Road	Residential
151 North Hamilton Road	Residential

Rocky Creek Drive is not listed in this edition.

1968

310 Granville Street	Residential
312 Granville Street	Residential
309-335 Granville Street	Residential
326 Granville Street	Bernard Murray (lawyer)
338 Granville Street	Residential
345 Granville Street	Residential (Lintner)
348 Granville Street	Residential (Fravel)
355 Granville Street	Residential
364 Granville Street	James Zeller
367 Granville Street	Residential
374 Granville Street	Residential
377 Granville Street	Residential

1964

310 Granville Street	Thomas Elwood
312 Granville Street	Residential
309-335 Granville Street	Residential
326 Granville Street	Bernard Murray (lawyer)
338 Granville Street	Residential
345 Granville Street	Residential (Lintner)
348 Granville Street	Residential (Fravel)
355 Granville Street	Residential
364 Granville Street	James Zeller
367 Granville Street	Residential
374 Granville Street	Residential
377 Granville Street	Residential

1960

309-311 Granville Street	Residential
310 Granville Street	Residential
312 Granville Street	Residential
326 Granville Street	Residential
338 Granville Street	Residential
345 Granville Street	Residential (Lintner)
348 Granville Street	Residential (Fravel)
355 Granville Street	Residential

364 Granville Street	Residential
367 Granville Street	Residential
374 Granville Street	Residential
377 Granville Street	Residential

1957

310 Granville Street	Residential
312 Granville Street	Residential
326 Granville Street	Residential
338 Granville Street	Residential
348 Granville Street	Fravel Hatchery (chickens)/Residential (Fravel)
355 Granville Street	Residential
364 Granville Street	Residential
367 Granville Street	Residential
374 Granville Street	Residential
377 Granville Street	Residential

1956

310 Granville Street	Residential
312 Granville Street	Residential
326 Granville Street	Residential
338 Granville Street	Residential
348 Granville Street	Fravel Hatchery (chickens)/Residential (Fravel)
355 Granville Street	Residential
356 Granville Street	No return
364 Granville Street	Residential
367 Granville Street	Residential
374 Granville Street	Residential
385 Granville Street	No return

1949-50

No address numbers on Granville Street in the vicinity of the subject property.

4.3.3 Chain of Title²

Deed records reviewed from the Franklin County Recorder’s web page were reviewed for the subject property (<https://countyfusion5.kofiletech.us/countyweb/login.action>). The chronological history of ownership is summarized below.

Parcel 025-000276-00

<u>Owner</u>	<u>Date of Ownership</u>
The Kassel Company	1971-Present
Michael & Maria Lassel and John & Susanna Karst	1971
William B. & Ethelyn R. Luft	1969-1971
Lulu Fravel	1969
Charles H. & Lulu May Fravel	?-1969

Parcel 025-001977-00

<u>Owner</u>	<u>Date of Ownership</u>
The Kassel Company	1971-Present

² ERAtech Environmental, Inc. is not a title research company. These findings should not be used to determine clear title.

Larry L. & Helen Lintner	1970-1971
May B. Roush et al	1949-1970
Don C. & May B. Roush	1929-1949
Charles H. & Lulu May Fravel	?-1929

The purpose of performing a historical ownership search is to obtain indications of possible detrimental environmental activities that may have occurred on the subject property. No such activity was discovered during this portion of our Phase I ESA historic research. The development of the Rocky Creek Apartment complex appears to roughly coincide with the 1971 purchase of the subject property by the Kassel Company.

The “All Appropriate Inquiries” Final Rule (40 CFR Part 312) requires that a search for the existence of environmental liens and AULs that are filed or recorded against the property must be conducted by or on behalf of a party seeking to qualify for an LLP to CERCLA liability. Any environmental liens and AULs known to the user should be reported to the environmental professional conducting a Phase I Environmental Site Assessment. No environmental liens or AULs were discovered during the property transaction research summarized above. Copies of the current property deeds are included in Appendix J.

4.3.4 Additional Record Sources

Sanborn Fire Insurance Maps

Sanborn Historic Maps are large-scale street plans produced by the Sanborn Fire Insurance Company from 1867 to 1970. These maps are heavily used in both public and academic libraries by a wide range of researchers including local historians to locate and identify buildings and neighborhoods, urban historians to study the growth of towns and cities, and environmentalists concerned about impact of new developments. The subject property was not located on any of the readily available Sanborn Maps.

Historic Maps

USGS Topographic Maps and historic maps of Franklin County/Mifflin Township were reviewed for information on past use of the subject property. Due to their age, minor errors or inaccuracies are inherent to these sources. Copies of each of these historic maps are included in Appendix K.

<p>1982 1973</p>	<p>The eight present-day Rocky Creek apartment buildings are displayed on these USGS topo maps. A building in the southeast section of the subject property appears to be the former onsite residential structure. Buildings along the north and south sides of Granville Street to the east and west of the south section of the subject property, and across the street to the south are assumed to be a mix of residential and commercial structures. Structures along the south side of Carpenter Street, across Rocky Fork to the north of the subject property, are assumed to be residential in nature.</p>
<p>1966 1955</p>	<p>A building continues to be displayed at the south end of the subject property on both of these USGS topo maps. Buildings along the north and south sides of Granville Street to the east and west of the south section of the subject property, and across the street to the south continue to be assumed residential and/or commercial structures. Structures along the south side of Carpenter Street, across Rocky Fork to the north of the subject property, are assumed to continue to be residential in nature. Residential development across Granville Street to the south is much denser on the 1966 map.</p>
<p>1910</p>	<p>The subject property is in the central portion of a 28+-acre tract of land owned by David S. Porter. Havens Corner Road (present-day Granville Street) is along the south property boundary and Rocky Fork drains generally to the southwest along the north side of the subject property. The town of Gahanna is west of the subject property between Rocky Fork to its east and Big Walnut Creek along its west side. This map was not intended to depict structural development.</p>

1904	According to this USGS topographic map, the subject property continues to be located east of the town of Gahanna, along the north side of present-day Granville Street, and along the south side of the southwesterly-draining Rocky Fork. No structures are displayed within the present-day confines of the subject property on this map.
1895	According to this map of Franklin County, the subject property is in the central portion of a 28.5-acre tract of land owned by Rufus Clark. Present-day Granville Street) is along the south property boundary and Rocky Fork drains generally to the southwest along the north side of the subject property. The town of Gahanna is west of the subject property between Rocky Fork to its east and Big Walnut Creek along its west side. This map was not intended to depict structural development.
1883	The subject property is located in the north-central portion of a 330.5-acre tract of land owned by Rufus S. Clark. 300+ acres of the Clark land is south of present-day Granville Street, with the approximate 28-acre tract of which the subject property is a part representing the only Clark land north of this road. Rocky Fork continues to drain to the southwest along the north side of the subject property and the town of Gahanna continues to be depicted to the west of the subject property.
1872	The subject property is in the central portion of a 28.5-acre tract of land owned by J. Clark. Present-day Granville Street is along the south property boundary and Rocky Fork drains generally to the southwest along the north side of the subject property. The town of Gahanna is west of the subject property between Rocky Fork to its east and Big Walnut Creek along its west side. No structures are depicted within the present-day confines of the subject property on this map.
1856	No structures are depicted on the subject property on this map. The subject property is located along the north side of present-day Granville Street, and along the south side of Rocky Fork. The subject property makes up the approximate central portion of a 28-acre tract of land owned by John Clark. Present-day Gahanna, labeled as Bridgeport on this map, is west of the subject property.

Summary of Historical Records

The Rocky Creek apartment complex was originally constructed on the subject property in the early 1970s. The Rocky Creek office building appears to have been constructed in the early to mid-1980s. Prior to the early 1970s the subject property featured a residential structure along Granville Street on the south side of the subject property. A second building, assumed to be agriculturally related, was located north of the residence in the south-central portion of the subject property. Local street directories indicate the presence of a chicken hatchery on the subject property in the 1950s, and possibly earlier. A 1948 aerial photograph appears to indicate on-site structural development at the south end of the subject property. Original on-site structural development could not be determined due to the lack of consistent, reliable historic sources; however, a 1904 topographic map does not depict any on-site development.

5.0 INFORMATION FROM SITE RECONNAISSANCE

On May 10, 2022, Tim Farrell from ERAtech Environmental, Inc. conducted a site reconnaissance of the property to survey for indicators of potential environmental liability as it pertains to CERCLA on the property and in the area immediately surrounding the property. The grounds were visually observed for evidence of hazardous substances or petroleum activities with potential for having an environmental impact on the subject property. Mr. Farrell met Mr. Rick Archer, head of maintenance for the Rocky Creek apartment complex at the subject property. Mr. Archer was designated as the property owner representative by Mr. Steve Lassel of Kassel Company. Mr. Archer provided access to a representative sampling of the leasable apartment units and also provided unlimited access to all common/shared areas of the buildings and the exterior of the subject property in its entirety. Mr. Archer was able to supply pertinent information concerning several on-site features as well as the subject property in general. Photographs from the site reconnaissance are included in Appendix L.

5.1 Hazardous Substances and/or Petroleum Products Connected with Identified Uses

No bulk amounts of hazardous substances or petroleum products connected with identified uses were revealed during the site reconnaissance of the subject property. Nominal amounts of janitorial and/or maintenance supplies are stored in the maintenance shop on the basement at the west end of the 60-78 Rocky Creek Drive apartment building and normal amounts of cleaning supplies are stored in occupied apartment units throughout the Rocky Creek apartment complex.

5.2 Hazardous, Petroleum and/or Unidentified Substance Containers

No hazardous, petroleum and/or unidentified substance containers, including bulk storage containers 55 gallons or greater, were observed on the subject property at the time of our site reconnaissance. No open or damaged containers suspected to contain hazardous substances or petroleum products were observed during the site reconnaissance.

5.3 Storage Tanks

Mr. Archer was not aware of the current or former presence of any USTs or aboveground bulk storage tanks located on the subject property. The site is not included in BUSTR's database of properties with registered USTs and no vent pipes or fill ports typically associated with USTs were observed on the subject property during the site reconnaissance.

5.4 Indications of PCBs

40 CFR 761 requires owners of all PCB transformers (transformers containing greater than 500

parts per million [ppm] PCBs by weight) in use or within 30 meters of occupied buildings to register the transformer with the building owner of record. Information to be provided includes location, constituents of the dielectric fluid, and type of installation.

Eight pad-mounted transformers (one/apartment building) were observed on the subject property during our site reconnaissance. Additionally, three pole-mounted units on a single pole were observed along Granville Street, south of the Rocky Creek Professional Office building. Each of the pad-mounted units and all three of the pole-mounted units appeared to be in good to excellent condition, with no signs of past or current leaks, spills or releases observed on the units, the pole or pads they are mounted on, or the ground surface beneath and/or surrounding the units. No labels indicating potential PCB content were observed on any of the transformers. In most cases, utility companies assume between 50 and 499 ppm PCBs on unlabeled/untested equipment. AEP Ohio is the transformer owner and local electric utility provider. No other electrical or hydraulic equipment possibly containing PCB-laden fluids were observed on the subject property during the site reconnaissance.

The information included in this section provides insight as to whether there exists a potential for contamination of the subject property with PCBs. PCBs can pose a serious threat to the environment, and the reporting and cleanup of PCB-contaminated sites are stringently regulated through 40 CFR 761.125.

5.5 Indications of Solid Waste Disposal or Hazardous Substance/Petroleum Releases

Solid Waste Disposal

No pits, ponds, mounds, depressions, or lagoons possibly indicating solid waste disposal were observed on the subject property at the time of our site reconnaissance. Solid waste generated at the subject property is placed into waste receptacles (dumpsters), owned, and regularly serviced by Local Waste Services. The dumpster units are strategically placed on concrete pads throughout the property.

Stained Soil and Building Materials/Noxious or Foul Odors/Standing or Pooled Liquids

No significant areas of stained or corroded building materials, stained soil, or stressed vegetation were observed on the subject property. No noxious or foul odors were identified at the time of our site reconnaissance and no standing surface water or pools containing liquids likely to be hazardous substances or petroleum products were observed during the site reconnaissance.

5.6 Drains and Sumps

According to Mr. Archer, all active sinks, drains and toilet fixtures inside the subject building discharge to the local municipal sanitary sewer. Sump pits are located in the basements of the majority of the on-site apartment buildings. The sumps are in place to mitigate groundwater intrusion into the basement of the buildings. Each unit discharges separately directly onto the grounds of the subject property.

5.7 Waste Water

No industrially related process wastewater is currently being generated from the subject property. Domestic wastewater generated at the property reportedly discharges to the local sanitary sewer system. No evidence of septic tank/leach field systems were observed on the property and Mr. Archer was not aware of any such on-site system.

5.8 Wells

No groundwater monitoring, supply or production wells were observed on the subject property and Mr. Archer stated that to the best of his knowledge, none are located within the confines of the subject property. Neither the Ground-Water Resources of Franklin County map nor the Ohio Department of Natural Resources (ODNR) Water Well Log database indicate the presence of water wells on the subject property.

5.9 Physical Setting Analysis

The southern portion of the roughly rectangular-shaped subject property features topography that slopes down to the west, while the northern section of the site slopes down gently to the north toward Rocky Fork, which drains generally to the southwest along the north side of the subject property. Surface releases to the unimproved areas outside of the subject buildings (location and quantity dependent) would likely remain localized and percolate into the on-site soils or migrate via sheet flow toward the west and north property boundaries, and possibly eventually into Rocky Fork, which flows southwesterly along the north property boundary. Active sinks, drains and toilet fixtures inside the on-site buildings reportedly discharge to the local sanitary sewer system. However, sump pits in the basements of several of the apartment buildings discharge directly onto the grounds of the subject property. Due to the surrounding land usage, the local topography, and intervening man-made improvements (roadways, etc.) releases on adjoining properties would not be expected to cause on-site impacts. Surface releases on the Dairy Queen property adjacent to the east side of the Rocky Creek Professional Office building would have the potential to migrate onto the subject property.

Releases to soils have the potential to impact groundwater supplies. Groundwater flow direction for a particular location is best determined using site-specific well data. Lacking this type of information, it may be necessary to rely on other sources, such as topographic information, hydrologic information, hydrogeologic data collected from nearby properties and/or regional groundwater flow information. Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist in determining the potential impact of nearby contaminated properties, or should contamination exist on the subject property, what downgradient sites may be affected.

Based on the local topography and hydrologic features, groundwater flow direction in the vicinity of the subject property is expected to be toward the west. This assessment has revealed no significant sources of subsurface contamination in proximity to the subject property in the assumed

hydraulically upgradient direction and there are no indications that current or historic on-site operations have caused on-site impacts sufficient to impact the subsurface of the subject property or any property located in assumed hydraulically downgradient locations.

6.0 INTERVIEWS

During the course of this assessment, ERAtech interviewed the property owner representative (Mr. Rick Archer) to obtain information indicating possible recognized environmental conditions in connection with the property. ERAtech also attempted to contact the Mifflin Township Division of Fire to obtain similar information that may be in their files. No response has been received from them at the time of this writing. All interviewed were asked to answer in good faith and only to the extent of their knowledge. Some of the information provided by those interviewed is included in the body of this ASTM Phase I Environmental Site Assessment. In addition, Mr. Matt Von Barga, completed the User Questionnaire which is provided in Appendix M of this report.

Property Owner Representative/Site Manager

Mr. Rick Archer

(614) 471-6308

Head of Maintenance, Kassel Co.

Mr. Archer was asked to provide copies of the following pertinent documents, if available: environmental site assessment reports, asbestos records, environmental compliance audit reports, environmental permits, registration for storage tanks, material safety data sheets, community right-to-know documents (State Emergency Response Commission filing), safety plans, hydrogeologic reports, environmental violations from governmental agencies, RCRA notices or reports, geotechnical studies, risk assessments and recorded AULs. Mr. Archer was not aware of any such documentation concerning the subject property.

Mr. Archer was asked whether he had knowledge of any pending, threatened, or past litigation or administrative proceedings relevant to hazardous substances or petroleum products in, on or from the property. Mr. Archer was also asked if he was aware of any notices from any governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products. Mr. Archer stated that he had no knowledge of any such proceedings, notices, or liability involving the subject property.

Local Fire Department Representative

Mifflin Township Division of Fire

fire@mifflin-oh.gov/(614) 471-4494

No reply to ERAtech's attempts to contact the Mifflin Township Division of Fire have been received at the time of this writing. Any pertinent information received from the Division of Fire subsequent to the completion of this assessment will be forward to the client under separate cover.

7.0 OPINION

Opinion of Impacts

The ERAtech Environmental, Inc. environmental professional who conducted the site reconnaissance and reviewed the results of the data collection effort has concluded that the following are identified environmental conditions from hazardous substances and/or petroleum products which may have the following range of qualitative impacts on the soil and water resources or structures on the subject property. Discussions of the identified environmental conditions are found in the associated text within this report. It is up to the client, based on their risk tolerance, fiduciary responsibility, or the applicable law, to determine the extent of further inquiry.

<u>Identified Environmental Conditions</u>	<u>Potential Impacts</u>
~50 years of on-site apartment usage	Low risk
Approximately 40 years of on-site office use	Low risk
Historic on-site residential and agricultural land usage	Low risk
Adjacent inactive non-generator of RCRA hazardous waste	Low risk
6 closed BUSTR leaking UST incidents within 0.25-mile of the subject property	Low risk
1 open BUSTR leaking UST incident within 0.25-mile of the subject property	Low risk
11 closed BUSTR leaking UST incidents between 0.25-0.5-mile of the subject property	Low risk
1 open non-BUSTR-regulated UST incident within 0.25-mile of the subject property	Low risk
1 open non-BUSTR-regulated UST incidents between 0.25-0.5 mile of the site	Low risk
1 US Brownfield site between 0.25-0.5 mile of the subject property	Low risk
Minor amounts of janitorial/maintenance products stored in the rental office basement	Low risk
8 pad-mounted and 3 pole-mounted on-site, unlabeled electric transformers	Low risk
Sump pits in the basements of several of the apartment units	Low risk

8.0 FINDINGS AND CONCLUSIONS

In defining a standard of good commercial and customary practice for conducting an Environmental Site Assessment of a parcel of property, the goal of the processes established by this practice (ASTM E1527-21) is to identify recognized environmental conditions. The term recognized environmental conditions means (1) the presence of hazardous substances or petroleum products in, on or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on or at the subject property under conditions that pose a material threat of a future release to the environment. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include *de minimis* conditions, defined as a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. Conditions determined to be *de minimis* are not recognized environmental conditions.

In addition to the definition of a “REC”, ASTM E1527-21 includes definitions for “controlled” and “historical” RECs. A controlled REC (CREC) is a REC a recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of controls (for example, activity and use limitations or other property use limitations). An historical REC (HREC) is defined as a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities, without subjecting the property to any controls (for example activity and use limitations, or other property use limitations). Before calling the past release a HREC, the environmental professional must determine whether the past release is a REC at the time the Phase I Environmental Site Assessment is conducted (for example, if there has been a change in the regulatory criteria).

ERAtch Environmental, Inc. has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527-21 of the approximate 5.5-acre tract of land at 60 Rocky Creek Drive and 348 Granville Street in Gahanna, Ohio. Any exceptions to, or deletions from, this practice are described in Section 2.3 of this report.

This Environmental Site Assessment has revealed no evidence of RECs, CRECs, or HRECs in connection with the subject property.

The findings and conclusions stated in this report represent conditions that existed at the subject property at the time this Phase I Environmental Site Assessment was performed. Additional information concerning this property or surrounding properties that was not made available to ERAtch Environmental, Inc. or was outside of the contracted scope of services could modify the stated conclusion. This Phase I Environmental Site Assessment was prepared in accordance with the guidelines of ASTM E1527-21. Resumes of the ERAtch Environmental, Inc. personnel associated with this assessment are provided in Appendix N.

Bibliography

Aerial Photographs, 1948, 1953, 1960, 1963, 1965, 1971, 1973, 1980, 1989, 1995, 2000, 2007, 2011, 2019 and 2021, Franklin County Auditor's Office Parcel Viewer web page (<https://gis.franklincountyohio.gov/parcelviewer/>) and the United States Geological Service (USGS) web page (www.earthexplorer.usgs.gov/).

American Society for Testing and Materials (ASTM), *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*, E-1527-21, West Conshohocken, Pennsylvania, 2021.

ASTM, *Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions*, E-2600-15, December 2015.

Atlas of Franklin County, Ohio, J.A. Caldwell & H.T. Gould, 1872.

Columbus, Ohio Suburban Street Directories, R.L. Polk Co., 1949-50 - 2022, select editions.

Federal Emergency Management Agency (FEMA) Map Service Center, www.fema.gov.

Franklin County Recorder web page (<https://countyfusion5.kofiletech.us/countyweb/login.action>).

Franklin County, Ohio, 1910, Modie & Kilmer.

Government Records Report, 60 Rocky Creek Dr., Columbus, OH 43230, May 10, 2022, EnviroSite Corp.

Ground Water Resources of Franklin County, James J. Schmidt, Ohio Department of Natural Resources, published 1958, Revised 1993.

Map of Franklin County, Ohio, 1856, R.C. Foote Jr.

Map of Franklin County, Ohio, 1883, G.J. Brand & Co.

Map of Franklin County, Ohio, 1895, Walter Braun.

Methodology for Identifying the Area of Concern Around a Property Potentially Impacted by Vapor Migration from Nearby Contaminated Sources, Buonicore, A.J., Paper No. 2011-A-301, *Proceedings*, Air & Waste Management Association, 104th Annual Meeting, Orlando, Florida, June 24-25, 2011.

OEPA e-doc search page, <http://edocpub.epa.ohio.gov/publicportal/edochohome.aspx>.

Ohio Department of Natural Resources (ODNR) Water Well Log database and map-based search, www.dnr.state.oh.us.

U.S. EPA's Enforcement & Compliance History Online (ECHO) web page (<http://echo.epa.gov/>).

USDA-Natural Resources Conservation Service (NRCS) National Cooperative Soil Survey/Web Soil Survey (<http://websoilsurvey.nrcs.usda.gov/app/>).


USGS 15-Minute Topographic Map, Westerville, Ohio Quadrangle, 1904.

USGS 7.5-Minute Topographic Map, New Albany, Ohio Quadrangle, 1955.

USGS 7.5-Minute Topographic Map, New Albany, Ohio Quadrangle, 1966; photo-revised 1973 and 1982.

USGS 7.5-Minute Topographic Map, New Albany, Ohio Quadrangle, 2019.

APPENDIX A
VICINITY MAP



348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio




Project No: 22-13050
Prepared: 05-23/2022

Vicinity Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell



APPENDIX B
TAX MAP



348 Granville St. & 60 Rocky Creek Dr
Gahanna, OH

Project No: 22-13050
Prepared: 05-23/2022

Tax Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell



APPENDIX C
SITE PLAN

APPENDIX D
GOVERNMENT RECORDS REPORT



Government Records Report | 2022

Order Number: 71775

Report Generated: 05/10/2022

Project Name: 60 Rocky Creek Dr.

Project Number: 22-13050

60 Rocky Creek Dr.
60 Rocky Creek Dr
Columbus, OH 43230

2 Corporate Drive
Suite 450
Shelton, CT 06484
Toll Free: 866-211-2028
www.envirositecorp.com

Section	Page
<u>Executive Summary</u>	<u>1</u>
<u>Executive Summary by Database</u>	<u>2</u>
<u>Property Proximity Map</u>	<u>12</u>
<u>Area Map</u>	<u>13</u>
<u>Map Findings Summary</u>	<u>14</u>
<u>Map Findings</u>	<u>20</u>
<u>Unmappable Summary</u>	<u>187</u>
<u>Environmental Records Searched</u>	<u>188</u>
<u>Geological Landscape Section</u>	<u>208</u>
<u>Geological Landscape Section Soil Map</u>	<u>211</u>
<u>Geological Landscape Section Summary</u>	<u>212</u>
<u>Geological Findings Map</u>	<u>241</u>
<u>Geological Landscape Section Map Findings</u>	<u>242</u>
<u>Geological Landscape Section Map Findings Radon</u>	<u>303</u>
<u>Geological Landscape Records Searched</u>	<u>304</u>

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of EnviroSite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND EnviroSite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to EnviroSite. EnviroSite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. EnviroSite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of EnviroSite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to EnviroSite, and contain copyrighted material and trademarks of EnviroSite. All other trademarks used herein are the property of their respective owners. All rights of EnviroSite as to the Reports are reserved.

Envirosite Corporation has conducted a search of all reasonably ascertainable records in accordance with EPA's AAI (40 CFR Part 312) requirements and the ASTM E-1527-21 Environmental Site Assessments standard.

SUBJECT PROPERTY INFORMATION:

ADDRESS:

60 Rocky Creek Dr.
60 Rocky Creek Dr
Columbus, OH 43230

COORDINATES:

Latitude (North):	40.019811 - 40°1'11.3"
Longitude (West):	-82.868893 - -82°52'8"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	340513.03
UTM Y (Meters):	4431628.96

ELEVATION:

Elevation:	801 ft. above sea level
------------	-------------------------

USGS TOPOGRAPHIC MAP ASSOCIATED WITH SUBJECT PROPERTY:

Subject Property Map: 40082-A7 New Albany, OH
Most Recent Revision: 2019

SUBJECT PROPERTY SEARCH RESULTS:

The subject property was identified in the following records. For more information on this property, see Map Findings section on page 20.

<u>SITE</u>	<u>DATABASE(S)</u>	<u>EPA ID</u>
HOLTON PARK WWTP ROCKY CREEK DR COLUMBUS, OH 43215	FRS	N/R
Holton Park WWTP N/R Columbus, OH 43215	HIST NPDES - OH	N/R
FULBRIGHT LEARNING CENTER 122 ROCKY CREEK DRIVE GAHANNA, OH 43230	DAYCARE - OH	N/R

SEARCH RESULTS:

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

EPA UST: Facilities listed in the EPA UST Finder database **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B7	R.D. MCKENZIE INC SUNOCO NO 0009-8004 SUNOCO SERVICE STATION	406 GRANVILLE ST	SE / 0.081 mi., 426 ft.	33
B8	#613 GAHANNA DUCHESS BP OIL CO NO 08041 * BP OIL CO	407 GRANVILLE ST	SE / 0.083 mi., 441 ft.	45
C9	95 N HAMILTON RD	95 N HAMILTON RD	E / 0.095 mi., 502 ft.	57
B13	BP OIL CO.	HAMILTON & GRANVILLE	ESE / 0.105 mi., 557 ft.	70

ARCHIVE UST - OH: Underground Storage Tanks that have been removed **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B7	R.D. MCKENZIE INC SUNOCO NO 0009-8004 SUNOCO SERVICE STATION - ID: Facility Number 25001544 Status: N/A Date: N/A - ID: Tank Number T00005 Status: REM - Removed Date: 1997-06-24 - ID: Facility Number 25001544 Status: N/A Date: N/A - ID: Tank Number T00002 Status: REM - Removed Date: 2003-07-10 - ID: Facility Number 25001544 Status: N/A Date: N/A <i>There are an additional 5 status records, see site details.</i>	406 GRANVILLE ST	SE / 0.081 mi., 426 ft.	33
B8	#613 GAHANNA DUCHESS BP OIL CO NO 08041 * BP OIL CO - ID: Facility Number 25001512 Status: N/A Date: N/A - ID: Tank Number T00005 Status: REM - Removed Date: 1994-11-02 - ID: Facility Number 25001512 Status: N/A Date: N/A - ID: Tank Number T00006 Status: REM - Removed Date: 1994-11-02	407 GRANVILLE ST	SE / 0.083 mi., 441 ft.	45
C9	95 N HAMILTON RD - ID: Facility Number 25011036 Status: N/A Date: N/A - ID: Tank Number T00001 Status: REM - Removed Date: 2012-03-09	95 N HAMILTON RD	E / 0.095 mi., 502 ft.	57
B13	BP OIL CO. - ID: Facility Number 25002267 Status: N/A Date: N/A - ID: Tank Number T00002 Status: REM - Removed Date: 1993-10-20	HAMILTON & GRANVILLE	ESE / 0.105 mi., 557 ft.	70

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS (cont.)ARCHIVE UST - OH: Underground Storage Tanks that have been removed **4 SITES FOUND WITHIN .25 MILE****EQUAL/HIGHER ELEVATION (cont.)**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
	- ID: Facility Number 25002267 - ID: Tank Number T00001	Status: N/A Status: REM - Removed	Date: N/A Date: 1993-10-20	

AST - OH: Boiler Tank Database **6 SITES FOUND WITHIN .25 MILE****EQUAL/HIGHER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
5	GAHANNA-JEFFERSON CLARK HALL CLARK HALL	380 GRANVILLE ST	SE / 0.051 mi., 268 ft.	30
C10	CLOTHING CARE LTD	125 N HAMILTON RD 125 NORTH HAMILTON ROAD	ENE / 0.095 mi., 502 ft.	60
B18	LINCOLN HIGH SCHOOL	445 HAVENS CORNERS RD	ESE / 0.164 mi., 868 ft.	81
21	GAHANNA COMMUNITY CHURCH	470 HAVENS CORNERS RD	E / 0.196 mi., 1037 ft.	86
22	GAHANNA LINCOLN HIGH SCHOOL LINCOLN HIGH SCHOOL	140 S HAMILTON RD	SE / 0.218 mi., 1154 ft.	87

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
E24	STAR CLEANERS	246 LINCOLN CIR Suite A	WSW / 0.234 mi., 1238 ft.	93

UST - OH: Registered Underground Storage Tanks **1 SITE FOUND WITHIN .25 MILE****EQUAL/HIGHER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B8	#613 GAHANNA DUCHESS BP OIL CO NO 08041 * BP OIL CO	407 GRANVILLE ST	SE / 0.083 mi., 441 ft.	45
	- ID: 25001512	Status: N/A	Date: N/A	
	- ID: T00001	Status: CIU - Currently In Use	Date: N/R	
	- ID: T00002	Status: CIU - Currently In Use	Date: N/R	
	- ID: T00003	Status: CIU - Currently In Use	Date: N/R	
	- ID: T00004	Status: CIU - Currently In Use	Date: N/R	

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTSEPA LUST: Releases listed in the EPA UST Finder database **11 SITES FOUND WITHIN .5 MILE****EQUAL/HIGHER ELEVATION**

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B7	R.D. MCKENZIE INC SUNOCO NO 0009-8004 SUNOCO SERVICE STATION	406 GRANVILLE ST	SE / 0.081 mi., 426 ft.	33
B8	#613 GAHANNA DUCHESS BP OIL CO NO 08041 * BP OIL CO	407 GRANVILLE ST	SE / 0.083 mi., 441 ft.	45
C9	95 N HAMILTON RD	95 N HAMILTON RD	E / 0.095 mi., 502 ft.	57
B13	BP OIL CO.	HAMILTON & GRANVILLE	ESE / 0.105 mi., 557 ft.	70
F27	GAHANNA JEFFERSON PUBLIC SCHOOLS Gahanna-Jefferson Schools	160 S HAMILTON RD 160 South Hamilton Road	SSE / 0.271 mi., 1431 ft.	105
30	SPEEDWAY #5254 STARVIN MARVIN 5254	240 S HAMILTON RD	SSE / 0.394 mi., 2083 ft.	140
G33	K MART #3338	300 S HAMILTON RD	SSE / 0.460 mi., 2429 ft.	181
34	C & M LEASING	171 N HIGH STREET	WNW / 0.474 mi., 2501 ft.	183

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)

EPA LUST: Releases listed in the EPA UST Finder database **11 SITES FOUND WITHIN .5 MILE**

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
D17	FORMER UNOCAL	265 GRANVILLE ST	WSW / 0.159 mi., 838 ft.	79
E26	CHARTER ONE BANK	191 GRANVILLE ST	WSW / 0.264 mi., 1394 ft.	100
31	GAHANNA SERVICE COMPLEX	132 OKLAHOMA AVE	WSW / 0.441 mi., 2329 ft.	158

LUST - OH: Listing of leaking tanks **12 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B7	R.D. MCKENZIE INC SUNOCO NO 0009-8004 SUNOCO SERVICE STATION	406 GRANVILLE ST	SE / 0.081 mi., 426 ft.	33
	- ID: 25001544-N00001	Status: Inactive - NFA: No Further Action	Date: 2003-08-13	
	- ID: 25001544-N00002	Status: Inactive - NFA: No Further Action	Date: 2003-08-19	
B8	#613 GAHANNA DUCHESS BP OIL CO NO 08041 * BP OIL CO	407 GRANVILLE ST	SE / 0.083 mi., 441 ft.	45
	- ID: 25001512-N00001	Status: Inactive - NFA: No Further Action	Date: 2006-10-05	
C9	95 N HAMILTON RD	95 N HAMILTON RD	E / 0.095 mi., 502 ft.	57
	- ID: 25011036-N00001	Status: Inactive - NFA: No Further Action	Date: 2012-08-27	
B13	BP OIL CO.	HAMILTON & GRANVILLE	ESE / 0.105 mi., 557 ft.	70
	- ID: 25002267-N00001	Status: Inactive - NFA: No Further Action	Date: 1997-09-08	
B15	RIGHT OF WAY	NE C/O ST RT 62 AND 317	ESE / 0.119 mi., 628 ft.	75
	- ID: 25010572-N00001	Status: Active - CLO: Closure	Date: 2018-05-18	
F27	GAHANNA JEFFERSON PUBLIC SCHOOLS Gahanna-Jefferson Schools	160 S HAMILTON RD 160 South Hamilton Road	SSE / 0.271 mi., 1431 ft.	105
	- ID: 25005310-N00001	Status: Inactive - NFA: No Further Action	Date: 2000-06-20	
30	SPEEDWAY #5254 STARVIN MARVIN 5254	240 S HAMILTON RD	SSE / 0.394 mi., 2083 ft.	140
	- ID: 25000604-N00001	Status: Inactive - DIS: a release is disproved	Date: 2000-06-20	
	- ID: 25000604-N00002	Status: Active - NFC: No Further Action Data Cleaning	Date: 2010-08-17	
	- ID: 25000604-N00003	Status: Active - NFC: No Further Action Data Cleaning	Date: 2010-08-17	
	- ID: 25000604-N00004	Status: Inactive - NFA: No Further Action	Date: 2013-10-09	
	- ID: 25000604-N00005	Status: Inactive - NFA: No Further Action	Date: 2014-07-31	
	<i>There is an additional 1 status record, see site details.</i>			
G33	K MART #3338	300 S HAMILTON RD	SSE / 0.460 mi., 2429 ft.	181
	- ID: 25000324-N00001	Status: Inactive - NFA: No Further Action	Date: 2000-06-20	

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)

LUST - OH: Listing of leaking tanks **12 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION (cont.)

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
34	C & M LEASING - ID: 25009176-N00001	171 N HIGH STREET Status: Inactive - NFA: No Further Action	WNW / 0.474 mi., 2501 ft. Date: 2006-05-22	183

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
D17	FORMER UNOCAL - ID: 25010346-N00001	265 GRANVILLE ST Status: Inactive - NFA: No Further Action	WSW / 0.159 mi., 838 ft. Date: 2010-05-01	79
E26	CHARTER ONE BANK - ID: 25010881-N00001	191 GRANVILLE ST Status: Inactive - NFA: No Further Action	WSW / 0.264 mi., 1394 ft. Date: 2005-07-18	100
31	GAHANNA SERVICE COMPLEX - ID: 25010456-N00001	132 OKLAHOMA AVE Status: Inactive - NFA: No Further Action	WSW / 0.441 mi., 2329 ft. Date: 2004-02-03	158

UNREG LTANKS - OH: Oil and other releases from the Ohio Department of Commerce **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B15	RIGHT OF WAY - ID: Incident Number 258076401.0	NE C/O ST RT 62 AND 317 Status: CLO: Closure	ESE / 0.119 mi., 628 ft. Date: 2021-03-25	75
G32	KROGER FUEL #N522 KROGER STORE 522 PENSKE AUTO CENTER NO 3338 - ID: Incident Number	300 S HAMILTON RD 300 S HAMILTON RD BLDG B Status: RPT: a possible incident is reported	SSE / 0.457 mi., 2411 ft. Date: 2012-04-28	163

FEDERAL RCRA GENERATORS LIST

RCRA_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
4	SWAN SUPER CLEANERS INC NO 39 SWAN CLEANERS #39 - ID: OHD981531544	355 GRANVILLE ST Status: Generators - General	S / 0.010 mi., 55 ft. Date: Violation 1987-10-20 - Achieved Compliance 1988-01-06	22
	- ID: OHD981531544	Status: Generators - General	Date: Violation 1987-09-11 - Achieved Compliance 1988-01-06	
	- ID: OHD981531544	Status: No Violation/Inspections	Date: N/A	
B7	R.D. MCKENZIE INC SUNOCO NO 0009-8004 SUNOCO SERVICE STATION - ID: OHD000674408	406 GRANVILLE ST Status: No Violation/Inspections	SE / 0.081 mi., 426 ft. Date: N/A	33

FEDERAL RCRA GENERATORS LIST (cont.)

RCRA_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **3 SITES FOUND WITHIN .25 MILE**

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
D20	CALLANDER CLEANERS - ID: OHD981539257	265 LINCOLN CIR Status: No Violation/Inspections	WSW / 0.184 mi., 972 ft. Date: N/A	83

RCRA_SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
C11	CONVENIENT CLEANING CENTER - ID: OHD986966976	125 N HAMILTON Status: No Violation/Inspections	ENE / 0.095 mi., 504 ft. Date: N/A	64

RCRA_VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators. **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
B8	#613 GAHANNA DUCHESS BP OIL CO NO 08041 * BP OIL CO - ID: OHD987013315	407 GRANVILLE ST Status: No Violation/Inspections	SE / 0.083 mi., 441 ft. Date: N/A	45
C12	DOLLAR GENERAL STORE #645 - ID: OHR000186981	150 N HAMILTON RD Status: No Violation/Inspections	ENE / 0.100 mi., 528 ft. Date: N/A	66
16	KROGER STORE 290 - ID: OHR000144501	83 HAMILTON RD Status: No Violation/Inspections	SE / 0.146 mi., 770 ft. Date: N/A	75

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
E25	STAR CLEANERS STAR DRY CLEANERS - ID: OHD986985372	246 A LINCOLN CIRCLE Status: No Violation/Inspections	WSW / 0.244 mi., 1287 ft. Date: N/A	94

LOCAL BROWNFIELD LISTS

BROWNFIELDS-ACRES: EPA Brownfields Assessment, Cleanup and Redevelopment Exchange System. **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
F29	GAHANNA MUNICIPAL COMPLEX City of Gahanna OH2501303	200 S HAMILTON RD 200 SOUTH HAMILTON ROAD	SSE / 0.310 mi., 1636 ft.	120

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
E28	VETERANS MEMORIAL PARK, FORMER LUFT AND SON SOHIO	181 WEST GRANVILLE STREET (3203 WEST JOHNSTON ROAD)	W / 0.290 mi., 1534 ft.	115

LOCAL BROWNFIELD LISTS (cont.)

FED BROWNFIELDS: Federal brownfield remediation sites **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
F29	GAHANNA MUNICIPAL COMPLEX City of Gahanna OH2501303	200 S HAMILTON RD 200 SOUTH HAMILTON ROAD	SSE / 0.310 mi., 1636 ft.	120
	- ID: 51401	Status: N/A	Date: Cleanup Completion Date N/R	

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
E28	VETERANS MEMORIAL PARK, FORMER LUFT AND SON SOHIO	181 WEST GRANVILLE STREET (3203 WEST JOHNSTON ROAD)	W / 0.290 mi., 1534 ft.	115
	- ID: 51341	Status: N/A	Date: Cleanup Completion Date N/R	

OTHER ASCERTAINABLE RECORDS

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **2 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
6	Haz/Gahanna	83 N. Hamilton Rd	ESE / 0.076 mi., 401 ft.	32
14	CITY OF GAHANNA	200 HAMILTON ROAD	NE / 0.112 mi., 593 ft.	73

MINES USGS: Listing of all active mines and mineral plants in 2003 **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
23	Claycraft Pit	40.01531, -82.86903	S / 0.223 mi., 1178 ft.	92

PFAS UCMR3: List of PWS wells sampled for Unregulated Contaminant Monitoring Rule (UCMR) **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
F29	GAHANNA MUNICIPAL COMPLEX City of Gahanna OH2501303	200 S HAMILTON RD 200 SOUTH HAMILTON ROAD	SSE / 0.310 mi., 1636 ft.	120

DRYCLEANERS - OH: Sites with Drycleaners **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
4	SWAN SUPER CLEANERS INC NO 39 SWAN CLEANERS #39	355 GRANVILLE ST	S / 0.010 mi., 55 ft.	22
C10	CLOTHING CARE LTD	125 N HAMILTON RD 125 NORTH HAMILTON ROAD	ENE / 0.095 mi., 502 ft.	60

LOWER ELEVATION

<u>MAP ID</u>	<u>SITE NAME</u>	<u>SITE ADDRESS</u>	<u>DIRECTION/DISTANCE</u>	<u>PAGE</u>
D19	CALLANDER CLEANERS	240 GRANVILLE ST	WSW / 0.166 mi., 876 ft.	82
E25	STAR CLEANERS STAR DRY CLEANERS	246 A LINCOLN CIRCLE	WSW / 0.244 mi., 1287 ft.	94

Following sites were unable to be mapped.

<u>SITE NAME:</u>	<u>ADDRESS, CITY, ZIP:</u>	<u>DATABASE(S):</u>
ABANDONED GAS STATION	CORNER JOHNSTOWN & STELZER ..., COL...	ARCHIVE UST - OH, UNREG LTANKS - OH
COLUMBUS AUTO PARTS	E HUDSON & I-71, COLUMBUS	EPA LUST, LUST - OH
EARTHCO DEMO DUMP	N/R, COLUMBUS	HIST LF-LD - OH
GEORGIA-PACIFIC CORP. RESIN PLANT	N/R	HIST LF-LD - OH
STREET RIGHT OF WAY	N/E CORNER MORSE & CLEVELAN..., COL...	LUST - OH
SWACO Franklin County Sanitary Landfill	N/R	SWF/LF - OH

DATABASE(S) WITH NO MAPPED SITES:

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

AST PBS	ASTs at Bulk Petroleum Terminals
FEMA UST	FEMA Underground Storage Tanks
HIST INDIAN UST R6	Historical Underground Storage Tanks on Indian Land in EPA Region 6
HIST INDIAN UST R7	Historical Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN UST R1	Underground Storage Tanks on Indian Land in EPA Region 1
INDIAN UST R10	Underground Storage Tanks on Indian Land in EPA Region 10
INDIAN UST R2	Underground Storage Tanks on Indian Land in EPA Region 2
INDIAN UST R4	Underground Storage Tanks on Indian Land in EPA Region 4
INDIAN UST R5	Underground Storage Tanks on Indian Land in EPA Region 5
INDIAN UST R6	Underground Storage Tanks on Indian Land in EPA Region 6
INDIAN UST R7	Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN UST R8	Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN UST R9	Underground Storage Tanks on Indian Land in EPA Region 9

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSDF	Archived Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities
RCRA_TSDF	Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities

FEDERAL CERCLIS LIST

CERCLIS NFRAP	Comprehensive Environmental Response Compensation and Liability Act No Further Remedial Action Planned
CERCLIS-HIST	Comprehensive Environmental Response Compensation and Liability Act
EPA SAA	EPA Superfund Alternative Approach
FEDERAL FACILITY	Federal Facility sites
SEMS_8R_ACTIVE SITES	Sites on SEMS Active Site Inventory
SEMS_8R_ARCHIVED SITES	Sites on SEMS Archived Site Inventory

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS	Hazardous Waste Corrective Action
HIST CORRACTS 2	Historical Hazardous Waste Corrective Action

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL	Delisted National Priority List
DELISTED PROPOSED NPL	Delisted proposed National Priority List
SEMS_DELETED NPL	Sites Deleted from National Priorities List

FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

EPA LF MOP	EPA Landfill Methane Outreach Project Database
------------	--

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

HIST INDIAN LUST R4	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN LUST R8	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 8

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)

INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land in EPA Region 1
INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land in EPA Region 10
INDIAN LUST R2	Leaking Underground Storage Tanks on Indian Land in EPA Region 2
INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land in EPA Region 4
INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land in EPA Region 5
INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land in EPA Region 6
INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land in EPA Region 9
LAST - OH	Leaking Aboveground Storage Tanks

FEDERAL ERNS LIST

ERNS	Emergency Response Notification System
------	--

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

FED E C	Engineering Controls
FED I C	Institutional Controls
RCRA IC_EC	RCRA sites with Institutional and Engineering Controls

FEDERAL RCRA GENERATORS LIST

HIST RCRA_CESQG	Historical Resource Conservation and Recovery Act_Conditionally Exempt Small Quantity Generators
HIST RCRA_LQG	Historical Resource Conservation and Recovery Act_Large Quantity Generators
HIST RCRA_NONGEN	Historical Resource Conservation and Recovery Act_Non Generators
HIST RCRA_SQG	Historical Resource Conservation and Recovery Act_Small Quantity Generators
RCRA_LQG	Resource Conservation and Recovery Act_Large Quantity Generators

FEDERAL NPL SITE LIST

NPL	National Priority List
NPL EPA R1 GIS	GIS for EPA Region 1 NPL
NPL EPA R3 GIS	GIS for EPA Region 3 NPL
NPL EPA R6 GIS	GIS for EPA Region 6 NPL
NPL EPA R8 GIS	GIS for EPA Region 8 NPL
NPL EPA R9 GIS	GIS for EPA Region 9 NPL
PART NPL	Part National Priority List
PROPOSED NPL	Proposed National Priority List
SEMS_FINAL NPL	Sites included on the Final National Priorities List
SEMS_PROPOSED NPL	Sites Proposed to be Added to the National Priorities List

STATE AND TRIBAL BROWNFIELD SITES

TRIBAL BROWNFIELDS	Tribal Brownfields
BROWNFIELDS - OH	Brownfields

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - OH	Engineering Controls
I C - OH	Institutional Controls
IC LUC - OH	Land Use and Institutional Control

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

HIST LF - OH	Historical Landfills
HIST LF-LD - OH	Historical Land Disposal Sites
SWF/LF - OH	Solid Waste Facilities and Landfills

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - OH	Voluntary Cleanup Program
----------	---------------------------

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL	DOJ Clandestine Drug Labs
---------	---------------------------

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES (cont.)

US HIST CDL	Historical Clandestine Drug Labs
-------------	----------------------------------

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

HIST INDIAN ODI R8	Historical Open Dump Inventory
INDIAN ODI R8	Open Dump Inventory
ODI	Open Dump Inventory
TRIBAL ODI	Indian Open Dump Inventory Sites
SWRCY - OH	Solid Waste Recycling

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT)	Hazardous Materials Information Reporting Systems
SPILLS - OH	Emergency Response Database

LOCAL LAND RECORDS

LIENS 2	CERCLA Lien Information
---------	-------------------------

OTHER ASCERTAINABLE RECORDS



AFS	Air Facility Systems
ALT FUELING	Alternative Fueling Stations
ARENAS	ARENAS
ARENAS 2	ARENAS (additional)
BRS	Biennial Reporting Systems
CDC HAZDAT	Hazardous Substance Release and Health Effects Information
CHURCHES	CHURCHES
COAL ASH DOE	Coal Ash: Department of Energy
COAL ASH EPA	Coal Ash: Environmental Protection Agency
COAL GAS	Coal Gas Plants
COLLEGES	COLLEGES
COLLEGES 2	COLLEGES 2
CONSENT (DECREEES)	Superfund Consent Decree
CORRECTIVE ACTIONS_2020	Wastes - Hazardous Waste - Corrective Action
DEBRIS EPA LF	EPA Disaster Debris Landfill Sites
DEBRIS EPA SWRCY	EPA Disaster Debris Recovery Sites
DOD	Department of Defense
DOT OPS	Department of Transportation Office of Pipeline Safety
ECHO	EPA Enforcement and Compliance History Online
ENOI	Electronic Notice of Intent
EPA FUELS	EPA Fuels Registration, Reporting, and Compliance List
EPA OSC	EPA On-Site Coordinator
EPA WATCH	EPA Watch List
FA HWF	Financial Assurance for Hazardous Waste Facilities
FEDLAND	Federal Lands
FTTS	FIFRA/TSCA Tracking System
FTTS INSP	FIFRA/TSCA Tracking System: Inspections
FUDS	Formerly Used Defense Sites
GOV MANSIONS	Governors Mansions
HIST AFS	Historical Air Facility Systems
HIST AFS 2	Historical Air Facility Systems
HIST DOD	Department of Defense historical sites
HIST LEAD_SMELTER	Historical Lead Smelter Sites
HIST MLTS	Historical Material Licensing Tracking Systems
HIST PCB TRANS	Historical Polychlorinated Biphenyl (PCB) Facilities
HIST PCS ENF	Historical Enforced Permit Compliance Facilities
HIST PCS FACILITY	Historical Permit Compliance Facilities
HIST SSTS	Historical Section 7 Tracking Systems
HOSPITALS	HOSPITALS
HWC DOCKET	Hazardous Waste Compliance Docket
ICIS	Integrated Compliance Information System
INACTIVE PCS	Inactive Permit Compliance Facilities

OTHER ASCERTAINABLE RECORDS (cont.)

INDIAN RESERVATION	American Indian Lands
LUCIS	Land Use Control Information Systems
LUCIS 2	Land Use Control Information Systems 2
MINE OPERATIONS	Mines list from USGS
MINES	Mines
MLTS	Material Licensing Tracking Systems
NPL AOC	Areas related to NPL remediation sites
NPL LIENS	National Priority List Liens
NURSING HOMES	NURSING HOMES
OSHA	Occupational Safety & Health Administration
PADS	PCB Activity Database Systems
PCB TRANSFORMER	Polychlorinated Biphenyl (PCB) Waste
PCS ENF	Enforced Permit Compliance Facilities
PCS FACILITY	Permit Compliance Facilities
PFAS NPL	PFAS NPL Sites
PFAS TRIS	PFAS TRIS Sites
RAATS	RCRA Administrative Action Tracking Systems
RADINFO	Radiation Information Systems
RMP	Risk Management Plans
ROD	Record of Decision
SCHOOLS PRIVATE	SCHOOLS PRIVATE
SCHOOLS PUBLIC	SCHOOLS PUBLIC
SCRD DRYCLEANERS	SCRD Drycleaners
SEMS_SMELTER	Sites on SEMS Potential Smelter Activity
SSTS	Section 7 Tracking Systems
STORMWATER	Storm Water Permits
TOSCA-PLANT	Toxic Substance Control Act: Plants
TRIS	Toxic Release Inventory Systems
UMTRA	Uranium Mill Tailing Sites
VAPOR	EPA Vapor Intrusion
AIRS - OH	Air Permits
COAL ASH - OH	Coal Ash Disposal Facilities
COAL ASH 2 - OH	Coal Ash Disposal Facilities
CRO - OH	Cessation of Regulated Operations
DERR - OH	Division of Emergency & Remedial Response's Database
HIST USD - OH	Urban Setting Designation Sites: Withdrawn
NPDES - OH	State Wastewater and NPDES Permits
PFAS - OH	PFAS Water Samples
SLUDGE - OH	Sludge
STORMWATER - OH	State NPDES Stormwater Permits
TOWN GAS - OH	Town Gas
UIC - OH	Underground Injection Controls
USD - OH	Urban Setting Designation Sites

SUBJECT NAME: 60 Rocky Creek Dr.
 ADDRESS: 60 Rocky Creek Dr, Columbus, OH, 43230
 LAT/LONG: 40.019811 / -82.868893


PREPARED FOR: ERAtech Environmental Inc
 ORDER #: 71775
 REPORT DATE: May 10, 2022



- | | | | | | | | |
|---|----------------------------------|---|------------------------|---|--------------------------|---|------------------------------|
| + | Subject Property | ● | Equal/Higher Elevation | ● | Lower Elevation | ⚠ | CDC HAZDAT (No Data) |
| ■ | Department of Defense (No Data) | ⊃ | DFIRM FloodZone 100 | ⊃ | DFIRM FloodZone 500 | ⚠ | Federal Lands (No Data) |
| ⊃ | FEMA FloodZone 100 | ⊃ | FEMA FloodZone 500 | ■ | Historical DOD (No Data) | ⚠ | Indian Reservation (No Data) |
| ■ | National Priority List (No Data) | ⊃ | NWI | | | | |

SUBJECT NAME: 60 Rocky Creek Dr.
 ADDRESS: 60 Rocky Creek Dr, Columbus, OH, 43230
 LAT/LONG: 40.019811 / -82.868893

PREPARED FOR: ERAtech Environmental Inc
 ORDER #: 71775
 REPORT DATE: May 10, 2022



- | | | | | | | | |
|---|----------------------------------|---|------------------------|---|--------------------------|---|------------------------------|
| + | Subject Property | ● | Equal/Higher Elevation | ● | Lower Elevation | ⚠ | CDC HAZDAT (No Data) |
| ■ | Department of Defense (No Data) | ⊃ | DFIRM Floodzone 100 | ⊃ | DFIRM Floodzone 500 | ⚠ | Federal Lands (No Data) |
| ⊃ | FEMA FloodZone 100 | ⊃ | FEMA FloodZone 500 | ■ | Historical DOD (No Data) | ⚠ | Indian Reservation (No Data) |
| ■ | National Priority List (No Data) | ⊃ | NWI | | | | |

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u><1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>>1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

AST PBS		0.250	0	0	--	--	--	0
EPA UST		0.250	4	0	--	--	--	4
FEMA UST		0.250	0	0	--	--	--	0
HIST INDIAN UST R6		0.250	0	0	--	--	--	0
HIST INDIAN UST R7		0.250	0	0	--	--	--	0
INDIAN UST R1		0.250	0	0	--	--	--	0
INDIAN UST R10		0.250	0	0	--	--	--	0
INDIAN UST R2		0.250	0	0	--	--	--	0
INDIAN UST R4		0.250	0	0	--	--	--	0
INDIAN UST R5		0.250	0	0	--	--	--	0
INDIAN UST R6		0.250	0	0	--	--	--	0
INDIAN UST R7		0.250	0	0	--	--	--	0
INDIAN UST R8		0.250	0	0	--	--	--	0
INDIAN UST R9		0.250	0	0	--	--	--	0
ARCHIVE UST - OH		0.250	4	0	--	--	--	4
AST - OH		0.250	2	4	--	--	--	6
UST - OH		0.250	1	0	--	--	--	1

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSDF		0.500	0	0	0	--	--	0
RCRA_TSDF		0.500	0	0	0	--	--	0

FEDERAL CERCLIS LIST

CERCLIS NFRAP		0.500	0	0	0	--	--	0
CERCLIS-HIST		0.500	0	0	0	--	--	0
EPA SAA		0.500	0	0	0	--	--	0
FEDERAL FACILITY		1.000	0	0	0	0	--	0
SEMS_8R_ACTIVE SITES		0.500	0	0	0	--	--	0
SEMS_8R_ARCHIVED SITES		0.500	0	0	0	--	--	0

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS		1.000	0	0	0	0	--	0
HIST CORRACTS 2		1.000	0	0	0	0	--	0

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL		1.000	0	0	0	0	--	0
DELISTED PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_DELETED NPL		1.000	0	0	0	0	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u><1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>>1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

EPA LF MOP		0.500	0	0	0	--	--	0
------------	--	-------	---	---	---	----	----	---

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST		0.500	4	1	6	--	--	11
HIST INDIAN LUST R4		0.500	0	0	0	--	--	0
HIST INDIAN LUST R8		0.500	0	0	0	--	--	0
INDIAN LUST R1		0.500	0	0	0	--	--	0
INDIAN LUST R10		0.500	0	0	0	--	--	0
INDIAN LUST R2		0.500	0	0	0	--	--	0
INDIAN LUST R4		0.500	0	0	0	--	--	0
INDIAN LUST R5		0.500	0	0	0	--	--	0
INDIAN LUST R6		0.500	0	0	0	--	--	0
INDIAN LUST R7		0.500	0	0	0	--	--	0
INDIAN LUST R8		0.500	0	0	0	--	--	0
INDIAN LUST R9		0.500	0	0	0	--	--	0
LAST - OH		0.500	0	0	0	--	--	0
LUST - OH		0.500	5	1	6	--	--	12
UNREG LTANKS - OH		0.500	1	0	1	--	--	2

FEDERAL ERNS LIST

ERNS		SP	0	--	--	--	--	0
------	--	----	---	----	----	----	----	---

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

FED E C		0.500	0	0	0	--	--	0
FED I C		0.500	0	0	0	--	--	0
RCRA IC_EC		0.250	0	0	--	--	--	0

FEDERAL RCRA GENERATORS LIST

HIST RCRA_CESQG		0.250	0	0	--	--	--	0
HIST RCRA_LQG		0.250	0	0	--	--	--	0
HIST RCRA_NONGEN		0.250	0	0	--	--	--	0
HIST RCRA_SQG		0.250	0	0	--	--	--	0
RCRA_LQG		0.250	0	0	--	--	--	0
RCRA_NONGEN		0.250	2	1	--	--	--	3
RCRA_SQG		0.250	1	0	--	--	--	1
RCRA_VSQG		0.250	2	2	--	--	--	4

FEDERAL NPL SITE LIST

NPL		1.000	0	0	0	0	--	0
-----	--	-------	---	---	---	---	----	---

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u><1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>>1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

FEDERAL NPL SITE LIST (cont.)

NPL EPA R1 GIS		1.000	0	0	0	0	--	0
NPL EPA R3 GIS		1.000	0	0	0	0	--	0
NPL EPA R6 GIS		1.000	0	0	0	0	--	0
NPL EPA R8 GIS		1.000	0	0	0	0	--	0
NPL EPA R9 GIS		1.000	0	0	0	0	--	0
PART NPL		1.000	0	0	0	0	--	0
PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_FINAL NPL		1.000	0	0	0	0	--	0
SEMS_PROPOSED NPL		1.000	0	0	0	0	--	0

STATE AND TRIBAL BROWNFIELD SITES

TRIBAL BROWNFIELDS		0.500	0	0	0	--	--	0
BROWNFIELDS - OH		0.500	0	0	0	--	--	0

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - OH		0.500	0	0	0	--	--	0
I C - OH		0.500	0	0	0	--	--	0
IC LUC - OH		0.500	0	0	0	--	--	0

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

HIST LF - OH		0.500	0	0	0	--	--	0
HIST LF-LD - OH		0.500	0	0	0	--	--	0
SWF/LF - OH		0.500	0	0	0	--	--	0

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - OH		0.500	0	0	0	--	--	0
----------	--	-------	---	---	---	----	----	---

LOCAL BROWNFIELD LISTS

BROWNFIELDS-ACRES		0.500	0	0	2	--	--	2
FED BROWNFIELDS		0.500	0	0	2	--	--	2

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL		SP	0	--	--	--	--	0
US HIST CDL		SP	0	--	--	--	--	0

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

HIST INDIAN ODI R8		0.500	0	0	0	--	--	0
INDIAN ODI R8		0.500	0	0	0	--	--	0
ODI		0.500	0	0	0	--	--	0
TRIBAL ODI		0.500	0	0	0	--	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u><1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>>1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES (cont.)

SWRCY - OH		0.500	0	0	0	--	--	0
------------	--	-------	---	---	---	----	----	---

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT)		SP	0	--	--	--	--	0
SPILLS - OH		0.125	0	--	--	--	--	0

LOCAL LAND RECORDS

LIENS 2		SP	0	--	--	--	--	0
---------	--	----	---	----	----	----	----	---

OTHER ASCERTAINABLE RECORDS

AFS		SP	0	--	--	--	--	0
ALT FUELING		0.250	0	0	--	--	--	0
ARENAS		SP	0	--	--	--	--	0
ARENAS 2		SP	0	--	--	--	--	0
BRS		SP	0	--	--	--	--	0
CDC HAZDAT		1.000	0	0	0	0	--	0
CHURCHES		SP	0	--	--	--	--	0
COAL ASH DOE		0.500	0	0	0	--	--	0
COAL ASH EPA		0.500	0	0	0	--	--	0
COAL GAS		1.000	0	0	0	0	--	0
COLLEGES		SP	0	--	--	--	--	0
COLLEGES 2		SP	0	--	--	--	--	0
CONSENT (DECREES)		1.000	0	0	0	0	--	0
CORRECTIVE ACTIONS_2020		0.500	0	0	0	--	--	0
DEBRIS EPA LF		0.500	0	0	0	--	--	0
DEBRIS EPA SWRCY		0.500	0	0	0	--	--	0
DOD		1.000	0	0	0	0	--	0
DOT OPS		SP	0	--	--	--	--	0
ECHO		SP	0	--	--	--	--	0
ENOI		SP	0	--	--	--	--	0
EPA FUELS		SP	0	--	--	--	--	0
EPA OSC		0.125	0	--	--	--	--	0
EPA WATCH		SP	0	--	--	--	--	0
FA HWF		SP	0	--	--	--	--	0
FEDLAND		1.000	0	0	0	0	--	0
FRS	X	SP	--	--	--	--	--	1
FTTS		SP	0	--	--	--	--	0
FTTS INSP		SP	0	--	--	--	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u><1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>>1</u>	<u>TOTAL MAPPED</u>
-----------------	-------------------------	--------------------------------	----------------	------------------	------------------	----------------	--------------	---------------------

OTHER ASCERTAINABLE RECORDS (cont.)

FUDS		1.000	0	0	0	0	--	0
GOV MANSIONS		SP	0	--	--	--	--	0
HIST AFS		SP	0	--	--	--	--	0
HIST AFS 2		SP	0	--	--	--	--	0
HIST DOD		1.000	0	0	0	0	--	0
HIST LEAD_SMELTER		SP	0	--	--	--	--	0
HIST MLTS		SP	0	--	--	--	--	0
HIST PCB TRANS		SP	0	--	--	--	--	0
HIST PCS ENF		SP	0	--	--	--	--	0
HIST PCS FACILITY		SP	0	--	--	--	--	0
HIST SSTS		SP	0	--	--	--	--	0
HOSPITALS		SP	0	--	--	--	--	0
HWC DOCKET		SP	0	--	--	--	--	0
ICIS		SP	0	--	--	--	--	0
INACTIVE PCS		SP	0	--	--	--	--	0
INDIAN RESERVATION		1.000	0	0	0	0	--	0
LUCIS		0.500	0	0	0	--	--	0
LUCIS 2		0.500	0	0	0	--	--	0
MANIFEST EPA		0.250	2	0	--	--	--	2
MINE OPERATIONS		0.250	0	0	--	--	--	0
MINES		0.250	0	0	--	--	--	0
MINES USGS		0.250	0	1	--	--	--	1
MLTS		SP	0	--	--	--	--	0
NPL AOC		1.000	0	0	0	0	--	0
NPL LIENS		SP	0	--	--	--	--	0
NURSING HOMES		SP	0	--	--	--	--	0
OSHA		SP	0	--	--	--	--	0
PADS		SP	0	--	--	--	--	0
PCB TRANSFORMER		SP	0	--	--	--	--	0
PCS ENF		SP	0	--	--	--	--	0
PCS FACILITY		SP	0	--	--	--	--	0
PFAS NPL		0.500	0	0	0	--	--	0
PFAS TRIS		0.500	0	0	0	--	--	0
PFAS UCMR3		0.500	0	0	1	--	--	1
RAATS		SP	0	--	--	--	--	0
RADINFO		SP	0	--	--	--	--	0

<u>DATABASE</u>	<u>SUBJECT PROPERTY</u>	<u>SEARCH DISTANCE (MILES)</u>	<u><1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>>1</u>	<u>TOTAL MAPPED</u>
OTHER ASCERTAINABLE RECORDS (cont.)								
RMP		0.250	0	0	--	--	--	0
ROD		1.000	0	0	0	0	--	0
SCHOOLS PRIVATE		SP	0	--	--	--	--	0
SCHOOLS PUBLIC		SP	0	--	--	--	--	0
SCRD DRYCLEANERS		0.250	0	0	--	--	--	0
SEMS_SMELTER		SP	0	--	--	--	--	0
SSTS		SP	0	--	--	--	--	0
STORMWATER		SP	0	--	--	--	--	0
TOSCA-PLANT		SP	0	--	--	--	--	0
TRIS		SP	0	--	--	--	--	0
UMTRA		0.500	0	0	0	--	--	0
VAPOR		0.500	0	0	0	--	--	0
AIRS - OH		SP	0	--	--	--	--	0
COAL ASH - OH		0.500	0	0	0	--	--	0
COAL ASH 2 - OH		0.500	0	0	0	--	--	0
CRO - OH		0.250	0	0	--	--	--	0
DAYCARE - OH	X	SP	--	--	--	--	--	1
DERR - OH		0.500	0	0	0	--	--	0
DRYCLEANERS - OH		0.250	2	2	--	--	--	4
HIST NPDES - OH	X	SP	--	--	--	--	--	1
HIST USD - OH		SP	0	--	--	--	--	0
NPDES - OH		SP	0	--	--	--	--	0
PFAS - OH		0.500	0	0	0	--	--	0
SLUDGE - OH		0.500	0	0	0	--	--	0
STORMWATER - OH		SP	0	--	--	--	--	0
TOWN GAS - OH		1.000	0	0	0	0	--	0
UIC - OH		SP	0	--	--	--	--	0
USD - OH		SP	0	--	--	--	--	0

Map Id: A1
Direction:
Distance:
Elevation:
Relative:

Site Name : HOLTON PARK WWTP
ROCKY CREEK DR
COLUMBUS, OH 43215
Database(s) : [FRS]

EnviroSite ID: 5273381
EPA ID: N/R

FRS

Facility Name : HOLTON PARK WWTP
Facility Address : ROCKY CREEK DR, COLUMBUS, OH 43215
County : FRANKLIN

Site Details

Registry ID : 110016761547
FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
Last Date in Agency List : 2022-02-17

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

FRS Environmental Interest

Source and System ID : OH-CORE - 239377

Map Id: A2
Direction:
Distance:
Elevation:
Relative:

Site Name : Holton Park WWTP
N/R
Columbus, OH 43215
Database(s) : [HIST NPDES - OH]

EnviroSite ID: 20803927
EPA ID: N/R

HIST NPDES - OH

Facility Name : Holton Park WWTP
Facility Address : Columbus, OH 43215
County : N/R

Site Details

Permit Number : 00050
Federal Permit Number : 0
Contact Address : 280 E Broad St
Discharger : County - Under 0.1 MGD
Discharger Type : Public
Operator Name : Franklin County Commissioners
Operator Address : 373 S High St, Columbus, OH 43125
District : Central
Last Date in Agency List : 2014-12-16

Map Id: A3
 Direction:
 Distance:
 Elevation:
 Relative:

Site Name : FULBRIGHT LEARNING CENTER
 122 ROCKY CREEK DRIVE
 GAHANNA, OH 43230
Database(s) : [DAYCARE - OH]

Envirosite ID: 41208814
EPA ID: N/R

DAYCARE - OH

Facility Name : FULBRIGHT LEARNING CENTER
 Facility Address : 122 ROCKY CREEK DRIVE, GAHANNA, 43230
 County : FRANKLIN

Site Details

License Begin Date : 2020-03-05
 License Expiration Date : Continuous
 Program Status : CONTINUOUS LICENSE
 Program Type : Licensed Type B Family Child Care Home
 Administrator(s) : N/R
 Number : 002190021031
 Phone : 614-499-5205
 SUTQ Rating : 1 Star
 Program Email : mailto:fulbrightlc1@gmail.com
 Hours of Operation : Monday 08:00 AM to 10:00 PM, Tuesday 08:00 AM to 10:00 PM, Wednesday 08:00 AM to 10:00 PM, Thursday 08:00 AM to 10:00 PM, Friday 08:00 AM to 10:00 PM, Saturday 08:00 AM to 10:00 PM, Sunday 08:00 AM to 10:00 PM
 Accreditations : N/R
 Other Services Provided : Meals, Before School Care, Evening Care, Transportation, After School Care, Field Trips, Publicly Funded Child Care

Current Inspection Details

Inspection Date : 2022-01-04
 Inspection Type : COMPLIANCE
 Status Updated : 2022-02-22
 Original Inspection Compliance Status: PARTIALLY COMPLIANT
 Inspection Corrective Action Status : NON COMPLIANCE FULLY ADDRESSED
 Inspection Report : [Click here for hyperlink provided by the agency.](#)

Inspection Date : 2021-07-13
 Inspection Type : COMPLIANCE
 Status Updated : 2021-08-17
 Original Inspection Compliance Status: PARTIALLY COMPLIANT
 Inspection Corrective Action Status : NON COMPLIANCE FULLY ADDRESSED
 Inspection Report : [Click here for hyperlink provided by the agency.](#)

Inspection Date : 2021-02-03
 Inspection Type : PROVISIONAL
 Status Updated : 2021-06-28
 Original Inspection Compliance Status: PARTIALLY COMPLIANT
 Inspection Corrective Action Status : NON COMPLIANCE FULLY ADDRESSED
 Inspection Report : [Click here for hyperlink provided by the agency.](#)

Inspection Date : 2020-07-24
 Inspection Type : PROVISIONAL
 Status Updated : 2020-08-26

Map Id: A3
 Direction:
 Distance:
 Elevation:
 Relative:

Site Name : FULBRIGHT LEARNING CENTER
 122 ROCKY CREEK DRIVE
 GAHANNA, OH 43230

Database(s) : [DAYCARE - OH] (**cont.**)

Envirosite ID: 41208814
EPA ID: N/R

DAYCARE - OH (**cont.**)

Original Inspection Compliance Status: PARTIALLY COMPLIANT
 Inspection Corrective Action Status : NON COMPLIANCE FULLY ADDRESSED
 Inspection Report : [Click here for hyperlink provided by the agency.](#)

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN]

Envirosite ID: 5251810
EPA ID: N/R

DRYCLEANERS - OH

Facility Name : SWAN SUPER CLEANERS INC NO 39
 Facility Address : 355 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Facility ID : 0125071873
 Operating Status : sd
 NAICS : 812320 - Drycleaning and Laundry Services (except Coin-Operated)
 SIC : 7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
 Emission Unit ID : D001
 Emission Unit Short Description : Dry Cleaning Machine
 Emission Unit Description : PERC Detrex Dry-To-Dry Cleaning Machine with 50-pounds capacity
 Contact Type : prim
 Contact Name : Brady Armour
 Contact Address : 5000 Sinclair Rd, Columbus, OH 43229
 Contact Address 2 : N/R
 Phone Number : 6144425000
 Email Address : barmour@swancleaners.com
 Last Date in Agency List : 2021-06-14

ECHO

Facility Name : SWAN CLEANERS #39
 Facility Address : 355 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : 2009-03-10
 Registry ID : 110004643075
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : 4758
 Informal Count : 0
 Last Informal Action Date : N/R
 Formal Action Count : 0
 Last Formal Action Date : N/R

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] **(cont.)**

Envirosite ID: 5251810
 EPA ID: N/R

ECHO **(cont.)**

Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011501
Derived STCTY FIPS :	39049
Derived Zip :	43230
Derived CD113 :	12
Derived CB2010 :	390490074261024
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-03-10
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5251810
 EPA ID: N/R

ECHO **(cont.)**

AIR Flag : N
 NPDES Flag : N
 SDWIS Flag : N
 RCRA Flag : Y
 TRI Flag : N
 GHG Flag : N
 Major Flag : N/R
 Active Flag : N/R
 NAA Flag : N
 Latitude : 40.01842
 Longitude : -82.86881
 Last Date in Agency List : 2022-03-29

Facility Name : SWAN SUPER CLEANERS INC NO 39
 Facility Address : 355 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : 2009-03-10
 Registry ID : 110004643075
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : 4583
 Informal Count : 0
 Last Informal Action Date : N/R
 Formal Action Count : 0
 Last Formal Action Date : N/R
 Total Penalties : 0
 Penalty Count : N/R
 Last Penalty Date : N/R
 Last Penalty Amount : N/R
 QTRS IN NC : 0
 Programs IN SNC : 0
 Current Compliance Status : No Violation Identified
 Three-Year Compliance Status :
 Collection Method : ADDRESS MATCHING-HOUSE NUMBER
 Reference Point : CENTER OF A FACILITY OR STATION
 Accuracy Meters : 30
 Derived Tribes : N/R
 Derived HUC : 05060001
 Derived WBD : 050600011501
 Derived STCTY FIPS : 39049
 Derived Zip : 43230
 Derived CD113 : 12
 Derived CB2010 : 390490074261024
 MYRTK Universe : NNN
 NPDES IDs : N/R
 CWA Permit Types : N/R
 CWA Compliance Tracking : N/R
 CWA NAICS : N/R
 CWA SICS : N/R
 CWA Inspection Count : N/R
 CWA Last Inspection Days : N/R

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5251810
 EPA ID: N/R

ECHO **(cont.)**

CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2009-03-10
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	40.01842
Longitude :	-82.86881
Last Date in Agency List :	2021-10-15

FRS

Facility Name :	SWAN CLEANERS #39
Facility Address :	355 GRANVILLE ST, GAHANNA, OH 43230
County :	FRANKLIN

Site Details

Registry ID :	110004643075
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2022-02-17

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5251810
EPA ID: N/R

FRS (cont.)

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : OH-CORE - 16077
 RCRAINFO - OHD981531544

Facility Name : SWAN SUPER CLEANERS INC NO 39
 Facility Address : 355 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110004643075
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2021-10-09

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5251810
EPA ID: N/R

FRS (cont.)

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : OH-CORE - 16077
 RCRAINFO - OHD981531544

RCRA_NONGEN

Facility Name : SWAN CLEANERS #39
 Facility Address : 355 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2021-07-13
 EPA ID : OHD981531544
 Mailing Address : N/R
 Contact : TOM WALLACE
 Contact Address : N/R
 Contact Country : N/R
 Contact Telephone : 614-442-5003
 Contact Email : N/R
 EPA Region : 05
 Land Type : Private
 Source Type : Deactivation
 Classification : Not a generator, verified
 Description : Not a generator, verified
 Last Date in Agency List : 2022-01-26

Owner/Operator Summary

Owner/Operator Name : NAME NOT REPORTED
 Owner/Operator Address : ADDRESS NOT REPORTED, CITY NOT REPORTED, AK 99998
 Owner/Operator Country : US
 Owner/Operator Telephone : 312-555-1212
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Owner/Operator Name : SWAN CLEANERS INC
 Owner/Operator Address : ADDRESS NOT REPORTED, CITY NOT REPORTED, AK 99998

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5251810
EPA ID: N/R

RCRA_NONGEN (cont.)

Owner/Operator Country : US
 Owner/Operator Telephone : 312-555-1212
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N/R
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Historical Generators

Date Form Received by Agency : 2009-03-10
 Facility Name : SWAN CLEANERS 39
 Classification : Small Quantity Generator

Date Form Received by Agency : 1986-05-06
 Facility Name : SWAN CLEANERS 39
 Classification : Small Quantity Generator

Notices of Violations Summary

Date of Violation : 1987-10-20
 Date Achieved Compliance : 1988-01-06
 Regulation Violated : Y
 Area of Violation : Generators - General
 Enforcement Action : N/R
 Enforcement Action Date : N/R
 Enf. Disposition Status : N/R
 Enf. Disp. Status Date : N/R
 Violation Lead Agency : State
 Enforcement Lead Agency : N/R
 Proposed Penalty Amount : N/R
 Final Penalty Amount : N/R

Map Id: 4
 Direction: S
 Distance: 0.010 mi., 55 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : SWAN SUPER CLEANERS INC NO 39 |
 SWAN CLEANERS #39
 355 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 RCRA_NONGEN] (**cont.**)

EnviroSite ID: 5251810
 EPA ID: N/R

RCRA_NONGEN (**cont.**)

Paid Penalty Amount : N/R

Date of Violation : 1987-09-11
 Date Achieved Compliance : 1988-01-06
 Regulation Violated : Y
 Area of Violation : Generators - General
 Enforcement Action : N/R
 Enforcement Action Date : N/R
 Enf. Disposition Status : N/R
 Enf. Disp. Status Date : N/R
 Violation Lead Agency : State
 Enforcement Lead Agency : N/R
 Proposed Penalty Amount : N/R
 Final Penalty Amount : N/R
 Paid Penalty Amount : N/R

Evaluation Action Summary

Evaluation Date : 2009-03-10
 Evaluation : COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of Violation : N/R
 Date Achieved Compliance : N/R
 Evaluation Lead Agency : State

Evaluation Date : 2007-10-02
 Evaluation : FOCUSED COMPLIANCE INSPECTION
 Area of Violation : N/R
 Date Achieved Compliance : N/R
 Evaluation Lead Agency : State

Evaluation Date : 1987-10-20
 Evaluation : COMPLIANCE SCHEDULE EVALUATION
 Area of Violation : Generators - General
 Date Achieved Compliance : 1988-01-06
 Evaluation Lead Agency : State

Evaluation Date : 1987-09-11
 Evaluation : COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of Violation : Generators - General
 Date Achieved Compliance : 1988-01-06
 Evaluation Lead Agency : State

Map Id: 5
 Direction: SE
 Distance: 0.051 mi., 268 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : GAHANNA- JEFFERSON CLARK HALL |
 CLARK HALL
 380 GRANVILLE ST
 GAHANNA, OH

Database(s) : [AST - OH, DAYCARE - OH, SCHOOLS
 PUBLIC]

EnviroSite ID: 5358875
 EPA ID: N/R

AST - OH

Facility Name : CLARK HALL
 Facility Address : 380 GRANVILLE ST, GAHANNA, 43230
 County : FRANKLIN

Site Details

Legal Description : N/R
 Location Name : FACILITIES MGMT
 Phone : 614-478-5527
 Owner Name : GAHANNA JEFFERSON LSD BD OF ED
 Owner Organization : GAHANNA JEFFERSON LSD BD OF ED
 Owner Address : 160 S HAMILTON RD, GAHANNA, OH 43230
 Owner Address 2 : N/R
 Owner Contact : FACILITIES MGMT
 Owner Phone : 614-478-5527
 Billing Name : FACILITIES MGMT
 Billing Organization : GAHANNA JEFFERSON LSD BD OF ED
 Billing Address : 160 S HAMILTON RD, GAHANNA, OH 43230
 Billing Address 2 : N/R
 Billing Contact : FACILITIES MGMT
 Billing Phone : 614-478-5527

Tank Boiler Details

NB Number : 56558
 Other Number : N/R
 Year Built : 2010
 Mawp : N/R
 Heating Surface : N/R
 Year Installed : 2011
 Sub Description : Other
 Fuel Type : GAS
 Firing Method : AUTOMATIC
 BPU Dimension : N/R
 Folder SN : 208539
 Reference File Number : 282847
 Permit Number : 1192855
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : AERCO

NB Number : 56559
 Other Number : N/R
 Year Built : 2010
 Mawp : N/R
 Heating Surface : N/R
 Year Installed : 2011
 Sub Description : Other
 Fuel Type : GAS
 Firing Method : AUTOMATIC
 BPU Dimension : N/R
 Folder SN : 208541

Map Id: 5
 Direction: SE
 Distance: 0.051 mi., 268 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : GAHANNA- JEFFERSON CLARK HALL |
 CLARK HALL
 380 GRANVILLE ST
 GAHANNA, OH

Database(s) : [AST - OH, DAYCARE - OH, SCHOOLS
 PUBLIC] **(cont.)**

Envirosite ID: 5358875
EPA ID: N/R

AST - OH (cont.)

Reference File Number : 282848
 Permit Number : 1192859
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : AERCO

DAYCARE - OH

Facility Name : GAHANNA- JEFFERSON CLARK HALL
 Facility Address : 380 GRANVILLE ST, GAHANNA, 43230
 County : FRANKLIN

Site Details

License Begin Date : 2014-08-18
 License Expiration Date : Continuous
 Program Status : CONTINUOUS LICENSE
 Program Type : Ohio Department of Education Licensed Preschool
 Administrator(s) : N/R
 Number : 001000020520
 Phone : 614-759-5100
 SUTQ Rating : 5 Star
 Program Email : <mailto:test@oclqs.org>

Hours of Operation : Monday 08:00 AM to 03:15 PM, Tuesday 08:00 AM to 03:15 PM,
 Wednesday 08:00 AM to 03:15 PM, Thursday 08:00 AM to 03:15 PM,
 Friday 08:30 AM to 03:15 PM, Saturday CLOSED, Sunday CLOSED

Accreditations : N/R
 Other Services Provided : Transportation

Current Inspection Details

Inspection Date : 2021-10-27
 Inspection Type : ANNUAL
 Status Updated : 2021-10-27
 Original Inspection Compliance Status: FULLY COMPLIANT
 Inspection Corrective Action Status : FULLY COMPLIANT
 Inspection Report : [Click here for hyperlink provided by the agency.](#)

SCHOOLS PUBLIC

Facility Name : GAHANNA- JEFFERSON CLARK HALL
 Facility Address : 380 GRANVILLE ST, GAHANNA, OH 43230-2947
 County : FRANKLIN

NCES ID : 390469605958
 TYPE ID : 1
 Status : 3
 Population : 161
 NAICS Code : 611110
 NAICS Desc : ELEMENTARY AND SECONDARY SCHOOLS

Map Id: 5
 Direction: SE
 Distance: 0.051 mi., 268 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : GAHANNA- JEFFERSON CLARK HALL |
 CLARK HALL
 380 GRANVILLE ST
 GAHANNA, OH

Database(s) : [AST - OH, DAYCARE - OH, SCHOOLS PUBLIC] **(cont.)**

Envirosite ID: 5358875
 EPA ID: N/R

SCHOOLS PUBLIC **(cont.)**

Level :	PREKINDERGARTEN
Enrollment :	155
ST Grade :	PK
End Grade :	PK
FT Teacher :	6
Telephone :	(614) 471-7065
County Fips :	39049
Country :	USA
District ID :	3904696
Shelter ID :	NOT AVAILABLE
Source Date :	2020-02-06
Val Date :	2020-02-21
Source :	Click here for hyperlink provided by the agency.
Latitude :	40.018643
Longitude :	-82.867655
Last Date in Agency List :	2022-02-23

Map Id: 6
 Direction: ESE
 Distance: 0.076 mi., 401 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : Haz/Gahanna
 83 N. Hamilton Rd
 Columbus, OH 43230

Database(s) : [MANIFEST EPA]

Envirosite ID: 42452684
 EPA ID: CESQG

MANIFEST EPA

Manifest Details

Manifest Number :	014615213FLE
Shipped Date :	2021-01-05
Updated Date :	2021-01-21
Received Date :	2021-01-14
Status :	Signed
Generator ID :	CESQG
Generator Name :	Haz/Gahanna
Generator Address :	83 N. Hamilton Rd, Columbus, OH 43230
Generator Mailing :	83 N. Hamilton Rd, Columbus, OH 43230
Generator Contact :	N/R
Destination ID :	MID980615298
Destination Name :	Petro Chem Processing Group of Nortru LLC
Destination Mailing :	421 Lycaste St., Detroit, MI 48214
Destination Address :	421 Lycaste St., Detroit, MI 48214
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2022-03-20

Map Id: 6
 Direction: ESE
 Distance: 0.076 mi., 401 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : Haz/Gahanna
 83 N. Hamilton Rd
 Columbus, OH 43230

Database(s) : [MANIFEST EPA] **(cont.)**

Envirosite ID: 42452684
EPA ID: CESQG

MANIFEST EPA **(cont.)**

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN2014

DOT Information : UN2014 WASTE HYDROGEN PEROXIDE, AQUEOUS SOLUTIONS WITH MORE THAN 40% BUT NOT MORE THAN 60% HYDROGEN PEROXIDE II 5.1 8

Non Waste Description : N/R
 Quantity : 10 Pounds
 Quantity Tons, Acute, Non-Acute : 0.005, 0, 0.005
 Quantity Kg, Acute, Non-Acute : 0, 4.53515
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : D001, D002
 State Code : N/R

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]

Envirosite ID: 5246941
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : R.D. MCKENZIE INC
 Facility Address : 406 GRANVILLE ST, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25001544
 Facility Type : Gas Station
 Owner Name : N/R
 Owner Address : N/R
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : 1970-06-01
 Tank Number : T00005
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1997-06-24
 Date TCL Closed : N/R

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Date Removed :	1997-06-24
Tank Content :	Used Oil
UST Capacity :	550
Construction :	BM - Bare Metal
CAS Number :	N/R
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Not Marked on Form
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.018501
Longitude :	-82.867887

Site Details

Facility Number :	25001544
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1984-01-01
Tank Number :	T00002
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2003-07-10
Date TCL Closed :	N/R
Date Removed :	2003-07-10
Tank Content :	Gasoline
UST Capacity :	8000

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

Envirosite ID: 5246941
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments :	Mechanical Line Leak Detector
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.018501
Longitude :	-82.867887

Site Details

Facility Number :	25001544
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1984-01-01
Tank Number :	T00003
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2003-07-10
Date TCL Closed :	N/R
Date Removed :	2003-07-10
Tank Content :	Gasoline
UST Capacity :	8000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

Envirosite ID: 5246941
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments :	Mechanical Line Leak Detector
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.018501
Longitude :	-82.867887

Site Details

Facility Number :	25001544
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1984-01-01
Tank Number :	T00004
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2003-07-10
Date TCL Closed :	N/R
Date Removed :	2003-07-10
Tank Content :	Kerosene
UST Capacity :	6000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8008-20-6
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

ARCHIVE UST - OH (cont.)

Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments :	Mechanical Line Leak Detector
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.018501
Longitude :	-82.867887

Site Details

Facility Number :	25001544
Facility Type :	Gas Station
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1984-01-01
Tank Number :	T00001
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	2003-07-10
Date TCL Closed :	N/R
Date Removed :	2003-07-10
Tank Content :	Gasoline
UST Capacity :	8000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Automatic Tank Gauging / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments :	N/R
Piping Release Detections :	MLLD - Mechanical Line Leak Detector
Piping Release Detection Comments :	Mechanical Line Leak Detector
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	Yes
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.018501
Longitude :	-82.867887

ECHO

Facility Name :	SUNOCO NO 0009-8004
Facility Address :	406 GRANVILLE ST, GAHANNA, OH 43230
County :	FRANKLIN

Last Inspection Date :	N/R
Registry ID :	110009664121
FIPS Code :	39049
EPA Region :	05
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011501
Derived STCTY FIPS :	39049
Derived Zip :	43230

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

ECHO (cont.)

Derived CD113 :	12
Derived CB2010 :	390490074261024
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	40.01836
Longitude :	-82.86704
Last Date in Agency List :	2022-03-29

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

EPA LUST

Facility Name : R.D. MCKENZIE INC
 Facility Address : 406 GRANVILLE ST, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25001544
 LUST ID : OH25001544-N00001
 Reported Date : 1997-09-08
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 621
 Estimated Private Domestic Wells within 1500ft: 6
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0185
 Longitude : -82.86789
 Last Date in Agency List : 2022-04-22

Facility ID : OH25001544
 LUST ID : OH25001544-N00002
 Reported Date : 2003-08-06
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 621
 Estimated Private Domestic Wells within 1500ft: 6
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

EPA LUST (cont.)

SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0185
 Longitude : -82.86789
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : R.D. MCKENZIE INC
 Facility Address : 406 GRANVILLE ST, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25001544
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 5
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.018501
 Longitude : -82.867887
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25001544_T00001
 Tank Status : Closed
 Installation Date : 1984-01-01
 Removal Date : 2003-07-10
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25001544_T00002
 Tank Status : Closed
 Installation Date : 1984-01-01
 Removal Date : 2003-07-10
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Single

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

EPA UST **(cont.)**

Tank ID : OH25001544_T00003
 Tank Status : Closed
 Installation Date : 1984-01-01
 Removal Date : 2003-07-10
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25001544_T00004
 Tank Status : Closed
 Installation Date : 1984-01-01
 Removal Date : 2003-07-10
 Capacity : 6000
 Substances : Kerosene
 Tank Wall Type : Single

Tank ID : OH25001544_T00005
 Tank Status : Closed
 Installation Date : 1970-06-01
 Removal Date : 1997-06-24
 Capacity : 550
 Substances : Used Oil
 Tank Wall Type : Single

FRS

Facility Name : SUNOCO NO 0009-8004
 Facility Address : 406 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110009664121
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
EPA ID: N/R

FRS (cont.)

Source Description :

RCRAInfo is EPA’s comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : OH-CORE - 16026
 RCRAINFO - OHD000674408

LUST - OH

Facility Name : R.D. MCKENZIE INC
 Facility Address : 406 GRANVILLE ST, GAHANNA, OH 43230
 County : Franklin

Review Date : 2003-08-19
 Release Date : 2003-08-06
 Release Number : 25001544-N00002
 LTF Status : 6 Closure of regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.018501
 Longitude : -82.867887
 Last Date in Agency List : 2022-04-20

Review Date : 2003-08-13
 Release Date : 1997-09-08
 Release Number : 25001544-N00001
 LTF Status : 6 Closure of regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.018501
 Longitude : -82.867887
 Last Date in Agency List : 2022-04-20

RCRA_NONGEN

Facility Name : SUNOCO SERVICE STATION
 Facility Address : 406 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Map Id: B7
 Direction: SE
 Distance: 0.081 mi., 426 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
 406 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

EnviroSite ID: 5246941
 EPA ID: N/R

RCRA_NONGEN (cont.)

Date Form Received by Agency : 1997-11-06
 EPA ID : OHD000674408
 Mailing Address : 1801 MARKET ST 20/10 PC, PHILADELPHIA, PA 19103-1699
 Contact : SUSAN HICKEY
 Contact Address : 1801 MARKET ST 20/10 PC, PHILADELPHIA, PA 19103-1699
 Contact Country : US
 Contact Telephone : 215-977-6801
 Contact Email : N/R
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Not a generator, verified
 Description : Not a generator, verified
 Last Date in Agency List : 2022-01-26

Owner/Operator Summary

Owner/Operator Name : NAME NOT REPORTED
 Owner/Operator Address : ADDRESS NOT REPORTED, CITY NOT REPORTED, AK 99998
 Owner/Operator Country : N/R
 Owner/Operator Telephone : 312-555-1212
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Owner/Operator Name : SUN CO INC (R&M)
 Owner/Operator Address : 1801 MARKET ST, PHILADELPHIA, PA 19103-1699
 Owner/Operator Country : N/R
 Owner/Operator Telephone : 215-977-6801
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N

Map Id: B7
Direction: SE
Distance: 0.081 mi., 426 ft.
Elevation: 812 ft.
Relative: Higher

Site Name : R.D. MCKENZIE INC | SUNOCO NO 0009-8004 | SUNOCO SERVICE STATION
406 GRANVILLE ST
GAHANNA, OH 43230
Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_NONGEN]
(cont.)

Envirosite ID: 5246941
EPA ID: N/R

RCRA_NONGEN **(cont.)**

Used Oil Refiner : N
Used Oil Fuel Marketer to Burner : N
Used Oil Specification Marketer : N
Used Oil Transfer Facility : N
Used Oil Transporter : N

Hazardous Waste Summary

Waste Code / Name : D001 - IGNITABLE WASTE

Notices of Violations Summary

Regulation Violated : N

Map Id: B8
Direction: SE
Distance: 0.083 mi., 441 ft.
Elevation: 814 ft.
Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO NO 08041 * | BP OIL CO
407 GRANVILLE ST
GAHANNA, OH 43230
Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_VSQG, UST - OH]

Envirosite ID: 42983476
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : #613 GAHANNA DUCHESS
Facility Address : 407 GRANVILLE ST, GAHANNA, Ohio 43230
County : Franklin

Site Details

Facility Number : 25001512
Facility Type : Gas Station
Owner Name : ENGLEFIELD OIL COMPANY
Owner Address : 447 JAMES PARKWAY, HEATH, OH 43056
Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
Tank Number : T00005
Tank Type : UST
Status : REM - Removed

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Date Last Used : 1964-01-01
 Date TCL Closed : N/R
 Date Removed : 1994-11-02
 Tank Content : Unknown
 UST Capacity : N/R
 Construction : Other
 CAS Number : N/R
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Other
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : NA - Not Applicable
 Piping Constructions : OTH - Other (explain)
 Piping Construction Comments : Unknown
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.01788
 Longitude : -82.86727

Site Details

Facility Number : 25001512
 Facility Type : Gas Station
 Owner Name : ENGLEFIELD OIL COMPANY
 Owner Address : 447 JAMES PARKWAY, HEATH, OH 43056
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
 Tank Number : T00006
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1964-01-01
 Date TCL Closed : N/R
 Date Removed : 1994-11-02

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Content :	Unknown
UST Capacity :	N/R
Construction :	Other
CAS Number :	N/R
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Other
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.01788
Longitude :	-82.86727

ECHO

Facility Name :	BP OIL CO NO 08041 *
Facility Address :	407 GRANVILLE ST, GAHANNA, OH 43230
County :	FRANKLIN
Last Inspection Date :	N/R
Registry ID :	110004678297
FIPS Code :	39049
EPA Region :	05
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

ECHO **(cont.)**

Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011501
Derived STCTY FIPS :	39049
Derived Zip :	43230
Derived CD113 :	12
Derived CB2010 :	390490074261024
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

ECHO **(cont.)**

TRI Flag : N
 GHG Flag : N
 Major Flag : N/R
 Active Flag : Y
 NAA Flag : N
 Latitude : 40.01836
 Longitude : -82.8671
 Last Date in Agency List : 2022-03-29

EPA LUST

Facility Name : #613 GAHANNA DUCHESS
 Facility Address : 407 GRANVILLE ST, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25001512
 LUST ID : OH25001512-N00001
 Reported Date : 1994-01-17
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination
 (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 653
 Estimated Private Domestic Wells within
 1500ft: 7
 Within Source Water Protection Area
 (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection
 Area (WHPA): No
 WHPA Public Water System and Facility
 ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0178799999999
 Longitude : -82.86727
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : #613 GAHANNA DUCHESS
 Facility Address : 407 GRANVILLE ST, GAHANNA, Ohio 43230
 County : Franklin

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

EPA UST **(cont.)**

Facility ID : OH25001512
 Facility Status : Open UST(s)
 Open USTs : 4
 Closed USTs : 2
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.01788
 Longitude : -82.86727
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25001512_T00001
 Tank Status : Open
 Installation Date : 1983-01-01
 Removal Date : N/R
 Capacity : 10000
 Substances : Diesel
 Tank Wall Type : Single

Tank ID : OH25001512_T00002
 Tank Status : Open
 Installation Date : 1983-01-01
 Removal Date : N/R
 Capacity : 10000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25001512_T00003
 Tank Status : Open
 Installation Date : 1983-01-01
 Removal Date : N/R
 Capacity : 10000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25001512_T00004
 Tank Status : Open
 Installation Date : 1983-01-01
 Removal Date : N/R
 Capacity : 10000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25001512_T00005
 Tank Status : Closed

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

EPA UST **(cont.)**

Installation Date : N/R
 Removal Date : 1994-11-02
 Capacity : N/R
 Substances : Unknown
 Tank Wall Type : Single

Tank ID : OH25001512_T00006
 Tank Status : Closed
 Installation Date : N/R
 Removal Date : 1994-11-02
 Capacity : N/R
 Substances : Unknown
 Tank Wall Type : Single

FRS

Facility Name : BP OIL CO NO 08041 *
 Facility Address : 407 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110004678297
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

FRS (cont.)

FRS Environmental Interest
 Source and System ID : OH-CORE - 134279
 OH-CORE - 14341
 RCRAINFO - OHD987013315

LUST - OH

Facility Name : #613 GAHANNA DUCHESS
 Facility Address : 407 GRANVILLE ST, GAHANNA, OH 43230
 County : Franklin

Review Date : 2006-10-05
 Release Date : 1994-01-17
 Release Number : 25001512-N00001
 LTF Status : 1 SUS/CON from regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.01788
 Longitude : -82.86727
 Last Date in Agency List : 2022-04-20

RCRA_VSQG

Facility Name : BP OIL CO
 Facility Address : 407 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 1998-07-20
 EPA ID : OHD987013315
 Mailing Address : 4440 WARRENSVILLE CENTER RD, WARRENSVILLE HTS, OH 44128-2837
 Contact : GEORGE PEYTON
 Contact Address : 4440 WARRENSVILLE CENTER RD, WARRENSVILLE HTS, OH 44128-2837
 Contact Country : US
 Contact Telephone : 614-840-1405
 Contact Email : N/R
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Very Small Quantity Generator

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

RCRA_VSQG **(cont.)**

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2022-01-25

Owner/Operator Summary

Owner/Operator Name : BP OIL COMPANY
 Owner/Operator Address : 407 GRANVILLE ST, GAHANNA, OH 43230
 Owner/Operator Country : N/R
 Owner/Operator Telephone : 614-475-4907
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Hazardous Waste Summary

Waste Code / Name : D001 - IGNITABLE WASTE

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

RCRA_VSQG **(cont.)**

Notices of Violations Summary
 Regulation Violated : N

UST - OH

Facility Name : #613 GAHANNA DUCHESS
 Facility Address : 407 GRANVILLE ST, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25001512
 Facility Type : Gas Station
 Owner Name : ENGLEFIELD OIL COMPANY
 Owner Address : 447 JAMES PARKWAY, HEATH, OH 43056
 Last Date in Agency List : 2022-02-17

Tank Information

Installation Date : 1983-01-01
 Tank Number : T00001
 Tank Type : UST
 Status : CIU - Currently In Use
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : N/R
 Tank Content : Diesel
 UST Capacity : 10000
 Construction : FRP-Fiberglass Reinforced Plastic
 CAS Number : 68334-30-5
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : SW - Single Wall
 Construction Comments : N/R
 Corrosion Protections : NR - None Required by Rule
 Corrosion Protection Comments : N/R
 Primary Release Detection : ATG - Automatic Tank Gauging
 Secondary Release Detection : ATG - Automatic Tank Gauging
 Release Detection Comments : N/R
 Piping Configuration : SC - Secondarily Contained
 Piping Configuration Comments : N/R
 Piping Styles : P - Pressure
 Piping Constructions : FPTP - Flexible Plastic Technology Piping
 Piping Construction Comments : N/R
 Piping Corrosion Protections : NR - None required by rule
 Piping Corrosion Protection Comments : N/R
 Piping Release Detections : ELLD - Electronic Line Leak Detector
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

UST - OH **(cont.)**

Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	VENT - Vent Line (float vent valve)
Overfill Prevention Comment :	N/R
Latitude :	40.01788
Longitude :	-82.86727
Installation Date :	1983-01-01
Tank Number :	T00004
Tank Type :	UST
Status :	CIU - Currently In Use
Date Last Used :	N/R
Date TCL Closed :	N/R
Date Removed :	N/R
Tank Content :	Gasoline
UST Capacity :	10000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	SW - Single Wall
Construction Comments :	N/R
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	ATG - Automatic Tank Gauging
Release Detection Comments :	N/R
Piping Configuration :	SC - Secondarily Contained
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments :	N/R
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment :	N/R
Latitude :	40.01788
Longitude :	-82.86727
Installation Date :	1983-01-01
Tank Number :	T00002
Tank Type :	UST
Status :	CIU - Currently In Use
Date Last Used :	N/R
Date TCL Closed :	N/R
Date Removed :	N/R

Map Id: B8
 Direction: SE
 Distance: 0.083 mi., 441 ft.
 Elevation: 814 ft.
 Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
 NO 08041 * | BP OIL CO
 407 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42983476
 EPA ID: N/R

UST - OH **(cont.)**

Tank Content :	Gasoline
UST Capacity :	10000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	SW - Single Wall
Construction Comments :	N/R
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	ATG - Automatic Tank Gauging
Release Detection Comments :	N/R
Piping Configuration :	SC - Secondarily Contained
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments :	N/R
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment :	N/R
Latitude :	40.01788
Longitude :	-82.86727

Installation Date :	1983-01-01
Tank Number :	T00003
Tank Type :	UST
Status :	CIU - Currently In Use
Date Last Used :	N/R
Date TCL Closed :	N/R
Date Removed :	N/R
Tank Content :	Gasoline
UST Capacity :	10000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	SW - Single Wall
Construction Comments :	N/R
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging

Map Id: B8
Direction: SE
Distance: 0.083 mi., 441 ft.
Elevation: 814 ft.
Relative: Higher

Site Name : #613 GAHANNA DUCHESS | BP OIL CO
NO 08041 * | BP OIL CO
407 GRANVILLE ST
GAHANNA, OH 43230
Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
EPA UST, FRS, LUST - OH, RCRA_VSQG,
UST - OH] **(cont.)**

Envirosite ID: 42983476
EPA ID: N/R

UST - OH **(cont.)**

Secondary Release Detection : ATG - Automatic Tank Gauging
Release Detection Comments : N/R
Piping Configuration : SC - Secondarily Contained
Piping Configuration Comments : N/R
Piping Styles : P - Pressure
Piping Constructions : FPTP - Flexible Plastic Technology Piping
Piping Construction Comments : N/R
Piping Corrosion Protections : NR - None required by rule
Piping Corrosion Protection Comments: N/R
Piping Release Detections : ELLD - Electronic Line Leak Detector
Piping Release Detection Comments : N/R
Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments : N/R
Overfill Prevention : FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment : N/R
Latitude : 40.01788
Longitude : -82.86727

Map Id: C9
Direction: E
Distance: 0.095 mi., 502 ft.
Elevation: 804 ft.
Relative: Higher

Site Name : 95 N HAMILTON RD
95 N HAMILTON RD
GAHANNA, OH 43230
Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
LUST - OH]

Envirosite ID: 5247947
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : 95 N HAMILTON RD
Facility Address : 95 N HAMILTON RD, GAHANNA, Ohio 43230
County : Franklin

Site Details

Facility Number : 25011036
Facility Type : Unknown
Owner Name : N/R
Owner Address : N/R
Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
Tank Number : T00001
Tank Type : UST
Status : REM - Removed
Date Last Used : N/R

Map Id: C9
 Direction: E
 Distance: 0.095 mi., 502 ft.
 Elevation: 804 ft.
 Relative: Higher

Site Name : 95 N HAMILTON RD
 95 N HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247947
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Date TCL Closed : N/R
 Date Removed : 2012-03-09
 Tank Content : Gasoline
 UST Capacity : 550
 Construction : N/R
 CAS Number : N/R
 Abandoned Approved : N/R
 Comments : ORPHAN
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : N/R
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : N/R
 Secondary Release Detection : N/R
 Release Detection Comments : N/R
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : N/R
 Piping Constructions : N/R
 Piping Construction Comments : N/R
 Piping Corrosion Protections : N/R
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : N/R
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : N/R
 Spill Prevention Manhole Comments : N/R
 Overfill Prevention : N/R
 Overfill Prevention Comment : N/R
 Latitude : 40.020038
 Longitude : -82.866854

EPA LUST

Facility Name : 95 N HAMILTON RD
 Facility Address : 95 N HAMILTON RD, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25011036
 LUST ID : OH25011036-N00001
 Reported Date : 2012-03-09
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 497
 Estimated Private Domestic Wells within 1500ft: 11
 Within Source Water Protection Area (SPA): No

Map Id: C9
 Direction: E
 Distance: 0.095 mi., 502 ft.
 Elevation: 804 ft.
 Relative: Higher

Site Name : 95 N HAMILTON RD
 95 N HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5247947
 EPA ID: N/R

EPA LUST **(cont.)**

SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.01966
 Longitude : -82.86655
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : 95 N HAMILTON RD
 Facility Address : 95 N HAMILTON RD, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25011036
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 1
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.019658
 Longitude : -82.866545
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25011036_T00001
 Tank Status : Closed
 Installation Date : N/R
 Removal Date : 2012-03-09
 Capacity : 550
 Substances : Gasoline
 Tank Wall Type : Single

LUST - OH

Facility Name : 95 N HAMILTON RD
 Facility Address : 95 N HAMILTON RD, GAHANNA, OH 43230
 County : Franklin

Review Date : 2012-08-27
 Release Date : 2012-03-09

Map Id: C9
 Direction: E
 Distance: 0.095 mi., 502 ft.
 Elevation: 804 ft.
 Relative: Higher

Site Name : 95 N HAMILTON RD
 95 N HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247947
EPA ID: N/R

LUST - OH **(cont.)**

Release Number : 25011036-N00001
 LTF Status : 6 Closure of regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.020038
 Longitude : -82.866854
 Last Date in Agency List : 2022-04-20

Map Id: C10
 Direction: ENE
 Distance: 0.095 mi., 502 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CLOTHING CARE LTD
 125 N HAMILTON RD | 125 NORTH
 HAMILTON ROAD
 GAHANNA, OH

Database(s) : [AST - OH, DRYCLEANERS - OH, ECHO,
 FRS]

Envirosite ID: 5251765
EPA ID: N/R

AST - OH

Facility Name : CLOTHING CARE LTD
 Facility Address : 125 N HAMILTON RD, GAHANNA, 43230
 County : FRANKLIN

Site Details

Legal Description : N/R
 Location Name : N/R
 Phone : 614-205-3823
 Owner Name : CLOTHING CARE
 Owner Organization : CLOTHING CARE
 Owner Address : 125 N HAMILTON RD, GAHANNA, OH 43230
 Owner Address 2 : N/R
 Owner Contact : N/R
 Owner Phone : 614-205-3823
 Billing Name : N/R
 Billing Organization : CLOTHING CARE
 Billing Address : 125 N HAMILTON RD, GAHANNA, OH 43230
 Billing Address 2 : N/R
 Billing Contact : N/R
 Billing Phone : 614-205-3823

Tank Boiler Details

NB Number : 108196
 Other Number : N/R
 Year Built : N/R
 Mawp : N/R

Map Id: C10
 Direction: ENE
 Distance: 0.095 mi., 502 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CLOTHING CARE LTD
 125 N HAMILTON RD | 125 NORTH
 HAMILTON ROAD
 GAHANNA, OH

Database(s) : [AST - OH, DRYCLEANERS - OH, ECHO,
 FRS] **(cont.)**

EnviroSite ID: 5251765
 EPA ID: N/R

AST - OH **(cont.)**

Heating Surface : N/R
 Year Installed : N/R
 Sub Description : FireTube
 Fuel Type : N/R
 Firing Method : N/R
 BPU Dimension : N/R
 Folder SN : 92050
 Reference File Number : 803392
 Permit Number : P75316
 Inspect Agency : STATE
 Expiration Date : 2022-06-30
 Manufacturer : N/R

DRYCLEANERS - OH

Facility Name : CLOTHING CARE
 Facility Address : 125 N HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Facility ID : 0125071614
 Operating Status : op
 NAICS : 812320 - Drycleaning and Laundry Services (except Coin-Operated)
 SIC : 7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
 Emission Unit ID : D002
 Emission Unit Short Description : N/R

Emission Unit Description : Dry-to-dry perchloroethylene dry cleaning machine with refrigerated condenser

Contact Type : prim
 Contact Name : John Phillippi
 Contact Address : 125 N Hamilton Rd, Gahanna, OH 43230
 Contact Address 2 : N/R
 Phone Number : 6144754626
 Email Address : N/R
 Last Date in Agency List : 2022-04-13

Facility ID : 0125071614
 Operating Status : op
 NAICS : 812320 - Drycleaning and Laundry Services (except Coin-Operated)
 SIC : 7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
 Emission Unit ID : D001
 Emission Unit Short Description : DRY CLEANING FACILITY
 Emission Unit Description : N/R
 Contact Type : prim
 Contact Name : John Phillippi
 Contact Address : 125 N Hamilton Rd, Gahanna, OH 43230
 Contact Address 2 : N/R
 Phone Number : 6144754626
 Email Address : N/R
 Last Date in Agency List : 2022-04-13

Map Id: C10
 Direction: ENE
 Distance: 0.095 mi., 502 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CLOTHING CARE LTD
 125 N HAMILTON RD | 125 NORTH
 HAMILTON ROAD
 GAHANNA, OH

Database(s) : [AST - OH, DRYCLEANERS - OH, ECHO,
 FRS] **(cont.)**

Envirosite ID: 5251765
 EPA ID: N/R

ECHO

Facility Name : CLOTHING CARE LTD
 Facility Address : 125 NORTH HAMILTON ROAD, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : N/R
 Registry ID : 110004659067
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : N/R
 Informal Count : 0
 Last Informal Action Date : N/R
 Formal Action Count : 0
 Last Formal Action Date : N/R
 Total Penalties : 0
 Penalty Count : N/R
 Last Penalty Date : N/R
 Last Penalty Amount : N/R
 QTRS IN NC : 0
 Programs IN SNC : 0
 Current Compliance Status : No Violation Identified
 Three-Year Compliance Status :
 Collection Method : ADDRESS MATCHING-HOUSE NUMBER
 Reference Point : CENTER OF A FACILITY OR STATION
 Accuracy Meters : 30
 Derived Tribes : N/R
 Derived HUC : 05060001
 Derived WBD : 050600011501
 Derived STCTY FIPS : 39049
 Derived Zip : 43230
 Derived CD113 : 12
 Derived CB2010 : 390490074261024
 MYRTK Universe : NNN
 NPDES IDs : N/R
 CWA Permit Types : N/R
 CWA Compliance Tracking : N/R
 CWA NAICS : N/R
 CWA SICS : N/R
 CWA Inspection Count : N/R
 CWA Last Inspection Days : N/R
 CWA Informal Count : N/R
 CWA Formal Action Count : N/R
 CWA Last Formal Action Date : N/R
 CWA Penalties : N/R
 CWA Last Penalty Date : N/R
 CWA Last Penalty Amount : N/R
 CWA Quarters IN NC : N/R
 CWA Current Compliance Status : N/R
 CWA Current SNC Flag : N
 CWA 13 Quarters Compliance Status : N/R
 CWA 13 Quarters Effluent Exceedances: N/R
 CWA Three-Year QNCR Codes : N/R
 DFR URL : [Click here for hyperlink provided by the agency.](#)
 Facility SIC : N/R

Map Id: C10
 Direction: ENE
 Distance: 0.095 mi., 502 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CLOTHING CARE LTD
 125 N HAMILTON RD | 125 NORTH
 HAMILTON ROAD
 GAHANNA, OH

Database(s) : [AST - OH, DRYCLEANERS - OH, ECHO,
 FRS] **(cont.)**

EnviroSite ID: 5251765
 EPA ID: N/R

ECHO (cont.)

Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	40.02033
Longitude :	-82.86645
Last Date in Agency List :	2022-03-29

FRS

Facility Name :	CLOTHING CARE LTD
Facility Address :	125 NORTH HAMILTON ROAD, GAHANNA, OH 43230-2601
County :	FRANKLIN

Site Details

Registry ID :	110004659067
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2022-02-17

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Map Id: C10
 Direction: ENE
 Distance: 0.095 mi., 502 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CLOTHING CARE LTD
 125 N HAMILTON RD | 125 NORTH
 HAMILTON ROAD
 GAHANNA, OH

Database(s) : [AST - OH, DRYCLEANERS - OH, ECHO,
 FRS] **(cont.)**

EnviroSite ID: 5251765
EPA ID: N/R

FRS (cont.)

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
 Source and System ID :

OH-CORE - 14720
 RCRAINFO - OHD986966976

Map Id: C11
 Direction: ENE
 Distance: 0.095 mi., 504 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CONVENIENT CLEANING CENTER
 125 N HAMILTON
 GAHANNA, OH 43230

Database(s) : [RCRA_SQG]

EnviroSite ID: 5355764
EPA ID: OHD986966976

RCRA_SQG

Facility Name : CONVENIENT CLEANING CENTER
 Facility Address : 125 N HAMILTON, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 1988-08-29
 EPA ID : OHD986966976
 Mailing Address : 125 N HAMILTON RD, GAHANNA, OH 43230
 Contact : KENNETH SCHILLIG
 Contact Address : 125 N HAMILTON RD, GAHANNA, OH 43230
 Contact Country : US
 Contact Telephone : 614-475-4626
 Contact Email : N/R
 EPA Region : 05
 Land Type : Not Reported
 Source Type : Notification
 Classification : Small Quantity Generator

Description : Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.

Last Date in Agency List : 2022-01-25

Map Id: C11
 Direction: ENE
 Distance: 0.095 mi., 504 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CONVENIENT CLEANING CENTER
 125 N HAMILTON
 GAHANNA, OH 43230

Database(s) : [RCRA_SQG] (**cont.**)

Envirosite ID: 5355764
EPA ID: OHD986966976

RCRA_SQG (**cont.**)

Owner/Operator Summary

Owner/Operator Name : MIRIAM ROBERT AND SHILLIG KENNETH
 Owner/Operator Address : ADDRESS NOT REPORTED, CITY NOT REPORTED, AK 99998
 Owner/Operator Country : N/R
 Owner/Operator Telephone : 312-555-1212
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Owner/Operator Name : NAME NOT REPORTED
 Owner/Operator Address : ADDRESS NOT REPORTED, CITY NOT REPORTED, AK 99998
 Owner/Operator Country : N/R
 Owner/Operator Telephone : 312-555-1212
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Hazardous Waste Summary

Waste Code / Name : D000 - DESCRIPTION

Waste Code / Name :

F002 - THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Map Id: C11
 Direction: ENE
 Distance: 0.095 mi., 504 ft.
 Elevation: 803 ft.
 Relative: Higher

Site Name : CONVENIENT CLEANING CENTER
 125 N HAMILTON
 GAHANNA, OH 43230
Database(s) : [RCRA_SQG] (*cont.*)

Envirosite ID: 5355764
EPA ID: OHD986966976

RCRA_SQG (*cont.*)

Notices of Violations Summary
 Regulation Violated : N

Map Id: C12
 Direction: ENE
 Distance: 0.100 mi., 528 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : DOLLAR GENERAL STORE #645
 150 N HAMILTON RD
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG]

Envirosite ID: 5350583
EPA ID: N/R

ECHO

Facility Name : DOLLAR GENERAL STORE #645
 Facility Address : 150 N HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : N/R
 Registry ID : 110063080721
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : N/R
 Informal Count : 0
 Last Informal Action Date : N/R
 Formal Action Count : 0
 Last Formal Action Date : N/R
 Total Penalties : 0
 Penalty Count : N/R
 Last Penalty Date : N/R
 Last Penalty Amount : N/R
 QTRS IN NC : 0
 Programs IN SNC : 0
 Current Compliance Status : No Violation Identified
 Three-Year Compliance Status :
 Collection Method : ADDRESS MATCHING-HOUSE NUMBER
 Reference Point : CENTER OF A FACILITY OR STATION
 Accuracy Meters : 30
 Derived Tribes : N/R
 Derived HUC : 05060001
 Derived WBD : 050600011501
 Derived STCTY FIPS : 39049
 Derived Zip : 43230
 Derived CD113 : 12
 Derived CB2010 : 390490074261024
 MYRTK Universe : NNN
 NPDES IDs : N/R
 CWA Permit Types : N/R
 CWA Compliance Tracking : N/R
 CWA NAICS : N/R
 CWA SICS : N/R
 CWA Inspection Count : N/R

Map Id: C12
 Direction: ENE
 Distance: 0.100 mi., 528 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : DOLLAR GENERAL STORE #645
 150 N HAMILTON RD
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5350583
 EPA ID: N/R

ECHO **(cont.)**

CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	45299 - All Other General Merchandise Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	40.02092
Longitude :	-82.86641
Last Date in Agency List :	2022-03-29

FRS

Facility Name :	DOLLAR GENERAL STORE #645
Facility Address :	150 N HAMILTON RD, GAHANNA, OH 43230
County :	FRANKLIN

Site Details

Registry ID :	110063080721
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2022-02-17

Map Id: C12
 Direction: ENE
 Distance: 0.100 mi., 528 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : DOLLAR GENERAL STORE #645
 150 N HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5350583
EPA ID: N/R

FRS (cont.)

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : RCRAINFO - OHR000186981

RCRA_VSQG

Facility Name : DOLLAR GENERAL STORE #645
 Facility Address : 150 N HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2014-10-20
 EPA ID : OHR000186981
 Mailing Address : 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072
 Contact : ERIC VOYLES
 Contact Address : 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072
 Contact Country : US
 Contact Telephone : 615-855-4000
 Contact Email : EVOYLES@DOLLARGENERAL.COM
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2022-01-25

Owner/Operator Summary

Owner/Operator Name : DG RETAIL
 Owner/Operator Address : 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072
 Owner/Operator Country : US

Map Id: C12
 Direction: ENE
 Distance: 0.100 mi., 528 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : DOLLAR GENERAL STORE #645
 150 N HAMILTON RD
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5350583
 EPA ID: N/R

RCRA_VSQG **(cont.)**

Owner/Operator Telephone : 615-855-4000
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : 1999-05-20
 Owner/Operator End Date : N/R

Owner/Operator Name : DOLLAR GENERAL STORE #645
 Owner/Operator Address : 150 N HAMILTON RD, GAHANNA, OH 43230
 Owner/Operator Country : US
 Owner/Operator Telephone : 614-475-2827
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : 1999-05-20
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Hazardous Waste Summary

Waste Code / Name :
 D001 - IGNITABLE WASTE
 D002 - CORROSIVE WASTE
 D005 - BARIUM
 D007 - CHROMIUM
 D008 - LEAD
 D009 - MERCURY
 D016 - 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
 D035 - METHYL ETHYL KETONE

Notices of Violations Summary

Regulation Violated : N

Map Id: B13
 Direction: ESE
 Distance: 0.105 mi., 557 ft.
 Elevation: 813 ft.
 Relative: Higher

Site Name : BP OIL CO.
 HAMILTON & GRANVILLE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH]

Envirosite ID: 5242447
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : BP OIL CO.
 Facility Address : HAMILTON & GRANVILLE, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25002267
 Facility Type : Gas Station
 Owner Name : KANTAM ENTERPRISES LLC
 Owner Address : 6135 MONTGOMERY ROAD, CINCINNATI, OH 45213
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
 Tank Number : T00002
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1974-01-01
 Date TCL Closed : N/R
 Date Removed : 1993-10-20
 Tank Content : Gasoline
 UST Capacity : 4000
 Construction : Other
 CAS Number : 8006-61-9
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Other
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : NA - Not Applicable
 Piping Constructions : OTH - Other (explain)
 Piping Construction Comments : Unknown
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments : N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.0183
 Longitude : -82.8666

Map Id: B13
 Direction: ESE
 Distance: 0.105 mi., 557 ft.
 Elevation: 813 ft.
 Relative: Higher

Site Name : BP OIL CO.
 HAMILTON & GRANVILLE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5242447
EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Site Details

Facility Number : 25002267
 Facility Type : Gas Station
 Owner Name : KANTAM ENTERPRISES LLC
 Owner Address : 6135 MONTGOMERY ROAD, CINCINNATI, OH 45213
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
 Tank Number : T00001
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1974-01-01
 Date TCL Closed : N/R
 Date Removed : 1993-10-20
 Tank Content : Gasoline
 UST Capacity : 4000
 Construction : Other
 CAS Number : 8006-61-9
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Other
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : NA - Not Applicable
 Piping Constructions : OTH - Other (explain)
 Piping Construction Comments : Unknown
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.0183
 Longitude : -82.8666

EPA LUST

Facility Name : BP OIL CO.
 Facility Address : HAMILTON & GRANVILLE, GAHANNA, Ohio
 County : Franklin

Map Id: B13
 Direction: ESE
 Distance: 0.105 mi., 557 ft.
 Elevation: 813 ft.
 Relative: Higher

Site Name : BP OIL CO.
 HAMILTON & GRANVILLE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5242447
 EPA ID: N/R

EPA LUST **(cont.)**

Facility ID : OH25002267
 LUST ID : OH25002267-N00001
 Reported Date : 1996-03-22
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination
 (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 597
 Estimated Private Domestic Wells within
 1500ft: 10
 Within Source Water Protection Area
 (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection
 Area (WHPA): No
 WHPA Public Water System and Facility
 ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0183
 Longitude : -82.8666
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : BP OIL CO.
 Facility Address : HAMILTON & GRANVILLE, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25002267
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 2
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.0183
 Longitude : -82.8666
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25002267_T00001
 Tank Status : Closed

Map Id: B13
Direction: ESE
Distance: 0.105 mi., 557 ft.
Elevation: 813 ft.
Relative: Higher

Site Name : BP OIL CO.
HAMILTON & GRANVILLE
GAHANNA, OH 43230
Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
LUST - OH] **(cont.)**

Envirosite ID: 5242447
EPA ID: N/R

EPA UST **(cont.)**

Installation Date : N/R
Removal Date : 1993-10-20
Capacity : 4000
Substances : Gasoline
Tank Wall Type : Single

Tank ID : OH25002267_T00002
Tank Status : Closed
Installation Date : N/R
Removal Date : 1993-10-20
Capacity : 4000
Substances : Gasoline
Tank Wall Type : Single

LUST - OH

Facility Name : BP OIL CO.
Facility Address : HAMILTON & GRANVILLE, GAHANNA, OH 43230
County : Franklin

Review Date : 1997-09-08
Release Date : 1996-03-22
Release Number : 25002267-N00001
LTF Status : 1 SUS/CON from regulated UST
FR Status : NFA: No Further Action
Facility Status : Inactive
Priority : N/R
Class : D
Latitude : 40.0183
Longitude : -82.8666
Last Date in Agency List : 2022-04-20

Map Id: 14
Direction: NE
Distance: 0.112 mi., 593 ft.
Elevation: 804 ft.
Relative: Higher

Site Name : CITY OF GAHANNA
200 HAMILTON ROAD
GAHANNA, OH 43230
Database(s) : [MANIFEST EPA]

Envirosite ID: 45727405
EPA ID: N/R

MANIFEST EPA

Manifest Details
Manifest Number : 022667141JJK
Shipped Date : 2021-10-12
Updated Date : 2021-11-17
Received Date : 2021-10-24
Status : Corrected
Generator ID : NONE
Generator Name : CITY OF GAHANNA

Map Id: 14
 Direction: NE
 Distance: 0.112 mi., 593 ft.
 Elevation: 804 ft.
 Relative: Higher

Site Name : CITY OF GAHANNA
 200 HAMILTON ROAD
 GAHANNA, OH 43230
Database(s) : [MANIFEST EPA] **(cont.)**

EnviroSite ID: 45727405
EPA ID: N/R

MANIFEST EPA **(cont.)**

Generator Address : 200 HAMILTON ROAD, GAHANNA, OH 43230
 Generator Mailing : 200 HAMILTON ROAD, GAHANNA, OH 43230
 Generator Contact : N/R
 Destination ID : OHD048415665
 Destination Name : ROSS INCINERATION SERVICES INC
 Destination Mailing : ROSS INCINERATION SERVICES, IN 36790 GILES RD, GRAFTON, OH 44044
 Destination Address : 36790 GILES RD, GRAFTON, OH 44044
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN2902

DOT Information : UN2902, WASTE PESTICIDES, LIQUID, TOXIC, N.O.S., (2,4-D), 6.1, PGII ERG 151 APPR 151200

Non Waste Description : N/R
 Quantity : 30 Pounds
 Quantity Tons, Acute, Non-Acute : 0.015, 0, 0.015
 Quantity Kg, Acute, Non-Acute : 0, 13.60545
 Management Method : H040 - INCINERATION
 Is EPA Waste : Y
 Federal Code : D001, D016, U240
 State Code : N/R

Waste Line Number : 2
 Is DOT Hazardous : Y
 DOT ID Number : UN2902

DOT Information : UN2902, WASTE PESTICIDES, LIQUID, TOXIC, N.O.S., (BROMACIL), 6.1, PGII ERG 151 APPR 151115

Non Waste Description : N/R
 Quantity : 30 Pounds
 Quantity Tons, Acute, Non-Acute : 0.015, 0, 0.015
 Quantity Kg, Acute, Non-Acute : 0, 13.60545
 Management Method : H040 - INCINERATION
 Is EPA Waste : N
 Federal Code : N/R
 State Code : N/R

Map Id: B15
Direction: ESE
Distance: 0.119 mi., 628 ft.
Elevation: 813 ft.
Relative: Higher

Site Name : RIGHT OF WAY
NE C/O ST RT 62 AND 317
GAHANNA, OH 43081
Database(s) : [LUST - OH, UNREG LTANKS - OH]

Envirosite ID: 44405925
EPA ID: N/R

LUST - OH

Facility Name : RIGHT OF WAY
Facility Address : NE C/O ST RT 62 AND 317, GAHANNA, OH 43081
County : Franklin

Review Date : 2018-05-18
Release Date : 1998-06-01
Release Number : 25010572-N00001
LTF Status : 6 Closure of regulated UST
FR Status : CLO: Closure
Facility Status : Active
Priority : 2
Class : A
Latitude : N/R
Longitude : N/R
Last Date in Agency List : 2020-12-03

UNREG LTANKS - OH

Facility Name : RIGHT OF WAY
Facility Address : NE C/O ST RT 62 AND 317, GAHANNA, Ohio 43081
County : Franklin

Last Update Date : 2021-03-25
Last Status Updated : 2013-04-12
Last Review Date : 2019-01-25
Status : CLO: Closure
SubStatus : Required
Release Date : 1998-06-01
Release Number : 25010572 - N00001
Incident Number : 258076401.0
Last Updated by : Tanya Nell
Coordinator : David Israel
Priority : 2
Class : A
Rules : 2005
LTF : 5 Petro incident, not from spill/overflow/release
Facility Latitude : 40.018512
Facility Longitude : -82.866203
Last Date in Agency List : 2022-01-24

Map Id: 16
Direction: SE
Distance: 0.146 mi., 770 ft.
Elevation: 811 ft.
Relative: Higher

Site Name : KROGER STORE 290
83 HAMILTON RD
GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG]

Envirosite ID: 5351444
EPA ID: N/R

ECHO

Facility Name : KROGER STORE 290

Map Id: 16
 Direction: SE
 Distance: 0.146 mi., 770 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : KROGER STORE 290
 83 HAMILTON RD
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5351444
 EPA ID: N/R

ECHO **(cont.)**

Facility Address :	83 HAMILTON RD, GAHANNA, OH 43230
County :	FRANKLIN
Last Inspection Date :	N/R
Registry ID :	110032655749
FIPS Code :	39049
EPA Region :	05
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011501
Derived STCTY FIPS :	39049
Derived Zip :	43230
Derived CD113 :	12
Derived CB2010 :	390490074261024
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICs :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44511 - Supermarkets and Other Grocery (except Convenience) Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R

Map Id: 16
 Direction: SE
 Distance: 0.146 mi., 770 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : KROGER STORE 290
 83 HAMILTON RD
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5351444
EPA ID: N/R

ECHO (cont.)

Facility Last Formal Act EPA Date : N/R
 Facility Last Formal Act State Date : N/R
 Facility Last Informal Act EPA Date : N/R
 Facility Last Informal Act State Date: N/R
 Facility Federal Agency : N/R
 TRI Reporter : N/R
 Facility Imp Water Flag : N/R
 Current SNC Flag : N
 Indian County Flag : N
 Federal Flag : N/R
 US Mexico Border Flag : N/R
 Chesapeake Bay Flag : N/R
 AIR Flag : N
 NPDES Flag : N
 SDWIS Flag : N
 RCRA Flag : Y
 TRI Flag : N
 GHG Flag : N
 Major Flag : N/R
 Active Flag : Y
 NAA Flag : N
 Latitude : 40.0194
 Longitude : -82.8665
 Last Date in Agency List : 2022-03-29

FRS

Facility Name : KROGER STORE 290
 Facility Address : 83 HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110032655749
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : RCRAINFO - OHR000144501

Map Id: 16
 Direction: SE
 Distance: 0.146 mi., 770 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : KROGER STORE 290
 83 HAMILTON RD
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5351444
EPA ID: N/R

RCRA_VSQG

Facility Name : KROGER STORE 290
 Facility Address : 83 HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2007-09-25
 EPA ID : OHR000144501
 Mailing Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Contact : JIM WARD
 Contact Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Contact Country : US
 Contact Telephone : 614-898-3506
 Contact Email : JIM.WARD@KROGER.COM
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2022-01-25

Owner/Operator Summary

Owner/Operator Name : KROGER CO
 Owner/Operator Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Owner/Operator Country : US
 Owner/Operator Telephone : 614-898-3506
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : 1973-11-13
 Owner/Operator End Date : N/R

Owner/Operator Name : KROGER CO
 Owner/Operator Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Owner/Operator Country : US
 Owner/Operator Telephone : 614-898-3506
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : 1973-11-13
 Owner/Operator End Date : N/R

Map Id: 16
Direction: SE
Distance: 0.146 mi., 770 ft.
Elevation: 811 ft.
Relative: Higher

Site Name : KROGER STORE 290
83 HAMILTON RD
GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5351444
EPA ID: N/R

RCRA_VSQG **(cont.)**

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
Mixed Waste (Haz. and Radioactive) : N
Recycler of Hazardous Waste : N
Transporter of Hazardous Waste : N
Treater, Storer or Disposer of HW : N
Underground Injection Activity : N
On-site Burner Exemption : N
Furnace Exemption : N
Used Oil Fuel Burner : N
Used Oil Processor : N
Used Oil Refiner : N
Used Oil Fuel Marketer to Burner : N
Used Oil Specification Marketer : N
Used Oil Transfer Facility : N
Used Oil Transporter : N

Hazardous Waste Summary

Waste Code / Name : D001 - IGNITABLE WASTE
D002 - CORROSIVE WASTE
D003 - REACTIVE WASTE
D005 - BARIUM
D007 - CHROMIUM
D008 - LEAD
D011 - SILVER
D016 - 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
D018 - BENZENE
D035 - METHYL ETHYL KETONE

Notices of Violations Summary

Regulation Violated : N

Map Id: D17
Direction: WSW
Distance: 0.159 mi., 838 ft.
Elevation: 799 ft.
Relative: Lower

Site Name : FORMER UNOCAL
265 GRANVILLE ST
GAHANNA, OH 43230
Database(s) : [EPA LUST, LUST - OH]

EnviroSite ID: 5247645
EPA ID: N/R

EPA LUST

Facility Name : FORMER UNOCAL
Facility Address : 265 GRANVILLE ST, GAHANNA, Ohio
County : Franklin

Facility ID : OH25010346
LUST ID : OH25010346-N00001

Map Id: D17
 Direction: WSW
 Distance: 0.159 mi., 838 ft.
 Elevation: 799 ft.
 Relative: Lower

Site Name : FORMER UNOCAL
 265 GRANVILLE ST
 GAHANNA, OH 43230
Database(s) : [EPA LUST, LUST - OH] **(cont.)**

Envirosite ID: 5247645
 EPA ID: N/R

EPA LUST **(cont.)**

Reported Date : 1993-10-29
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 637
 Estimated Private Domestic Wells within 1500ft: 0
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0184599999999
 Longitude : -82.8729799999999
 Last Date in Agency List : 2022-04-22

LUST - OH

Facility Name : FORMER UNOCAL
 Facility Address : 265 GRANVILLE ST, GAHANNA, OH 43230
 County : Franklin

 Review Date : 2010-05-01
 Release Date : 1993-10-29
 Release Number : 25010346-N00001
 LTF Status : 1 SUS/CON from regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.018463
 Longitude : -82.872978
 Last Date in Agency List : 2022-04-20

Map Id: B18
 Direction: ESE
 Distance: 0.164 mi., 868 ft.
 Elevation: 813 ft.
 Relative: Higher

Site Name : LINCOLN HIGH SCHOOL
 445 HAVENS CORNERS RD
 GAHANNA, OH 43230

Database(s) : [AST - OH]

Envirosite ID: 34504847
EPA ID: N/R

AST - OH

Facility Name : LINCOLN HIGH SCHOOL
 Facility Address : 445 HAVENS CORNERS RD, GAHANNA, 43230
 County : FRANKLIN

Site Details

Legal Description : N/R
 Location Name : FACILITIES MGMT
 Phone : 614-478-5527
 Owner Name : GAHANNA JEFFERSON LSD BD OF ED
 Owner Organization : GAHANNA JEFFERSON LSD BD OF ED
 Owner Address : 160 S HAMILTON RD, GAHANNA, OH 43230
 Owner Address 2 : N/R
 Owner Contact : FACILITIES MGMT
 Owner Phone : 614-478-5527
 Billing Name : FACILITIES MGMT
 Billing Organization : GAHANNA JEFFERSON LSD BD OF ED
 Billing Address : 160 S HAMILTON RD, GAHANNA, OH 43230
 Billing Address 2 : N/R
 Billing Contact : FACILITIES MGMT
 Billing Phone : 614-478-5527

Tank Boiler Details

NB Number : N/R
 Other Number : 7.69799E+11
 Year Built : 2019
 Mawp : N/R
 Heating Surface : N/R
 Year Installed : 2019
 Sub Description : Cast Iron
 Fuel Type : GAS
 Firing Method : BURNER
 BPU Dimension : N/R
 Folder SN : 508611
 Reference File Number : 305316
 Permit Number : 6193159
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : PEERLES

NB Number : N/R
 Other Number : N/R
 Year Built : 2006
 Mawp : 15
 Heating Surface : 0
 Year Installed : 2006
 Sub Description : Cast Iron
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147454
 Reference File Number : 277375
 Permit Number : P67226

Map Id: B18
 Direction: ESE
 Distance: 0.164 mi., 868 ft.
 Elevation: 813 ft.
 Relative: Higher

Site Name : LINCOLN HIGH SCHOOL
 445 HAVENS CORNERS RD
 GAHANNA, OH 43230
Database(s) : [AST - OH] (**cont.**)

Envirosite ID: 34504847
EPA ID: N/R

AST - OH (**cont.**)

Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : KING

Map Id: D19
 Direction: WSW
 Distance: 0.166 mi., 876 ft.
 Elevation: 799 ft.
 Relative: Lower

Site Name : CALLANDER CLEANERS
 240 GRANVILLE ST
 GAHANNA, OH 43230
Database(s) : [DRYCLEANERS - OH, FRS]

Envirosite ID: 5271189
EPA ID: N/R

DRYCLEANERS - OH

Facility Name : CALLANDER CLEANERS
 Facility Address : 240 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Facility ID : 0125071245
 Operating Status : sd
 NAICS : N/R
 SIC : N/R
 Emission Unit ID : D001
 Emission Unit Short Description : DRY CLEANING FACILITY
 Emission Unit Description : N/R
 Contact Type : prim
 Contact Name : DON CALLANDER
 Contact Address : 2850 E. MAIN ST, COLUMBUS, OH 43209
 Contact Address 2 : N/R
 Phone Number : 6142358639
 Email Address : N/R
 Last Date in Agency List : 2021-06-14

FRS

Facility Name : CALLANDER CLEANERS
 Facility Address : 240 GRANVILLE ST, GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110009667333
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Map Id: D19
 Direction: WSW
 Distance: 0.166 mi., 876 ft.
 Elevation: 799 ft.
 Relative: Lower

Site Name : CALLANDER CLEANERS
 240 GRANVILLE ST
 GAHANNA, OH 43230
Database(s) : [DRYCLEANERS - OH, FRS] **(cont.)**

Envirosite ID: 5271189
EPA ID: N/R

FRS (cont.)

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

FRS Environmental Interest
 Source and System ID : OH-CORE - 14407

Map Id: D20
 Direction: WSW
 Distance: 0.184 mi., 972 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : CALLANDER CLEANERS
 265 LINCOLN CIR
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_NONGEN]

Envirosite ID: 5355653
EPA ID: N/R

ECHO

Facility Name : CALLANDER CLEANERS
 Facility Address : 265 LINCOLN CIR, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : N/R
 Registry ID : 110004643823
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : N/R
 Informal Count : 0
 Last Informal Action Date : N/R
 Formal Action Count : 0
 Last Formal Action Date : N/R
 Total Penalties : 0
 Penalty Count : N/R
 Last Penalty Date : N/R
 Last Penalty Amount : N/R
 QTRS IN NC : 0
 Programs IN SNC : 0
 Current Compliance Status : No Violation Identified
 Three-Year Compliance Status :
 Collection Method : ADDRESS MATCHING-HOUSE NUMBER
 Reference Point : CENTER OF A FACILITY OR STATION
 Accuracy Meters : 30
 Derived Tribes : N/R
 Derived HUC : 05060001
 Derived WBD : 050600011501
 Derived STCTY FIPS : 39049
 Derived Zip : 43230

Map Id: D20
 Direction: WSW
 Distance: 0.184 mi., 972 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : CALLANDER CLEANERS
 265 LINCOLN CIR
 GAHANNA, OH 43230

Database(s) : [ECHO, FRS, RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5355653
EPA ID: N/R

ECHO **(cont.)**

Derived CD113 :	12
Derived CB2010 :	390490074261026
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	40.01792
Longitude :	-82.87282
Last Date in Agency List :	2022-03-29

FRS

Facility Name : CALLANDER CLEANERS
 Facility Address : 265 LINCOLN CIR, GAHANNA, OH 43230
 County : FRANKLIN

Map Id: D20
 Direction: WSW
 Distance: 0.184 mi., 972 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : CALLANDER CLEANERS
 265 LINCOLN CIR
 GAHANNA, OH 43230

Database(s) : [ECHO, FRS, RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5355653
EPA ID: N/R

FRS (cont.)

Site Details

Registry ID : 110004643823
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : RCRAINFO - OHD981539257

RCRA_NONGEN

Facility Name : CALLANDER CLEANERS
 Facility Address : 265 LINCOLN CIR, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2021-05-06
 EPA ID : OHD981539257
 Mailing Address : N/R
 Contact : N/R
 Contact Address : N/R
 Contact Country : N/R
 Contact Telephone : N/R
 Contact Email : N/R
 EPA Region : 05
 Land Type : Not Reported
 Source Type : Implementer
 Classification : Not a generator, verified
 Description : Not a generator, verified
 Last Date in Agency List : 2022-01-26

Owner/Operator Summary

Owner/Operator Name : N/R
 Owner/Operator Address : N/R
 Owner/Operator Country : N/R
 Owner/Operator Telephone : N/R
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : N/R
 Owner/Operator Type : N/R

Map Id: D20
 Direction: WSW
 Distance: 0.184 mi., 972 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : CALLANDER CLEANERS
 265 LINCOLN CIR
 GAHANNA, OH 43230
Database(s) : [ECHO, FRS, RCRA_NONGEN] **(cont.)**

EnviroSite ID: 5355653
EPA ID: N/R

RCRA_NONGEN **(cont.)**

Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N/R
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Historical Generators

Date Form Received by Agency : 1986-08-26
 Facility Name : CALLANDER CLEANERS
 Classification : Small Quantity Generator

Notices of Violations Summary

Regulation Violated : N

Map Id: 21
 Direction: E
 Distance: 0.196 mi., 1037 ft.
 Elevation: 819 ft.
 Relative: Higher

Site Name : GAHANNA COMMUNITY CHURCH
 470 HAVENS CORNERS RD
 GAHANNA, OH 43230
Database(s) : [AST - OH]

EnviroSite ID: 34511572
EPA ID: N/R

AST - OH

Facility Name : GAHANNA COMMUNITY CHURCH
 Facility Address : 470 HAVENS CORNERS RD, GAHANNA, 43230
 County : FRANKLIN

Site Details

Legal Description : N/R
 Location Name : TREASURER

Map Id: 21
Direction: E
Distance: 0.196 mi., 1037 ft.
Elevation: 819 ft.
Relative: Higher

Site Name : GAHANNA COMMUNITY CHURCH
470 HAVENS CORNERS RD
GAHANNA, OH 43230
Database(s) : [AST - OH] (**cont.**)

Envirosite ID: 34511572
EPA ID: N/R

AST - OH (**cont.**)

Phone : 614-471-2168
Owner Name : GAHANNA COMMUNITY CHURCH
Owner Organization : GAHANNA COMMUNITY CHURCH
Owner Address : 470 HAVENS CORNER RD, GAHANNA, OH 43230
Owner Address 2 : N/R
Owner Contact : TREASURER
Owner Phone : 614-471-2168
Billing Name : TREASURER
Billing Organization : GAHANNA COMMUNITY CHURCH
Billing Address : 470 HAVENS CORNER RD, GAHANNA, OH 43230
Billing Address 2 : N/R
Billing Contact : TREASURER
Billing Phone : 614-471-2168

Tank Boiler Details

NB Number : N/R
Other Number : 6791056
Year Built : 1967
Mawp : 30
Heating Surface : 0
Year Installed : 1967
Sub Description : Cast Iron
Fuel Type : Natural Gas
Firing Method : Automatic
BPU Dimension : N/R
Folder SN : 129983
Reference File Number : 141758
Permit Number : N/R
Inspect Agency : HARTFORD STEAM BOILER
Expiration Date : 2022-10-31
Manufacturer : PEBB

Map Id: 22
Direction: SE
Distance: 0.218 mi., 1154 ft.
Elevation: 812 ft.
Relative: Higher

Site Name : GAHANNA LINCOLN HIGH SCHOOL |
LINCOLN HIGH SCHOOL
140 S HAMILTON RD
GAHANNA, OH
Database(s) : [AST - OH, SCHOOLS PUBLIC]

Envirosite ID: 34511575
EPA ID: N/R

AST - OH

Facility Name : GAHANNA LINCOLN HIGH SCHOOL
Facility Address : 140 S HAMILTON RD, GAHANNA, 43230
County : FRANKLIN

Map Id: 22
 Direction: SE
 Distance: 0.218 mi., 1154 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : GAHANNA LINCOLN HIGH SCHOOL |
 LINCOLN HIGH SCHOOL
 140 S HAMILTON RD
 GAHANNA, OH

Database(s) : [AST - OH, SCHOOLS PUBLIC] **(cont.)**

Envirosite ID: 34511575
EPA ID: N/R

AST - OH **(cont.)**

Site Details

Legal Description :	N/R
Location Name :	FACILITIES MGMT
Phone :	614-478-5527
Owner Name :	GAHANNA JEFFERSON LSD BD OF ED
Owner Organization :	GAHANNA JEFFERSON LSD BD OF ED
Owner Address :	160 S HAMILTON RD, GAHANNA, OH 43230
Owner Address 2 :	N/R
Owner Contact :	FACILITIES MGMT
Owner Phone :	614-478-5527
Billing Name :	FACILITIES MGMT
Billing Organization :	GAHANNA JEFFERSON LSD BD OF ED
Billing Address :	160 S HAMILTON RD, GAHANNA, OH 43230
Billing Address 2 :	N/R
Billing Contact :	FACILITIES MGMT
Billing Phone :	614-478-5527

Legal Description :	N/R
Location Name :	XXX DO NOT USE XXX
Phone :	614-478-5527
Owner Name :	GAHANNA JEFFERSON LSD
Owner Organization :	GAHANNA JEFFERSON LSD
Owner Address :	160 S HAMILTON RD, GAHANNA, OH 43230
Owner Address 2 :	N/R
Owner Contact :	XXX DO NOT USE XXX
Owner Phone :	614-478-5527
Billing Name :	FACILITIES MGMT
Billing Organization :	GAHANNA JEFFERSON LSD BD OF ED
Billing Address :	160 S HAMILTON RD, GAHANNA, OH 43230
Billing Address 2 :	N/R
Billing Contact :	XXX DO NOT USE XXX
Billing Phone :	614-478-5527

Tank Boiler Details

NB Number :	N/R
Other Number :	N/R
Year Built :	1963
Mawp :	0
Heating Surface :	0
Year Installed :	1963
Sub Description :	Cast Iron
Fuel Type :	Natural Gas
Firing Method :	Burner
BPU Dimension :	N/R
Folder SN :	147479
Reference File Number :	126719
Permit Number :	N/R
Inspect Agency :	HARTFORD STEAM BOILER
Expiration Date :	2022-08-31
Manufacturer :	PEER

Map Id: 22
 Direction: SE
 Distance: 0.218 mi., 1154 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : GAHANNA LINCOLN HIGH SCHOOL |
 LINCOLN HIGH SCHOOL
 140 S HAMILTON RD
 GAHANNA, OH

Database(s) : [AST - OH, SCHOOLS PUBLIC] **(cont.)**

Envirosite ID: 34511575
EPA ID: N/R

AST - OH **(cont.)**

NB Number : N/R
 Other Number : N/R
 Year Built : 1963
 Mawp : 80
 Heating Surface : 0
 Year Installed : 1963
 Sub Description : Cast Iron
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147485
 Reference File Number : 126718
 Permit Number : N/R
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : PEER

NB Number : N/R
 Other Number : N/R
 Year Built : 1963
 Mawp : 30
 Heating Surface : 0
 Year Installed : 1963
 Sub Description : Water Tube
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147495
 Reference File Number : 129017
 Permit Number : N/R
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : BRYA

NB Number : 189263
 Other Number : N/R
 Year Built : N/R
 Mawp : N/R
 Heating Surface : N/R
 Year Installed : N/R
 Sub Description : Other
 Fuel Type : N/R
 Firing Method : N/R
 BPU Dimension : N/R
 Folder SN : 147487
 Reference File Number : 801468
 Permit Number : P68878
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : N/R

NB Number : 2167945
 Other Number : NB167945

Map Id: 22
 Direction: SE
 Distance: 0.218 mi., 1154 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : GAHANNA LINCOLN HIGH SCHOOL |
 LINCOLN HIGH SCHOOL
 140 S HAMILTON RD
 GAHANNA, OH

Database(s) : [AST - OH, SCHOOLS PUBLIC] **(cont.)**

Envirosite ID: 34511575
 EPA ID: N/R

AST - OH **(cont.)**

Year Built : 2000
 Mawp : 30
 Heating Surface : 162
 Year Installed : 2000
 Sub Description : Water Tube
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147450
 Reference File Number : 254436
 Permit Number : P21869
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : N/R

NB Number : 2167946
 Other Number : N/R
 Year Built : 2000
 Mawp : 30
 Heating Surface : 162
 Year Installed : 2000
 Sub Description : Water Tube
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147451
 Reference File Number : 254437
 Permit Number : P21870
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : N/R

NB Number : 34665
 Other Number : N/R
 Year Built : 1979
 Mawp : 30
 Heating Surface : 0
 Year Installed : 1979
 Sub Description : FireTube
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147456
 Reference File Number : 183591
 Permit Number : N/R
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : KEWA

NB Number : 52938
 Other Number : D956280
 Year Built : 1995
 Mawp : 160

Map Id: 22
 Direction: SE
 Distance: 0.218 mi., 1154 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : GAHANNA LINCOLN HIGH SCHOOL |
 LINCOLN HIGH SCHOOL
 140 S HAMILTON RD
 GAHANNA, OH

Database(s) : [AST - OH, SCHOOLS PUBLIC] **(cont.)**

Envirosite ID: 34511575
EPA ID: N/R

AST - OH **(cont.)**

Heating Surface : 128
 Year Installed : 1995
 Sub Description : Water Tube
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147467
 Reference File Number : 226396
 Permit Number : N/R
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : LOCH

NB Number : 52939
 Other Number : 956281
 Year Built : 1995
 Mawp : 160
 Heating Surface : 128
 Year Installed : 1995
 Sub Description : Water Tube
 Fuel Type : Natural Gas
 Firing Method : Burner
 BPU Dimension : N/R
 Folder SN : 147466
 Reference File Number : 226395
 Permit Number : N/R
 Inspect Agency : HARTFORD STEAM BOILER
 Expiration Date : 2022-08-31
 Manufacturer : LOCH

SCHOOLS PUBLIC

Facility Name : LINCOLN HIGH SCHOOL
 Facility Address : 140 S HAMILTON RD, GAHANNA, OH 43230-2919
 County : FRANKLIN

NCES ID : 390469602720
 TYPE ID : 1
 Status : 1
 Population : 2427
 NAICS Code : 611110
 NAICS Desc : ELEMENTARY AND SECONDARY SCHOOLS
 Level : HIGH
 Enrollment : 2299
 ST Grade : 09
 End Grade : 12
 FT Teacher : 128
 Telephone : (614) 478-5500
 County Fips : 39049
 Country : USA
 District ID : 3904696
 Shelter ID : 10818239
 Souce Date : 2010-01-29
 Val Date : 2010-05-10

Map Id: 22
 Direction: SE
 Distance: 0.218 mi., 1154 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : GAHANNA LINCOLN HIGH SCHOOL |
 LINCOLN HIGH SCHOOL
 140 S HAMILTON RD
 GAHANNA, OH

Database(s) : [AST - OH, SCHOOLS PUBLIC] **(cont.)**

Envirosite ID: 34511575
EPA ID: N/R

SCHOOLS PUBLIC **(cont.)**

Source : [Click here for hyperlink provided by the agency.](#)
 Latitude : 40.016163
 Longitude : -82.865765
 Last Date in Agency List : 2022-02-23

Map Id: 23
 Direction: S
 Distance: 0.223 mi., 1178 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : Claycraft Pit
 40.01531, -82.86903
 OH

Database(s) : [MINES USGS]

Envirosite ID: 44018860
EPA ID: N/R

MINES USGS

Deposit ID : 10099968
 MRSD ID : W021432
 MAS ID : N/R
 Site Name : Claycraft Pit
 Latitude : 40.01531
 Longitude : -82.86903
 Region : NA
 Country : United States
 State : Ohio
 County : Franklin
 Commodity Type : N
 Commodity-Primary : Clay
 Commodity-Secondary : N/R
 Commodity-Others : N/R
 Operations Type : Unknown
 Deposit Type : Sedimentary
 Production Size : S
 Dev Status : Past Producer
 Ore material : N/R
 Gangue material : N/R
 Other Materials : N/R
 Ore body : N/R
 Work Type : N/R
 Mineral Model : N/R
 Geochem Alteration : N/R
 Concentration : N/R
 Alt Names : N/R
 Ore Character : N/R
 Reporter : Unknown
 Host Rock Unit : N/R
 Host Rock Type : N/R
 Adj Rock Unit : N/R
 Adj Rock Type : N/R
 Geol Structure : N/R
 Tectonic Setting : N/R

Map Id: 23
 Direction: S
 Distance: 0.223 mi., 1178 ft.
 Elevation: 805 ft.
 Relative: Higher

Site Name : Claycraft Pit
 40.01531, -82.86903
 OH
Database(s) : [MINES USGS] (**cont.**)

Envirosite ID: 44018860
EPA ID: N/R

MINES USGS (**cont.**)

References : MESA INSP.MESA HEALTH AND SAFETY INSPECTION REPORT FEBRUARY 2-4, 1974.PROPERTY IS OPERATED BY CLAYCRAT COMPANY.

Year First Produced : N/R
 Year Last Produced : N/R
 Year Discovered : N/R
 Prod Years : N/R
 Discovery : N/R
 URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-14

Map Id: E24
 Direction: WSW
 Distance: 0.234 mi., 1238 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : STAR CLEANERS
 246 LINCOLN CIR Suite A
 GAHANNA, OH 43230
Database(s) : [AST - OH]

Envirosite ID: 34506451
EPA ID: N/R

AST - OH

Facility Name : STAR CLEANERS
 Facility Address : 246 LINCOLN CIR Suite A, GAHANNA, 43230
 County : FRANKLIN

Site Details

Legal Description : N/R
 Location Name : MARK BRADFORD
 Phone : 6142265454
 Owner Name : STAR CLEANERS
 Owner Organization : STAR CLEANERS
 Owner Address : 246-A LINCOLN CIR, GAHANNA, OH 43230
 Owner Address 2 : N/R
 Owner Contact : MARK BRADFORD
 Owner Phone : 6142265454
 Billing Name : MARK BRADFORD
 Billing Organization : STAR CLEANERS
 Billing Address : 246-A LINCOLN CIR, GAHANNA, OH 43230
 Billing Address 2 : N/R
 Billing Contact : MARK BRADFORD
 Billing Phone : 6142265454

Tank Boiler Details

NB Number : 66208
 Other Number : 66208
 Year Built : 1992
 Mawp : 150
 Heating Surface : 45
 Year Installed : 2004

Map Id: E24
 Direction: WSW
 Distance: 0.234 mi., 1238 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : STAR CLEANERS
 246 LINCOLN CIR Suite A
 GAHANNA, OH 43230
Database(s) : [AST - OH] (**cont.**)

Envirosite ID: 34506451
EPA ID: N/R

AST - OH (**cont.**)

Sub Description :	FireTube
Fuel Type :	Gas
Firing Method :	Automatic
BPU Dimension :	N/R
Folder SN :	133404
Reference File Number :	223445
Permit Number :	N/R
Inspect Agency :	HARTFORD STEAM BOILER
Expiration Date :	2022-08-31
Manufacturer :	FULT

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH
Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG]

Envirosite ID: 5251811
EPA ID: N/R

DRYCLEANERS - OH

Facility Name :	STAR DRY CLEANERS
Facility Address :	246-A-LINCOLN CIR, GAHANNA, OH 43230
County :	FRANKLIN
Facility ID :	0125072288
Operating Status :	op
NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)
SIC :	7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
Emission Unit ID :	D001
Emission Unit Short Description :	Dry Cleaning Machine One
Emission Unit Description :	Perc dry cleaning - dry to dry
Contact Type :	prim
Contact Name :	MARK BRADFORD
Contact Address :	246-A-LINCOLN CIRCLE, GAHANNA, OH 43230
Contact Address 2 :	N/R
Phone Number :	6142265454
Email Address :	mbstarborn@aol.com
Last Date in Agency List :	2021-06-14

Facility Name :	STAR DRY CLEANERS
Facility Address :	246-A-LINCOLN CIRCLE, GAHANNA, OH 43230
County :	FRANKLIN

Facility ID :	0125072288
Operating Status :	op
NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)
SIC :	7216 - DRYCLEANING PLANTS, EXCEPT RUG CLEANING
Emission Unit ID :	D001

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5251811
 EPA ID: N/R

DRYCLEANERS - OH **(cont.)**

Emission Unit Short Description :	Dry Cleaning Machine One
Emission Unit Description :	Perc dry cleaning - dry to dry
Contact Type :	prim
Contact Name :	MARK BRADFORD
Contact Address :	246-A-LINCOLN CIRCLE, GAHANNA, OH 43230
Contact Address 2 :	N/R
Phone Number :	6142265454
Email Address :	mbstarborn@aol.com
Last Date in Agency List :	2022-04-13

ECHO

Facility Name :	STAR CLEANERS
Facility Address :	246 A LINCOLN CIRCLE, GAHANNA, OH 43230
County :	FRANKLIN

Last Inspection Date :	N/R
Registry ID :	110004668538
FIPS Code :	N/R
EPA Region :	05
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING (GEOCODING)
Reference Point :	N/R
Accuracy Meters :	N/R
Derived Tribes :	N/R
Derived HUC :	N/R
Derived WBD :	N/R
Derived STCTY FIPS :	N/R
Derived Zip :	N/R
Derived CD113 :	N/R
Derived CB2010 :	N/R
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5251811
 EPA ID: N/R

ECHO **(cont.)**

CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	812320 - Drycleaning and Laundry Services (except Coin-Operated)
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	40.01785
Longitude :	-82.873571
Last Date in Agency List :	2022-03-29

FRS

Facility Name :	STAR CLEANERS
Facility Address :	246 A LINCOLN CIRCLE, GAHANNA, OH 43230-3090
County :	FRANKLIN

Site Details

Registry ID :	110004668538
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2022-02-17

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5251811
EPA ID: N/R

FRS (cont.)

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : OH-CORE - 15964
 RCRAINFO - OHD986985372

MANIFEST - RI

Facility Name : STAR CLEANERS
 Facility Address : 246 A LINCOLN CIRCLE, GAHANNA, OH 43230
 County : N/R

Manifest Document Number : 003784368FLE
 Quarter : N/R
 Year : N/R
 Item Number : 1
 Generator Certification Date : 2011-07-18
 Generator EPA ID : OHD986985372
 Transporter 1 Receipt Date : 2011-07-18
 Transporter 1 EPA ID : TXR000050930
 Transporter 1 Name : SAFETY KLEEN
 Transporter 2 Receipt Date : 2011-07-29
 Transporter 2 Epa Number : NJD071629976
 Transporter 2 Name : SJ TRANSPORTATION CO INC
 TSD Facility EPA Number : RID084802842
 TSD Facility Name : WASTE RECOVERY SOLUTIONS
 TSD Facility Receipt Date : 2011-07-29
 Waste Description : TOXIC LIQUIDS ORGANIC NOS
 Contact Name : N/R
 Email : N/R
 Total Fee : N/R
 Billing Name : N/R
 Time Paid : N/R
 Number of Containers : 1
 Container Type : Fiberboard or plastic drums, barrels, kegs

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5251811
EPA ID: N/R

MANIFEST - RI **(cont.)**

Quantity : 135.00
 Weight/Volume Units : P
 Waste Code 1 : D007 - CHROMIUM
 Waste Code 2 : D029 - 1,1-DICHLOROETHYLENE
 Waste Code 3 : D039 - TETRACHLOROETHYLENE
 Waste Code 4 : N/R
 Waste Code 5 : N/R
 Waste Code 6 : N/R
 Fee Exempt Code : N/R
 Fee : N/R
 Manifest Created AT : N/R
 Manifest Updated AT : N/R
 Filing Date : N/R
 Filing Method : N/R
 Filing Created AT : N/R
 Filing Updated AT : N/R
 Company Permit Number : N/R
 Comment : N/R
 Last Date in Agency List : 2017-01-30

RCRA_VSQG

Facility Name : STAR CLEANERS
 Facility Address : 246 A LINCOLN CIR, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2021-11-18
 EPA ID : OHD986985372
 Mailing Address : 246 A LINCOLN CIR, GAHANNA, OH 43230
 Contact : MARK BRADFORD
 Contact Address : 246 A LINCOLN CIR, GAHANNA, OH 43230
 Contact Country : US
 Contact Telephone : 614-475-5006
 Contact Email : MBSTARBORN@AOL.COM
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2022-01-25

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG] **(cont.)**

EnviroSite ID: 5251811
 EPA ID: N/R

RCRA_VSQG **(cont.)**

Owner/Operator Summary

Owner/Operator Name : MARK BRADFORD
 Owner/Operator Address : 246 A LINCOLN CIR, GAHANNA, OH 43230
 Owner/Operator Country : US
 Owner/Operator Telephone : N/R
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : 1990-06-25
 Owner/Operator End Date : N/R

Owner/Operator Name : MARK BRADFORD
 Owner/Operator Address : 246 A LINCOLN CIR, GAHANNA, OH 43230
 Owner/Operator Country : US
 Owner/Operator Telephone : N/R
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : 1990-06-25
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N/R
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Historical Generators

Date Form Received by Agency : 1990-08-24
 Facility Name : STAR CLEANERS
 Classification : Small Quantity Generator

Hazardous Waste Summary

Map Id: E25
 Direction: WSW
 Distance: 0.244 mi., 1287 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : STAR CLEANERS | STAR DRY CLEANERS
 246 A LINCOLN CIRCLE
 GAHANNA, OH

Database(s) : [DRYCLEANERS - OH, ECHO, FRS,
 MANIFEST - RI, RCRA_VSQG] **(cont.)**

Envirosite ID: 5251811
EPA ID: N/R

RCRA_VSQG **(cont.)**

Waste Code / Name :

F002 - THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Notices of Violations Summary
 Regulation Violated :

N

Map Id: E26
 Direction: WSW
 Distance: 0.264 mi., 1394 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : CHARTER ONE BANK
 191 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH]

Envirosite ID: 5247889
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : CHARTER ONE BANK
 Facility Address : 191 GRANVILLE ST, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25010881
 Facility Type : Unknown
 Owner Name : N/R
 Owner Address : N/R
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
 Tank Number : T00002
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1971-01-01
 Date TCL Closed : N/R
 Date Removed : 2005-04-25
 Tank Content : Gasoline
 UST Capacity : 8000
 Construction : BM - Bare Metal
 CAS Number : 8006-61-9

Map Id: E26
 Direction: WSW
 Distance: 0.264 mi., 1394 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : CHARTER ONE BANK
 191 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5247889
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Bare Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	BM - Bare Metal
Piping Construction Comments :	Bare Steel
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	OTH - Other (Explain)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	N/R
Overfill Prevention Comment :	N/R
Latitude :	40.018515
Longitude :	-82.874635

Site Details

Facility Number :	25010881
Facility Type :	Unknown
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	N/R
Tank Number :	T00001
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1971-01-01
Date TCL Closed :	N/R
Date Removed :	2005-04-25
Tank Content :	Gasoline
UST Capacity :	8000
Construction :	BM - Bare Metal
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R

Map Id: E26
 Direction: WSW
 Distance: 0.264 mi., 1394 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : CHARTER ONE BANK
 191 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247889
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

UST Configurations :	N/R
Construction Comments :	Bare Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	BM - Bare Metal
Piping Construction Comments :	Bare Steel
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	OTH - Other (Explain)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	N/R
Overfill Prevention Comment :	N/R
Latitude :	40.018515
Longitude :	-82.874635

Site Details

Facility Number :	25010881
Facility Type :	Unknown
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	N/R
Tank Number :	T00003
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1971-01-01
Date TCL Closed :	N/R
Date Removed :	2005-04-25
Tank Content :	Diesel
UST Capacity :	4000
Construction :	BM - Bare Metal
CAS Number :	68334-30-5
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Bare Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)

Map Id: E26
 Direction: WSW
 Distance: 0.264 mi., 1394 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : CHARTER ONE BANK
 191 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5247889
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	BM - Bare Metal
Piping Construction Comments :	Bare Steel
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	OTH - Other (Explain)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	N/R
Overfill Prevention Comment :	N/R
Latitude :	40.018515
Longitude :	-82.874635

EPA LUST

Facility Name :	CHARTER ONE BANK
Facility Address :	191 GRANVILLE ST, GAHANNA, Ohio
County :	Franklin
Facility ID :	OH25010881
LUST ID :	OH25010881-N00001
Reported Date :	2005-04-25
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribal (Tribal Only) :	N/R
EPA Region :	5
Estimated Population within 1500ft :	563
Estimated Private Domestic Wells within 1500ft:	0
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	40.01852
Longitude :	-82.8746399999999
Last Date in Agency List :	2022-04-22

Map Id: E26
 Direction: WSW
 Distance: 0.264 mi., 1394 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : CHARTER ONE BANK
 191 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247889
 EPA ID: N/R

EPA UST

Facility Name : CHARTER ONE BANK
 Facility Address : 191 GRANVILLE ST, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25010881
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 3
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.018515
 Longitude : -82.874635
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25010881_T00001
 Tank Status : Closed
 Installation Date : N/R
 Removal Date : 2005-04-25
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25010881_T00002
 Tank Status : Closed
 Installation Date : N/R
 Removal Date : 2005-04-25
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25010881_T00003
 Tank Status : Closed
 Installation Date : N/R
 Removal Date : 2005-04-25
 Capacity : 4000
 Substances : Diesel
 Tank Wall Type : Single

LUST - OH

Facility Name : CHARTER ONE BANK
 Facility Address : 191 GRANVILLE ST, GAHANNA, OH 43230
 County : Franklin

Review Date : 2005-07-18
 Release Date : 2005-04-25

Map Id: E26
 Direction: WSW
 Distance: 0.264 mi., 1394 ft.
 Elevation: 796 ft.
 Relative: Lower

Site Name : CHARTER ONE BANK
 191 GRANVILLE ST
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST, LUST - OH] **(cont.)**

EnviroSite ID: 5247889
EPA ID: N/R

LUST - OH **(cont.)**

Release Number :	25010881-N00001
LTF Status :	1 SUS/CON from regulated UST
FR Status :	NFA: No Further Action
Facility Status :	Inactive
Priority :	3
Class :	D
Latitude :	40.018515
Longitude :	-82.874635
Last Date in Agency List :	2022-04-20

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST, LUST - OH, MANIFEST EPA]

EnviroSite ID: 5247239
EPA ID: N/R

ARCHIVE UST - OH

Facility Name :	GAHANNA JEFFERSON PUBLIC SCHOOLS
Facility Address :	160 S HAMILTON RD, GAHANNA, Ohio 43230
County :	Franklin

Site Details

Facility Number :	25005310
Facility Type :	Government
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1979-01-01
Tank Number :	T00001
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1992-07-01
Date TCL Closed :	N/R
Date Removed :	1992-07-01
Tank Content :	Diesel
UST Capacity :	2000
Construction :	BM - Bare Metal
CAS Number :	68334-30-5
Abandoned Approved :	N/R
Comments :	N/R

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	S - Suction
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.015379
Longitude :	-82.866674

Site Details

Facility Number :	25005310
Facility Type :	Government
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1970-01-01
Tank Number :	T00002
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1992-07-01
Date TCL Closed :	N/R
Date Removed :	1992-07-01
Tank Content :	Gasoline
UST Capacity :	8000
Construction :	BM - Bare Metal
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

UST Configurations :	N/R
Construction Comments :	Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	S - Suction
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	Fiberglass Reinforced Plastic
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.015379
Longitude :	-82.866674

Site Details

Facility Number :	25005310
Facility Type :	Government
Owner Name :	N/R
Owner Address :	N/R
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1968-01-01
Tank Number :	T00003
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1970-01-01
Date TCL Closed :	N/R
Date Removed :	1992-07-01
Tank Content :	Gasoline
UST Capacity :	1000
Construction :	BM - Bare Metal
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Steel
Corrosion Protections :	N/R

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

Envirosite ID: 5247239
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	S - Suction
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	Unknown
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.015379
Longitude :	-82.866674

EPA LUST

Facility Name :	GAHANNA JEFFERSON PUBLIC SCHOOLS
Facility Address :	160 S HAMILTON RD, GAHANNA, Ohio
County :	Franklin
Facility ID :	OH25005310
LUST ID :	OH25005310-N00001
Reported Date :	N/R
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	5
Estimated Population within 1500ft :	1092
Estimated Private Domestic Wells within 1500ft:	5
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

EPA LUST **(cont.)**

Latitude : 40.01538
 Longitude : -82.86666999999999
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : GAHANNA JEFFERSON PUBLIC SCHOOLS
 Facility Address : 160 S HAMILTON RD, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25005310
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 3
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.015379
 Longitude : -82.866674
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25005310_T00001
 Tank Status : Closed
 Installation Date : 1979-01-01
 Removal Date : 1992-07-01
 Capacity : 2000
 Substances : Diesel
 Tank Wall Type : Single

Tank ID : OH25005310_T00002
 Tank Status : Closed
 Installation Date : 1970-01-01
 Removal Date : 1992-07-01
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25005310_T00003
 Tank Status : Closed
 Installation Date : 1968-01-01
 Removal Date : 1992-07-01
 Capacity : 1000
 Substances : Gasoline
 Tank Wall Type : Single

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

LUST - OH

Facility Name : GAHANNA JEFFERSON PUBLIC SCHOOLS
 Facility Address : 160 S HAMILTON RD, GAHANNA, OH 43230
 County : Franklin

Review Date : 2000-06-20
 Release Date : N/R
 Release Number : 25005310-N00001
 LTF Status : 1 SUS/CON from regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.015379
 Longitude : -82.866674
 Last Date in Agency List : 2022-04-20

MANIFEST EPA

Manifest Details

Manifest Number : 001421868VES
 Shipped Date : 2019-08-07
 Updated Date : 2019-09-03
 Received Date : 2019-08-07
 Status : Signed
 Generator ID : OHCESQG
 Generator Name : Gahanna-Jefferson Schools
 Generator Address : 160 South Hamilton Road, Gahanna, OH 43230
 Generator Mailing : 160 South Hamilton Road, Gahanna, OH 43230
 Generator Contact : N/R
 Destination ID : OHD093945293
 Destination Name : VEOLIA ES TECHNICAL SOLUTIONS LLC
 Destination Mailing : 4301 INFIRMARY RD PO BOX 453, WEST CARROLLTON, OH 45449
 Destination Address : 4301 INFIRMARY RD, WEST CARROLLTON, OH 45449-1278
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your EnviroSite account representative for a complimentary site report containing all of the details available.

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN1993
 DOT Information : UN1993, WASTE FLAMMABLE LIQUIDS, n.o.s., (PETROLEUM ETHER), 3, II
 Non Waste Description : N/R

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

MANIFEST EPA **(cont.)**

Quantity :	1 Pounds
Quantity Tons, Acute, Non-Acute :	0.0005, 0, 0.0005
Quantity Kg, Acute, Non-Acute :	0, 0.45351502
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, U213
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1993
DOT Information :	UN1993, WASTE FLAMMABLE LIQUIDS, n.o.s., (BENZENE, ACETONE), 3, II
Non Waste Description :	N/R
Quantity :	250 Pounds
Quantity Tons, Acute, Non-Acute :	0.125, 0, 0.125
Quantity Kg, Acute, Non-Acute :	0, 113.37875
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, D018, F003, F005, U002, U003, U019, U031, U154, U220
State Code :	N/R
Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN1869
DOT Information :	UN1869, WASTE MAGNESIUM WITH MORE THAN 50% MAGNESIUM IN PELLETS, TURNINGS, OR RIBBONS, 4.1, III
Non Waste Description :	N/R
Quantity :	3 Pounds
Quantity Tons, Acute, Non-Acute :	0.0015, 0, 0.0015
Quantity Kg, Acute, Non-Acute :	0, 1.360545
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D003
State Code :	N/R
Waste Line Number :	4
Is DOT Hazardous :	Y
DOT ID Number :	UN1325
DOT Information :	UN1325, WASTE FLAMMABLE SOLIDS, ORGANIC, n.o.s., (NAPHTHALENE), 4.1, III
Non Waste Description :	N/R
Quantity :	5 Pounds
Quantity Tons, Acute, Non-Acute :	0.0025, 0, 0.0025
Quantity Kg, Acute, Non-Acute :	0, 2.267575
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, U165
State Code :	N/R

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

MANIFEST EPA **(cont.)**

Waste Line Number : 5
 Is DOT Hazardous : Y
 DOT ID Number : UN1381
 DOT Information : UN1381, WASTE PHOSPHORUS, YELLOW, UNDER WATER, 4.2 (6.1), I,
 DOT-SP 9168
 Non Waste Description : N/R
 Quantity : 5 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0025, 0, 0.0025
 Quantity Kg, Acute, Non-Acute : 0, 2.267575
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : D001, D003
 State Code : N/R

Manifest Details

Manifest Number : 001421869VES
 Shipped Date : 2019-08-07
 Updated Date : 2019-09-05
 Received Date : 2019-08-16
 Status : Signed
 Generator ID : OHCESQG
 Generator Name : Gahanna-Jefferson Schools
 Generator Address : 160 South Hamilton Road, Gahanna, OH 43230
 Generator Mailing : 160 South Hamilton Road, Gahanna, OH 43230
 Generator Contact : N/R
 Destination ID : ILD098642424
 Destination Name : VEOLIA TECHNICAL SOLUTIONS LLC
 Destination Mailing : 7 MOBILE AVE, SAUGET, IL 62201-1069
 Destination Address : 7 MOBILE AVE, SAUGET, IL 62201
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN1057
 DOT Information : UN1057, WASTE LIGHTERS, (BUTANE), 2.1
 Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0, 0.0005
 Quantity Kg, Acute, Non-Acute : 0, 0.45351502
 Management Method : H040 - INCINERATION
 Is EPA Waste : Y
 Federal Code : D001
 State Code : N/R

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

MANIFEST EPA **(cont.)**

Waste Line Number : 2
 Is DOT Hazardous : Y
 DOT ID Number : UN1131
 DOT Information : UN1131, WASTE CARBON DISULFIDE, 3 (6.1), I
 Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H040 - INCINERATION
 Is EPA Waste : Y
 Federal Code : D001
 State Code : N/R

Waste Line Number : 3
 Is DOT Hazardous : Y
 DOT ID Number : UN1320
 DOT Information : UN1320, WASTE DINITROPHENOL, WETTED WITH NOT LESS THAN 15%
 WATER, BY MASS, 4.1 (6.1), I
 Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H040 - INCINERATION
 Is EPA Waste : Y
 Federal Code : D001, P048
 State Code : N/R

Waste Line Number : 4
 Is DOT Hazardous : Y
 DOT ID Number : UN1689
 DOT Information : UN1689, WASTE SODIUM CYANIDE, SOLID, 6.1, I
 Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H040 - INCINERATION
 Is EPA Waste : Y
 Federal Code : D003
 State Code : N/R

Waste Line Number : 5
 Is DOT Hazardous : Y
 DOT ID Number : UN1587
 DOT Information : UN1587, WASTE COPPER CYANIDE, 6.1, II
 Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H040 - INCINERATION

Map Id: F27
 Direction: SSE
 Distance: 0.271 mi., 1431 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA JEFFERSON PUBLIC SCHOOLS |
 Gahanna-Jefferson Schools
 160 S HAMILTON RD | 160 South
 Hamilton Road
 GAHANNA | Gahanna, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH, MANIFEST EPA] **(cont.)**

EnviroSite ID: 5247239
 EPA ID: N/R

MANIFEST EPA **(cont.)**

Is EPA Waste : Y
 Federal Code : D003, P029
 State Code : N/R

Manifest Details

Manifest Number : 001421870VES
 Shipped Date : 2019-08-07
 Updated Date : 2019-08-22
 Received Date : 2019-08-16
 Status : Signed
 Generator ID : OHCESQG
 Generator Name : Gahanna-Jefferson Schools
 Generator Address : 160 South Hamilton Road, Gahanna, OH 43230
 Generator Mailing : 160 South Hamilton Road, Gahanna, OH 43230
 Generator Contact : N/R
 Destination ID : TXD000838896
 Destination Name : VEOLIA ES TECHNICAL SOLUTIONS
 Destination Mailing : PO BOX 2563, PORT ARTHUR, TX 77643-2563
 Destination Address : 7665 HWY 73, PORT ARTHUR, TX 77640-2563
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN1198
 DOT Information : UN1198, WASTE FORMALDEHYDE SOLUTIONS, FLAMMABLE, 3 (8), III
 Non Waste Description : N/R
 Quantity : 270 Pounds
 Quantity Tons, Acute, Non-Acute : 0.135, 0, 0.135
 Quantity Kg, Acute, Non-Acute : 0, 122.44906
 Management Method : H040 - INCINERATION
 Is EPA Waste : Y
 Federal Code : D001
 State Code : TX - OUTS002H

Map Id: E28
 Direction: W
 Distance: 0.290 mi., 1534 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : VETERANS MEMORIAL PARK, FORMER LUFT AND SON SOHIO
 181 WEST GRANVILLE STREET (3203 WEST JOHNSTON ROAD)
 Gahanna | GAHANNA, OH 43230

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS]

EnviroSite ID: 5295085
EPA ID: N/R

BROWNFIELDS-ACRES

Facility Name : Veterans Memorial Park, Former Luft and Son Sohio
 Facility Address : 181 West Granville Street (3203 West Johnston Road), Gahanna, OH 43230
 County : N/R

Site Details

Property ID : 51341
 EPA FRS ID : N/R
 EPA FRS Site Name : N/R
 Alias Name : N/R
 Current Use : N/R
 Future Use : N/R
 GP Funding Type ID : N/R
 Property Size : 1
 Local Parcel Number : 25-000834-00, 025-000937-00, 025-000883-00

Former Use :

The property was previously owned by individuals from 1935 until September 1969, when it was sold to Executive Lodge Inc. The property is a former Luft and Son Sohio gasoline sales/automotive repair facility and residential property. Based on available records, the station operated from at least 1947 to a time frame between 1961 and 1972. After the closing of the station, the Property and surrounding land was redeveloped into Veterans Memorial Park.

Ownership Entity ID : Government
 Current Owner : The City of Gahanna
 Photo Available : Y
 Video Available : N
 Ownership Change : N
 Ownership Liability Factor : N/R
 Cleanup Required Flag : U
 Cleanup Required Date : N/R
 State Tribal Enroll ID Number : N/R
 State Tribal Enroll Date : N/R
 Property Not Enrolled Flag : N/R
 NFA Issue Date : N/R
 Info Devices : N/R
 Check Pilot Flag : N/R
 CERCLIS WastelAN Indicator : N/R
 RCRA Indicator : N/R
 BF Proj Number : N/R
 Mun Owned : N/R
 Approx Value : N/R
 Build Sqft : N/R
 Date of Form : N/R
 Add Date : 2007-05-30
 Mod Date : 2012-12-03
 Mod User : ACRES_713_LAT_LONG_UTIL
 CERCLIS Flag : N/R
 RFR Flag : N
 RFR Date : N/R
 RFR Grant ID : N/R

Map Id: E28
 Direction: W
 Distance: 0.290 mi., 1534 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : VETERANS MEMORIAL PARK, FORMER
 LUFT AND SON SOHIO
 181 WEST GRANVILLE STREET (3203
 WEST JOHNSTON ROAD)
 Gahanna | GAHANNA, OH 43230

Database(s) : [BROWNFIELDS-ACRES, FED
 BROWNFIELDS, FRS] **(cont.)**

EnviroSite ID: 5295085
 EPA ID: N/R

BROWNFIELDS-ACRES **(cont.)**

Multi Story Flag :	N/R
Institutional Control In Place Flag :	U
Institutional Control In Place Date :	N/R
Institutional Control Additional Info :	N/R
Institutional Control Required Flag :	N/R
Institutional Control Required Date :	N/R
Institutional Control Data Address :	N/R
Property Controls :	N/R
Govt Controls :	N/R
Permit Tools :	N/R
Eng. Control in Place :	N/R
Eng. Control in Place Date :	N/R
Eng. Control Additional Info :	N/R
Eng. Control Required Flag :	N/R
Eng. Control Flag Cover Tech :	N/R
Eng. Control Flag Immobilization :	N/R
Eng. Control Flag Barriers :	N/R
Eng. Control Flag Security :	N/R
Eng. Control Flag Other :	N/R
Eng. Control Other :	N/R
Eng. Control Data Address :	N/R
Cleanup Req Ukn Comment :	N/R
AWP Catalyst Y/N :	N/R
Lat/Long Override Flag :	N/R
Latitude Measure :	40.0184816
Longitude Measure :	-82.875114
Src Map Scale Num :	720
Ref Point ID :	108
Hcm Id :	7
Datum Code ID :	3
Horiz Accuracy Measure :	N/R
Last Date in Agency List :	2021-10-20

Contaminants Summary

Contaminant :	PAHs
Contaminant Found :	Y
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Affected Media

Media Affected :	Ground Water Soil
------------------	----------------------

FED BROWNFIELDS

Facility Name :	Veterans Memorial Park, Former Luft and Son Sohio
Facility Address :	181 West Granville Street (3203 West Johnston Road), Gahanna, OH 43230

Map Id: E28
 Direction: W
 Distance: 0.290 mi., 1534 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : VETERANS MEMORIAL PARK, FORMER
 LUFT AND SON SOHIO
 181 WEST GRANVILLE STREET (3203
 WEST JOHNSTON ROAD)
 Gahanna | GAHANNA, OH 43230

Database(s) : [BROWNFIELDS-ACRES, FED
 BROWNFIELDS, FRS] **(cont.)**

EnviroSite ID: 5295085
 EPA ID: N/R

FED BROWNFIELDS **(cont.)**

Site Details

ACRES Property ID : 51341
 Property Size (acres) : 1
 Local Property Number(s) : 25-000834-00, 025-000937-00, 025-000883-00
 Ownership Entity : Government
 Current Owner : The City of Gahanna
 Did Ownership Change : N
 SFLLP fact into the ownership : N/R
 Latitude : 40.0184816
 Longitude : -82.875114
 Horizontal Collection Method : Address Matching-Other
 Source Map Scale : N/R
 Reference Point : Other Point
 Horizontal Reference Datum : World Geodetic System of 1984

Description/History :

The property was previously owned by individuals from 1935 until September 1969, when it was sold to Executive Lodge Inc. The property is a former Luft and Son Sohio gasoline sales/automotive repair facility and residential property. Based on available records, the station operated from at least 1947 to a time frame between 1961 and 1972. After the closing of the station, the Property and surrounding land was redeveloped into Veterans Memorial Park.

Last Date in Agency List : 2022-02-28

Additional Details

Past Use: Greenspace (acres) : N/R
 Past Use: Residential (acres) : N/R
 Past Use: Commercial (acres) : N/R
 Past Use: Industrial (acres) : N/R
 Past Use: Multistory (acres) : N/R
 Cleanup Required : U
 Contaminants Found: Controlled Substances: N/R
 Contaminants Found: Petroleum : N/R
 Contaminants Found: Asbestos : N/R
 Contaminants Found: Lead : N/R
 Contaminants Found: PAHs : Y
 Contaminants Found: PCBs : N/R
 Contaminants Found: VOCs : N/R
 Contaminants Found: Selenium : N/R
 Contaminants Found: Iron : N/R
 Contaminants Found: Arsenic : N/R
 Contaminants Found: Cadmium : N/R
 Contaminants Found: Chromium : N/R
 Contaminants Found: Copper : N/R
 Contaminants Found: Mercury : N/R
 Contaminants Found: Nickel : N/R
 Contaminants Found: Pesticides : N/R
 Contaminants Found: SVOCs : N/R
 Contaminants Found: Other Metals : N/R
 Contaminants Found: Other : N/R

Map Id: E28
 Direction: W
 Distance: 0.290 mi., 1534 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : VETERANS MEMORIAL PARK, FORMER
 LUFT AND SON SOHIO
 181 WEST GRANVILLE STREET (3203
 WEST JOHNSTON ROAD)
 Gahanna | GAHANNA, OH 43230

Database(s) : [BROWNFIELDS-ACRES, FED
 BROWNFIELDS, FRS] **(cont.)**

EnviroSite ID: 5295085
 EPA ID: N/R

FED BROWNFIELDS **(cont.)**

Contaminants Found: Other (Descr) :	N/R
Contaminants Found: Unknown :	N/R
Contaminants Found: None :	N/R
Contaminants Cleaned Up: Controlled Substances:	N/R
Contaminants Cleaned Up: Petroleum :	N/R
Contaminants Cleaned Up: Asbestos :	N/R
Contaminants Cleaned Up: Lead :	N/R
Contaminants Cleaned Up: PAHs :	N/R
Contaminants Cleaned Up: PCBs :	N/R
Contaminants Cleaned Up: VOCs :	N/R
Contaminants Cleaned Up: Selenium :	N/R
Contaminants Cleaned Up: Iron :	N/R
Contaminants Cleaned Up: Arsenic :	N/R
Contaminants Cleaned Up: Cadmium :	N/R
Contaminants Cleaned Up: Chromium :	N/R
Contaminants Cleaned Up: Copper :	N/R
Contaminants Cleaned Up: Mercury :	N/R
Contaminants Cleaned Up: Nickel :	N/R
Contaminants Cleaned Up: Pesticides :	N/R
Contaminants Cleaned Up: SVOCs :	N/R
Contaminants Cleaned Up: Other Metals:	N/R
Contaminants Cleaned Up: Other :	N/R
Contaminants Cleaned Up: Other (Descr):	N/R
Contaminants Cleaned Up: Unknown :	N/R
Contaminants Cleaned Up: None :	N/R
Media Affected: Air :	N/R
Media Affected: Sediments :	N/R
Media Affected: Soil :	Y
Media Affected: Drinking Water :	N/R
Media Affected: Ground Water :	Y
Media Affected: Surface Water :	N/R
Media Affected: Bldg Materials :	N/R
Media Affected: Indoor Air :	N/R
Media Affected: Unknown :	N/R
Media Cleaned Up: Air :	N/R
Media Cleaned Up: Sediments :	N/R
Media Cleaned Up: Soil :	N/R
Media Cleaned Up: Drinking Water :	N/R
Media Cleaned Up: Ground Water :	N/R
Media Cleaned Up: Surface Water :	N/R
Media Cleaned Up: Bldg Materials :	N/R
Media Cleaned Up: Indoor Air :	N/R
Media Cleaned Up: Unknown :	N/R
ST/Tribal Prg ID Number :	N/R
Further Action/Cleanup :	N/R
Enrollment ST/Tribal Prg :	N/R
Institutional Ctrl (ICs) Req? :	N/R
IC Category: Proprietary Controls :	N/R
IC Category: Informational Devices :	N/R
IC Category: Governmental Controls :	N/R
IC Category: Enforcement/Permit Tools:	N/R
ICs in Place? :	U

Map Id: E28
 Direction: W
 Distance: 0.290 mi., 1534 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : VETERANS MEMORIAL PARK, FORMER LUFT AND SON SOHIO
 181 WEST GRANVILLE STREET (3203 WEST JOHNSTON ROAD)
 Gahanna | GAHANNA, OH 43230

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] **(cont.)**

EnviroSite ID: 5295085
EPA ID: N/R

FED BROWNFIELDS (cont.)

Date ICs in Place : N/R
 Future Use: Greenspace : N/R
 Future Use: Residential : N/R
 Future Use: Commercial : N/R
 Future Use: Industrial : N/R
 Future Use: Multistory (acres) : N/R

Assessment Details

Cooperative Agreement Number : 96550401
 Type of Brownfields Grant : Assessment
 Type of Funding : N/R
 Grant Recipient Name : Gahanna, City of
 IC Data Address : N/R
 Redevelopment Completion Date : N/R
 Cleanup Start Date : N/R
 Cleanup Completion Date : N/R
 Redevelopment Start Date : N/R
 Number of Cleanup and Redev Jobs : N/R
 Acreage and Greenspace Created : N/R
 Photographs are Available : Y
 Video is Available : N
 Accomplishment Counted : Y
 Assessment Phase : Phase I Environmental Assessment
 Assessment Start Date : 2005-12-11
 Assessment Completion Date : 2006-05-11
 Amount of Assessment Funding : 5484.41
 Source of Assessment Funding : N/R
 Entity Providing Assessment Funds : US EPA - Brownfields Assessment Cooperative Agreement
 Source of Cleanup Funding : N/R
 Entity Providing Cleanup Funds : N/R
 Amount of Cleanup Funding : N/R
 Source of Redevelopment Funding : N/R
 Entity Prvding Redevelopment Funds : N/R
 Amount of Redevelopment Funding : N/R

FRS

Facility Name : VETERANS MEMORIAL PARK, FORMER LUFT AND SON SOHIO
 Facility Address : 181 WEST GRANVILLE STREET (3203 WEST JOHNSTON ROAD), GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110038715655
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Map Id: E28
 Direction: W
 Distance: 0.290 mi., 1534 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : VETERANS MEMORIAL PARK, FORMER
 LUFT AND SON SOHIO
 181 WEST GRANVILLE STREET (3203
 WEST JOHNSTON ROAD)
 Gahanna | GAHANNA, OH 43230

Database(s) : [BROWNFIELDS-ACRES, FED
 BROWNFIELDS, FRS] **(cont.)**

EnviroSite ID: 5295085
 EPA ID: N/R

FRS **(cont.)**

Source Description

Source Description :

ACRES stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions.

FRS Environmental Interest
 Source and System ID :

ACRES - 51341

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of
 Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH
 HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO,
 FED BROWNFIELDS, FRS, MANIFEST EPA,
 PFAS UCMR3]

EnviroSite ID: 5242210
 EPA ID: N/R

AST - OH

Facility Name : GAHANNA CITY HALL
 Facility Address : 200 S HAMILTON RD, GAHANNA, 43230
 County : FRANKLIN

Site Details

Legal Description : N/R
 Location Name : FACILITIES MGMT
 Phone : 614-452-0627
 Owner Name : GAHANNA CITY SVCS
 Owner Organization : GAHANNA CITY SVCS
 Owner Address : 200 S HAMILTON RD, GAHANNA, OH 43230
 Owner Address 2 : N/R
 Owner Contact : FACILITIES MGMT
 Owner Phone : 614-452-0627
 Billing Name : FACILITIES MGMT
 Billing Organization : GAHANNA CITY SVCS
 Billing Address : 200 S HAMILTON RD, GAHANNA, OH 43230
 Billing Address 2 : N/R
 Billing Contact : FACILITIES MGMT
 Billing Phone : 614-452-0627

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

AST - OH **(cont.)**

Tank Boiler Details

NB Number :	31431
Other Number :	C93F03276
Year Built :	1994
Mawp :	30
Heating Surface :	58
Year Installed :	1994
Sub Description :	Water Tube
Fuel Type :	Gas
Firing Method :	Automatic
BPU Dimension :	N/R
Folder SN :	143473
Reference File Number :	238620
Permit Number :	N/R
Inspect Agency :	HARTFORD STEAM BOILER
Expiration Date :	2022-11-30
Manufacturer :	TELE

NB Number :	31432
Other Number :	C93F03277
Year Built :	1994
Mawp :	30
Heating Surface :	58
Year Installed :	1994
Sub Description :	Water Tube
Fuel Type :	Gas
Firing Method :	Automatic
BPU Dimension :	N/R
Folder SN :	143478
Reference File Number :	238619
Permit Number :	N/R
Inspect Agency :	HARTFORD STEAM BOILER
Expiration Date :	2022-11-30
Manufacturer :	TELE

BROWNFIELDS-ACRES

Facility Name :	Gahanna Municipal Complex
Facility Address :	200 South Hamilton Road, Gahanna, OH 43230
County :	N/R

Site Details

Property ID :	51401
EPA FRS ID :	N/R
EPA FRS Site Name :	N/R
Alias Name :	N/R
Current Use :	N/R
Future Use :	N/R
GP Funding Type ID :	N/R
Property Size :	5.48

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

BROWNFIELDS-ACRES **(cont.)**

Local Parcel Number : 025-003932-90

Former Use :

Research indicates that prior to the Municipal Complex, the Property was used as farm land. The Bureau of Underground Storage Tanks Regulation Tanks Regulations (BUSTR) indicated that underground storage tanks (UST) were located on the Property. Research also indicated that a clerical mistake was made on the original UST registration from and the USTs are located at other City owned properties and not this Property.

Ownership Entity ID :	Government
Current Owner :	The City of Gahanna
Photo Available :	Y
Video Available :	N
Ownership Change :	N
Ownership Liability Factor :	N/R
Cleanup Required Flag :	U
Cleanup Required Date :	N/R
State Tribal Enroll ID Number :	N/R
State Tribal Enroll Date :	N/R
Property Not Enrolled Flag :	N/R
NFA Issue Date :	N/R
Info Devices :	N/R
Check Pilot Flag :	N/R
CERCLIS WastELAN Indicator :	N/R
RCRA Indicator :	N/R
BF Proj Number :	N/R
Mun Owned :	N/R
Approx Value :	N/R
Build Sqft :	N/R
Date of Form :	N/R
Add Date :	2007-05-31
Mod Date :	2012-12-03
Mod User :	ACRES_713_LAT_LONG_UTIL
CERCLIS Flag :	N/R
RFR Flag :	N
RFR Date :	N/R
RFR Grant ID :	N/R
Multi Story Flag :	N/R
Institutional Control In Place Flag :	U
Institutional Control In Place Date :	N/R
Institutional Control Additional Info:	N/R
Institutional Control Required Flag :	N/R
Institutional Control Required Date :	N/R
Institutional Control Data Address :	N/R
Property Controls :	N/R
Govt Controls :	N/R
Permit Tools :	N/R
Eng. Control in Place :	N/R
Eng. Control in Place Date :	N/R
Eng. Control Additional Info :	N/R
Eng. Control Required Flag :	N/R
Eng. Control Flag Cover Tech :	N/R
Eng. Control Flag Immobilization :	N/R

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

BROWNFIELDS-ACRES **(cont.)**

Eng. Control Flag Barriers :	N/R
Eng. Control Flag Security :	N/R
Eng. Control Flag Other :	N/R
Eng. Control Other :	N/R
Eng. Control Data Address :	N/R
Cleanup Req Ukn Comment :	N/R
AWP Catalyst Y/N :	N/R
Lat/Long Override Flag :	N/R
Latitude Measure :	40.0136372
Longitude Measure :	-82.8669617
Src Map Scale Num :	N/R
Ref Point ID :	108
Hcm Id :	7
Datum Code ID :	3
Horiz Accuracy Measure :	N/R
Last Date in Agency List :	2021-10-20

Contaminants Summary

Contaminant :	None
Contaminant Found :	Y
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Affected Media

Media Affected :	None
------------------	------

ECHO

Facility Name :	GAHANNA CITY
Facility Address :	200 S HAMILTON RD, GAHANNA, OH 43230
County :	FRANKLIN

Last Inspection Date :	N/R
Registry ID :	110006325119
FIPS Code :	39049
EPA Region :	05
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	2013-10-02
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

ECHO **(cont.)**

QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	U
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011501
Derived STCTY FIPS :	39049
Derived Zip :	43230
Derived CD113 :	03
Derived CB2010 :	390490074273000
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2013-10-02
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

ECHO **(cont.)**

SDWIS Flag : Y
 RCRA Flag : N
 TRI Flag : N
 GHG Flag : N
 Major Flag : N/R
 Active Flag : Y
 NAA Flag : Y
 Latitude : 40.01432
 Longitude : -82.8669
 Last Date in Agency List : 2020-02-10

Facility Name : GAHANNA CITY PWS-GAHANNA CITY
 Facility Address : 200 S HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : N/R
 Registry ID : 110006325119
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : N/R
 Informal Count : 0
 Last Informal Action Date : 2013-10-02
 Formal Action Count : 0
 Last Formal Action Date : N/R
 Total Penalties : 0
 Penalty Count : N/R
 Last Penalty Date : N/R
 Last Penalty Amount : N/R
 QTRS IN NC : 0
 Programs IN SNC : 0
 Current Compliance Status : No Violation Identified
 Three-Year Compliance Status : U
 Collection Method : ADDRESS MATCHING-HOUSE NUMBER
 Reference Point : CENTER OF A FACILITY OR STATION
 Accuracy Meters : 30
 Derived Tribes : N/R
 Derived HUC : 05060001
 Derived WBD : 050600011501
 Derived STCTY FIPS : 39049
 Derived Zip : 43230
 Derived CD113 : 03
 Derived CB2010 : 390490074273000
 MYRTK Universe : NNN
 NPDES IDs : N/R
 CWA Permit Types : N/R
 CWA Compliance Tracking : N/R
 CWA NAICS : N/R
 CWA SICS : N/R
 CWA Inspection Count : N/R
 CWA Last Inspection Days : N/R

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

ECHO **(cont.)**

CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2013-10-02
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	Y
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	40.01432
Longitude :	-82.8669
Last Date in Agency List :	2022-03-29

FED BROWNFIELDS

Facility Name : Gahanna Municipal Complex
 Facility Address : 200 South Hamilton Road, Gahanna, OH 43230

Site Details

ACRES Property ID : 51401
 Property Size (acres) : 5.48
 Local Property Number(s) : 025-003932-90

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

FED BROWNFIELDS **(cont.)**

Ownership Entity :	Government
Current Owner :	The City of Gahanna
Did Ownership Change :	N
SFLLP fact into the ownership :	N/R
Latitude :	40.0136372
Longitude :	-82.8669617
Horizontal Collection Method :	Address Matching-Other
Source Map Scale :	N/R
Reference Point :	Other Point
Horizontal Reference Datum :	World Geodetic System of 1984

Description/History :

Research indicates that prior to the Municipal Complex, the Property was used as farm land. The Bureau of Underground Storage Tanks Regulation Tanks Regulations (BUSTR) indicated that underground storage tanks (UST) were located on the Property. Research also indicated that a clerical mistake was made on the original UST registration from and the USTs are located at other City owned properties and not this Property.

Last Date in Agency List : 2022-02-28

Additional Details

Past Use: Greenspace (acres) :	N/R
Past Use: Residential (acres) :	N/R
Past Use: Commercial (acres) :	N/R
Past Use: Industrial (acres) :	N/R
Past Use: Multistory (acres) :	N/R
Cleanup Required :	U
Contaminants Found: Controlled Substances:	N/R
Contaminants Found: Petroleum :	N/R
Contaminants Found: Asbestos :	N/R
Contaminants Found: Lead :	N/R
Contaminants Found: PAHs :	N/R
Contaminants Found: PCBs :	N/R
Contaminants Found: VOCs :	N/R
Contaminants Found: Selenium :	N/R
Contaminants Found: Iron :	N/R
Contaminants Found: Arsenic :	N/R
Contaminants Found: Cadmium :	N/R
Contaminants Found: Chromium :	N/R
Contaminants Found: Copper :	N/R
Contaminants Found: Mercury :	N/R
Contaminants Found: Nickel :	N/R
Contaminants Found: Pesticides :	N/R
Contaminants Found: SVOCs :	N/R
Contaminants Found: Other Metals :	N/R
Contaminants Found: Other :	N/R
Contaminants Found: Other (Descr) :	N/R
Contaminants Found: Unknown :	N/R
Contaminants Found: None :	Y

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

FED BROWNFIELDS **(cont.)**

Contaminants Cleaned Up: Controlled Substances:	N/R
Contaminants Cleaned Up: Petroleum :	N/R
Contaminants Cleaned Up: Asbestos :	N/R
Contaminants Cleaned Up: Lead :	N/R
Contaminants Cleaned Up: PAHs :	N/R
Contaminants Cleaned Up: PCBs :	N/R
Contaminants Cleaned Up: VOCs :	N/R
Contaminants Cleaned Up: Selenium :	N/R
Contaminants Cleaned Up: Iron :	N/R
Contaminants Cleaned Up: Arsenic :	N/R
Contaminants Cleaned Up: Cadmium :	N/R
Contaminants Cleaned Up: Chromium :	N/R
Contaminants Cleaned Up: Copper :	N/R
Contaminants Cleaned Up: Mercury :	N/R
Contaminants Cleaned Up: Nickel :	N/R
Contaminants Cleaned Up: Pesticides :	N/R
Contaminants Cleaned Up: SVOCs :	N/R
Contaminants Cleaned Up: Other Metals:	N/R
Contaminants Cleaned Up: Other (Descr):	N/R
Contaminants Cleaned Up: Unknown :	N/R
Contaminants Cleaned Up: None :	N/R
Media Affected: Air :	N/R
Media Affected: Sediments :	N/R
Media Affected: Soil :	N/R
Media Affected: Drinking Water :	N/R
Media Affected: Ground Water :	N/R
Media Affected: Surface Water :	N/R
Media Affected: Bldg Materials :	N/R
Media Affected: Indoor Air :	N/R
Media Affected: Unknown :	N/R
Media Cleaned Up: Air :	N/R
Media Cleaned Up: Sediments :	N/R
Media Cleaned Up: Soil :	N/R
Media Cleaned Up: Drinking Water :	N/R
Media Cleaned Up: Ground Water :	N/R
Media Cleaned Up: Surface Water :	N/R
Media Cleaned Up: Bldg Materials :	N/R
Media Cleaned Up: Indoor Air :	N/R
Media Cleaned Up: Unknown :	N/R
ST/Tribal Prg ID Number :	N/R
Further Action/Cleanup :	N/R
Enrollment ST/Tribal Prg :	N/R
Institutional Ctrl (ICs) Req? :	N/R
IC Category: Proprietary Controls :	N/R
IC Category: Informational Devices :	N/R
IC Category: Governmental Controls :	N/R
IC Category: Enforcement/Permit Tools:	N/R
ICs in Place? :	U
Date ICs in Place :	N/R
Future Use: Greenspace :	N/R

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

FED BROWNFIELDS **(cont.)**

Future Use: Residential : N/R
 Future Use: Commercial : N/R
 Future Use: Industrial : N/R
 Future Use: Multistory (acres) : N/R

Assessment Details

Cooperative Agreement Number : 96550401
 Type of Brownfields Grant : Assessment
 Type of Funding : N/R
 Grant Recipient Name : Gahanna, City of
 IC Data Address : N/R
 Redevelopment Completion Date : N/R
 Cleanup Start Date : N/R
 Cleanup Completion Date : N/R
 Redevelopment Start Date : N/R
 Number of Cleanup and Redev Jobs : N/R
 Acreage and Greenspace Created : N/R
 Photographs are Available : Y
 Video is Available : N
 Accomplishment Counted : Y
 Assessment Phase : Phase I Environmental Assessment
 Assessment Start Date : 2006-04-16
 Assessment Completion Date : 2006-04-16
 Amount of Assessment Funding : 3863.88
 Source of Assessment Funding : N/R
 Entity Providing Assessment Funds : US EPA - Brownfields Assessment Cooperative Agreement
 Source of Cleanup Funding : N/R
 Entity Providing Cleanup Funds : N/R
 Amount of Cleanup Funding : N/R
 Source of Redevelopment Funding : N/R
 Entity Prvding Redevelopment Funds : N/R
 Amount of Redevelopment Funding : N/R

FRS

Facility Name : GAHANNA CITY PWS-GAHANNA CITY
 Facility Address : 200 S HAMILTON RD, GAHANNA, OH 43230-2996
 County : FRANKLIN

Site Details

Registry ID : 110006325119
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
EPA ID: N/R

FRS (cont.)

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.
 The Safe Drinking Water Information System Federal Data Warehouse contains information about public water systems and their violations of EPA's drinking water regulations.

FRS Environmental Interest

Source and System ID :

OH-CORE - 15045
 SFDW - OH2501303
 SFDW - OH2501303 2980

Facility Name :
 Facility Address :
 County :

GAHANNA MUNICIPAL COMPLEX
 200 SOUTH HAMILTON ROAD, GAHANNA, OH 43230
 FRANKLIN

Site Details

Registry ID :
 FRS Facility URL :
 Last Date in Agency List :

110038715682
[Click here for hyperlink provided by the agency.](#)
 2022-02-17

Source Description

Source Description :

ACRES stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions.

FRS Environmental Interest

Source and System ID :

ACRES - 51401

MANIFEST EPA

Manifest Details

Manifest Number :
 Shipped Date :
 Updated Date :
 Received Date :

022667140JJK
 2021-10-12
 2021-10-25
 2021-10-15

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

EnviroSite ID: 5242210
 EPA ID: N/R

MANIFEST EPA **(cont.)**

Status :	Signed
Generator ID :	N/R
Generator Name :	CITY OF GAHANNA
Generator Address :	200 SOUTH HAMILTON ROAD, GAHANNA, OH 43230
Generator Mailing :	200 SOUTH HAMILTON ROAD, GAHANNA, OH 43230
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT, INC.
Destination Mailing :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2022-03-20

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3021
DOT Information :	UN3021, Waste, Pesticides, liquid, flammable, toxic, n.o.s., 3(6.1), PGII, ERG#131
Non Waste Description :	N/R
Quantity :	200 Pounds
Quantity Tons, Acute, Non-Acute :	0.1, 0, 0.1
Quantity Kg, Acute, Non-Acute :	0, 90.703
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001
State Code :	N/R

Waste Line Number :	3
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Non Hazardous Liquid
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Management Method :	H110 - STABILIZATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3

Facility Name : City of Gahanna
 Facility Address : 200 S HAMILTON RD, GAHANNA, OH 43230

PWS ID : OH2501303
 Collection Date : 2014-12-17
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201412180371AM
 MRL : 0.02
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE4
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-12-17
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201412180371AM
 MRL : 0.04
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE4
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-12-17
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201412180371AM
 MRL : 0.01
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE4
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-12-17
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201412180371AM
 MRL : 0.03
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE4
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-12-17
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201412180371AM
 MRL : 0.09
 Method ID : EPA 537

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE4
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-09-25
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201409260436AM
 MRL : 0.09
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE3
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-09-25
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201409260436AM
 MRL : 0.03
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE3
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

PWS ID : OH2501303
 Collection Date : 2014-09-25
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201409260436AM
 MRL : 0.02
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE3
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-09-25
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201409260436AM
 MRL : 0.04
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE3
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-09-25
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201409260436AM
 MRL : 0.01
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE3
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-06-26
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201406270430AM
 MRL : 0.02
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE2
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-06-26
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201406270430AM
 MRL : 0.01
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE2
 Monitoring Equipment : AM

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-06-26
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201406270430AM
 MRL : 0.04
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE2
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-06-26
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201406270430AM
 MRL : 0.03
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE2
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-06-26
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201406270430AM
 MRL : 0.09
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE2
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-03-24
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201403250240AM
 MRL : 0.02
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE1
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-03-24
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201403250240AM
 MRL : 0.04
 Method ID : EPA 537

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
 EPA ID: N/R

PFAS UCMR3 **(cont.)**

Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE1
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-03-24
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201403250240AM
 MRL : 0.09
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE1
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

PWS ID : OH2501303
 Collection Date : 2014-03-24
 Facility Name : Columbus Water Intertie
 Region : 05
 Size : L
 Facility Water Type : surface water
 Sample Point ID : EP001
 Sample Point Name : EPTDS from Columbus Water
 Sample Point Type : Entry point to the distribution system.
 Associated Facility ID : 24646
 Associated Sample Point ID : MR001
 Sample ID : 201403250240AM
 MRL : 0.03
 Method ID : EPA 537
 Analytical Result Sign : <
 Analytical Result Value : N/R
 Sample Event Code : SE1
 Monitoring Equipment : AM
 Disinfectant Type : Gaseous Chlorine
 Last Date in Agency List : 2022-03-09

Map Id: F29
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [AST - OH, BROWNFIELDS-ACRES, ECHO, FED BROWNFIELDS, FRS, MANIFEST EPA, PFAS UCMR3] **(cont.)**

Envirosite ID: 5242210
EPA ID: N/R

PFAS UCMR3 **(cont.)**

PWS ID :	OH2501303
Collection Date :	2014-03-24
Facility Name :	Columbus Water Intertie
Region :	05
Size :	L
Facility Water Type :	surface water
Sample Point ID :	EP001
Sample Point Name :	EPTDS from Columbus Water
Sample Point Type :	Entry point to the distribution system.
Associated Facility ID :	24646
Associated Sample Point ID :	MR001
Sample ID :	201403250240AM
MRL :	0.01
Method ID :	EPA 537
Analytical Result Sign :	<
Analytical Result Value :	N/R
Sample Event Code :	SE1
Monitoring Equipment :	AM
Disinfectant Type :	Gaseous Chlorine
Last Date in Agency List :	2022-03-09

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST, EPA UST, FRS, LUST - OH, RCRA_VSQG, UST - OH]

Envirosite ID: 42896863
EPA ID: N/R

ARCHIVE UST - OH

Facility Name :	SPEEDWAY #5254
Facility Address :	240 S HAMILTON RD, GAHANNA, Ohio 43230
County :	Franklin

Site Details

Facility Number :	25000604
Facility Type :	Gas Station
Owner Name :	SPEEDWAY LLC
Owner Address :	PO BOX 1500, SPRINGFIELD, OH 45501
Last Date in Agency List :	2022-02-04

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Information

Installation Date :	1970-01-01
Tank Number :	T00003
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1996-03-05
Date TCL Closed :	N/R
Date Removed :	1996-03-05
Tank Content :	Gasoline
UST Capacity :	8000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMSIR - Alternative Method (SIR)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Manual Tank Gauging;Statistical Inventory Reconciliation;SIR / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	BM - Bare Metal
Piping Construction Comments :	Galvanized Steel
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	X
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.01288
Longitude :	-82.86701

Site Details

Facility Number :	25000604
Facility Type :	Gas Station
Owner Name :	SPEEDWAY LLC
Owner Address :	PO BOX 1500, SPRINGFIELD, OH 45501
Last Date in Agency List :	2022-02-04

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Information

Installation Date : 1970-01-01
 Tank Number : T00004
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1977-02-01
 Date TCL Closed : N/R
 Date Removed : 1993-11-16
 Tank Content : Used Oil
 UST Capacity : 550
 Construction : BM - Bare Metal
 CAS Number : N/R
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Steel
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : S - Suction
 Piping Constructions : BM - Bare Metal
 Piping Construction Comments : Galvanized Steel
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.01288
 Longitude : -82.86701

Site Details

Facility Number : 25000604
 Facility Type : Gas Station
 Owner Name : SPEEDWAY LLC
 Owner Address : PO BOX 1500, SPRINGFIELD, OH 45501
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : 1970-01-01
 Tank Number : T00002

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1996-03-05
Date TCL Closed :	N/R
Date Removed :	1996-03-05
Tank Content :	Gasoline
UST Capacity :	6000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMSIR - Alternative Method (SIR)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Manual Tank Gauging;Statistical Inventory Reconciliation;SIR / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	BM - Bare Metal
Piping Construction Comments :	Galvanized Steel
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	X
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.01288
Longitude :	-82.86701

Site Details

Facility Number :	25000604
Facility Type :	Gas Station
Owner Name :	SPEEDWAY LLC
Owner Address :	PO BOX 1500, SPRINGFIELD, OH 45501
Last Date in Agency List :	2022-02-04

Tank Information

Installation Date :	1970-01-01
Tank Number :	T00001

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1996-03-05
Date TCL Closed :	N/R
Date Removed :	1996-03-05
Tank Content :	Gasoline
UST Capacity :	6000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Fiberglass Reinforced Plastic
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMSIR - Alternative Method (SIR)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: Manual Tank Gauging;Statistical Inventory Reconciliation;SIR / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	BM - Bare Metal
Piping Construction Comments :	Galvanized Steel
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	X
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: Yes
Latitude :	40.01288
Longitude :	-82.86701

ECHO

Facility Name :	STARVIN MARVIN 5254
Facility Address :	240 S HAMILTON RD, GAHANNA, OH 43230
County :	FRANKLIN
Last Inspection Date :	N/R
Registry ID :	110004671944
FIPS Code :	39049
EPA Region :	05
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

ECHO **(cont.)**

Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011505
Derived STCTY FIPS :	39049
Derived Zip :	43230
Derived CD113 :	03
Derived CB2010 :	390490074271007
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44711 - Gasoline Stations with Convenience Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

ECHO **(cont.)**

Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	40.01309
Longitude :	-82.867
Last Date in Agency List :	2022-03-29

EPA LUST

Facility Name :	SPEEDWAY #5254
Facility Address :	240 S HAMILTON RD, GAHANNA, Ohio
County :	Franklin

Facility ID :	OH25000604
LUST ID :	OH25000604-N00005
Reported Date :	2014-04-23
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribal (Tribal Only) :	N/R
EPA Region :	5
Estimated Population within 1500ft :	1236
Estimated Private Domestic Wells within 1500ft:	5
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	40.01288
Longitude :	-82.8670099999999
Last Date in Agency List :	2022-04-22

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

EPA LUST **(cont.)**

Facility ID : OH25000604
 LUST ID : OH25000604-N00002
 Reported Date : 1993-11-16
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 1236
 Estimated Private Domestic Wells within 1500ft: 5
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.01288
 Longitude : -82.8670099999999
 Last Date in Agency List : 2022-04-22

Facility ID : OH25000604
 LUST ID : OH25000604-N00004
 Reported Date : 2012-06-07
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 1236
 Estimated Private Domestic Wells within 1500ft: 5
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

EPA LUST **(cont.)**

WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.01288
 Longitude : -82.8670099999999
 Last Date in Agency List : 2022-04-22

Facility ID : OH25000604
 LUST ID : OH25000604-N00006
 Reported Date : 2018-05-18
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 1236
 Estimated Private Domestic Wells within 1500ft: 5
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.01288
 Longitude : -82.8670099999999
 Last Date in Agency List : 2022-04-22

Facility ID : OH25000604
 LUST ID : OH25000604-N00003
 Reported Date : 1996-03-06
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 1236

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

EPA LUST **(cont.)**

Estimated Private Domestic Wells within 1500ft: 5
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.01288
 Longitude : -82.867009999999
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : SPEEDWAY #5254
 Facility Address : 240 S HAMILTON RD, GAHANNA, Ohio 43230
 County : Franklin

Facility ID : OH25000604
 Facility Status : Open UST(s)
 Open USTs : 4
 Closed USTs : 4
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25000604_T00001
 Tank Status : Closed
 Installation Date : 1970-01-01
 Removal Date : 1996-03-05
 Capacity : 6000
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25000604_T00002
 Tank Status : Closed

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

EPA UST **(cont.)**

Installation Date :	1970-01-01
Removal Date :	1996-03-05
Capacity :	6000
Substances :	Gasoline
Tank Wall Type :	Single
Tank ID :	OH25000604_T00003
Tank Status :	Closed
Installation Date :	1970-01-01
Removal Date :	1996-03-05
Capacity :	8000
Substances :	Gasoline
Tank Wall Type :	Single
Tank ID :	OH25000604_T00004
Tank Status :	Closed
Installation Date :	1970-01-01
Removal Date :	1993-11-16
Capacity :	550
Substances :	Used Oil
Tank Wall Type :	Single
Tank ID :	OH25000604_T00005
Tank Status :	Open
Installation Date :	1996-03-01
Removal Date :	N/R
Capacity :	15000
Substances :	Gasoline
Tank Wall Type :	Single
Tank ID :	OH25000604_T00006
Tank Status :	Open
Installation Date :	1996-03-01
Removal Date :	N/R
Capacity :	10000
Substances :	Gasoline
Tank Wall Type :	Single
Tank ID :	OH25000604_T00007
Tank Status :	Open
Installation Date :	1996-03-01
Removal Date :	N/R
Capacity :	4000
Substances :	Diesel
Tank Wall Type :	Single
Tank ID :	OH25000604_T00008
Tank Status :	Open

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
EPA ID: N/R

EPA UST **(cont.)**

Installation Date : 1996-03-01
 Removal Date : N/R
 Capacity : 4000
 Substances : Kerosene
 Tank Wall Type : Single

FRS

Facility Name : STARVIN MARVIN 5254
 Facility Address : 240 S HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Site Details

Registry ID : 110004671944
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : OH-CORE - 14902
 RCRAINFO - OHD987003548

LUST - OH

Facility Name : SPEEDWAY #5254
 Facility Address : 240 S HAMILTON RD, GAHANNA, OH 43230
 County : Franklin

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

LUST - OH **(cont.)**

Review Date : 2000-06-20
 Release Date : N/R
 Release Number : 25000604-N00001
 LTF Status : 1 SUS/CON from regulated UST
 FR Status : DIS: a release is disproved
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-20

Review Date : 2010-08-17
 Release Date : 1993-11-16
 Release Number : 25000604-N00002
 LTF Status : 6 Closure of regulated UST
 FR Status : NFC: No Further Action Data Cleaning
 Facility Status : Active
 Priority : 2
 Class : D
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-20

Review Date : 2010-08-17
 Release Date : 1996-03-06
 Release Number : 25000604-N00003
 LTF Status : 6 Closure of regulated UST
 FR Status : NFC: No Further Action Data Cleaning
 Facility Status : Active
 Priority : 2
 Class : D
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-20

Review Date : 2014-07-31
 Release Date : 2014-04-23
 Release Number : 25000604-N00005
 LTF Status : 6 Closure of regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : N/R
 Class : D
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-20

Review Date : 2018-09-12
 Release Date : 2018-05-18

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

LUST - OH **(cont.)**

Release Number : 25000604-N00006
 LTF Status : 6 Closure of regulated UST
 FR Status : CSN: Closure Sampling Not Required
 Facility Status : Active
 Priority : N/R
 Class : D
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-20

Review Date : 2013-10-09
 Release Date : 2012-06-07
 Release Number : 25000604-N00004
 LTF Status : 1 SUS/CON from regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.01288
 Longitude : -82.86701
 Last Date in Agency List : 2022-04-20

RCRA_VSQG

Facility Name : SPEEDWAY 5254
 Facility Address : 240 S HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2011-02-15
 EPA ID : OHD987003548
 Mailing Address : PO BOX 1500, SPRINGFIELD, OH 45501
 Contact : CHARLES A BESSE
 Contact Address : PO BOX 1500, SPRINGFIELD, OH 45501
 Contact Country : US
 Contact Telephone : 937-863-6278
 Contact Email : CABESSE@SSALLC.COM
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

RCRA_VSQG **(cont.)**

Last Date in Agency List : 2022-01-25

Owner/Operator Summary

Owner/Operator Name : SPEEDWAY LLC
 Owner/Operator Address : PO BOX 1500, SPRINGFIELD, OH 45501
 Owner/Operator Country : US
 Owner/Operator Telephone : N/R
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : 2001-01-01
 Owner/Operator End Date : N/R

Owner/Operator Name : SPEEDWAY LLC
 Owner/Operator Address : PO BOX 1500, SPRINGFIELD, OH 45501
 Owner/Operator Country : US
 Owner/Operator Telephone : N/R
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : N/R
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N
 Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Historical Generators

Date Form Received by Agency : 2005-04-04
 Facility Name : SPEEDWAY 5254
 Classification : Very Small Quantity Generator

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

RCRA_VSQG **(cont.)**

Date Form Received by Agency : 1997-12-03
 Facility Name : STARVIN MARVIN 5254
 Classification : Very Small Quantity Generator

Hazardous Waste Summary
 Waste Code / Name : D001 - IGNITABLE WASTE
 D018 - BENZENE

Notices of Violations Summary
 Regulation Violated : N

UST - OH

Facility Name : SPEEDWAY #5254
 Facility Address : 240 S HAMILTON RD, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25000604
 Facility Type : Gas Station
 Owner Name : SPEEDWAY LLC
 Owner Address : PO BOX 1500, SPRINGFIELD, OH 45501
 Last Date in Agency List : 2022-02-17

Tank Information

Installation Date : 1996-03-01
 Tank Number : T00005
 Tank Type : UST
 Status : CIU - Currently In Use
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : N/R
 Tank Content : Gasoline
 UST Capacity : 15000
 Construction : FRP-Fiberglass Reinforced Plastic
 CAS Number : 8006-61-9
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : SW - Single Wall
 Construction Comments : N/R
 Corrosion Protections : NR - None Required by Rule
 Corrosion Protection Comments : N/R

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

UST - OH **(cont.)**

Primary Release Detection : ATG - Automatic Tank Gauging
 Secondary Release Detection : ATG - Automatic Tank Gauging
 Release Detection Comments : N/R
 Piping Configuration : SC - Secondarily Contained
 Piping Configuration Comments : N/R
 Piping Styles : P - Pressure
 Piping Constructions : FPTP - Flexible Plastic Technology Piping
 Piping Construction Comments : N/R
 Piping Corrosion Protections : NR - None required by rule
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : ELLD - Electronic Line Leak Detector
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)
 Spill Prevention Manhole Comments : N/R
 Overfill Prevention : FILL - Fill Pipe (drop tube flapper)
 Overfill Prevention Comment : N/R
 Latitude : 40.01288
 Longitude : -82.86701

Installation Date : 1996-03-01
 Tank Number : T00007
 Tank Type : UST
 Status : CIU - Currently In Use
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : N/R
 Tank Content : Diesel
 UST Capacity : 4000
 Construction : FRP-Fiberglass Reinforced Plastic
 CAS Number : 68334-30-5
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : SW - Single Wall
 Construction Comments : N/R
 Corrosion Protections : NR - None Required by Rule
 Corrosion Protection Comments : N/R
 Primary Release Detection : ATG - Automatic Tank Gauging
 Secondary Release Detection : ATG - Automatic Tank Gauging
 Release Detection Comments : N/R
 Piping Configuration : SC - Secondarily Contained
 Piping Configuration Comments : N/R
 Piping Styles : P - Pressure
 Piping Constructions : FPTP - Flexible Plastic Technology Piping
 Piping Construction Comments : N/R
 Piping Corrosion Protections : NR - None required by rule
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : ELLD - Electronic Line Leak Detector
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)
 Spill Prevention Manhole Comments : N/R

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
 EPA ID: N/R

UST - OH **(cont.)**

Overfill Prevention : FILL - Fill Pipe (drop tube flapper)
 Overfill Prevention Comment : N/R
 Latitude : 40.01288
 Longitude : -82.86701

Installation Date : 1996-03-01
 Tank Number : T00008
 Tank Type : UST
 Status : CIU - Currently In Use
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : N/R
 Tank Content : Kerosene
 UST Capacity : 4000
 Construction : FRP-Fiberglass Reinforced Plastic
 CAS Number : 8008-20-6
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : SW - Single Wall
 Construction Comments : N/R
 Corrosion Protections : NR - None Required by Rule
 Corrosion Protection Comments : N/R
 Primary Release Detection : ATG - Automatic Tank Gauging
 Secondary Release Detection : ATG - Automatic Tank Gauging
 Release Detection Comments : N/R
 Piping Configuration : SC - Secondarily Contained
 Piping Configuration Comments : N/R
 Piping Styles : S - Suction
 Piping Constructions : FPTP - Flexible Plastic Technology Piping
 Piping Construction Comments : N/R
 Piping Corrosion Protections : NR - None required by rule
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : SS - Safe Suction
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : SB - Spill Containment Manhole (bucket)
 Spill Prevention Manhole Comments : N/R
 Overfill Prevention : FILL - Fill Pipe (drop tube flapper)
 Overfill Prevention Comment : N/R
 Latitude : 40.01288
 Longitude : -82.86701

Installation Date : 1996-03-01
 Tank Number : T00006
 Tank Type : UST
 Status : CIU - Currently In Use
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : N/R
 Tank Content : Gasoline

Map Id: 30
 Direction: SSE
 Distance: 0.394 mi., 2083 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : SPEEDWAY #5254 | STARVIN MARVIN
 5254
 240 S HAMILTON RD
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, ECHO, EPA LUST,
 EPA UST, FRS, LUST - OH, RCRA_VSQG,
 UST - OH] **(cont.)**

Envirosite ID: 42896863
EPA ID: N/R

UST - OH **(cont.)**

UST Capacity :	10000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	SW - Single Wall
Construction Comments :	N/R
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	ATG - Automatic Tank Gauging
Secondary Release Detection :	ATG - Automatic Tank Gauging
Release Detection Comments :	N/R
Piping Configuration :	SC - Secondarily Contained
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FPTP - Flexible Plastic Technology Piping
Piping Construction Comments :	N/R
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	ELLD - Electronic Line Leak Detector
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment :	N/R
Latitude :	40.01288
Longitude :	-82.86701

Map Id: 31
 Direction: WSW
 Distance: 0.441 mi., 2329 ft.
 Elevation: 792 ft.
 Relative: Lower

Site Name : GAHANNA SERVICE COMPLEX
 132 OKLAHOMA AVE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH]

Envirosite ID: 5247707
EPA ID: N/R

ARCHIVE UST - OH

Facility Name :	GAHANNA SERVICE COMPLEX
Facility Address :	132 OKLAHOMA AVE, GAHANNA, Ohio 43230
County :	Franklin

Map Id: 31
 Direction: WSW
 Distance: 0.441 mi., 2329 ft.
 Elevation: 792 ft.
 Relative: Lower

Site Name : GAHANNA SERVICE COMPLEX
 132 OKLAHOMA AVE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5247707
EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Site Details

Facility Number : 25010456
 Facility Type : Unknown
 Owner Name : N/R
 Owner Address : N/R
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : N/R
 Tank Number : T00003
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : 1998-09-29
 Tank Content : Gasoline
 UST Capacity : 1000
 Construction : N/R
 CAS Number : N/R
 Abandoned Approved : N/R
 Comments : Filled with concrete
 Regulated : NO
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : N/R
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : N/R
 Secondary Release Detection : N/R
 Release Detection Comments : N/R
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : N/R
 Piping Constructions : N/R
 Piping Construction Comments : N/R
 Piping Corrosion Protections : N/R
 Piping Corrosion Protection Comments : N/R
 Piping Release Detections : N/R
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : N/R
 Spill Prevention Manhole Comments : N/R
 Overfill Prevention : N/R
 Overfill Prevention Comment : N/R
 Latitude : 40.017082
 Longitude : -82.877056

Site Details

Facility Number : 25010456
 Facility Type : Unknown
 Owner Name : N/R
 Owner Address : N/R

Map Id: 31
 Direction: WSW
 Distance: 0.441 mi., 2329 ft.
 Elevation: 792 ft.
 Relative: Lower

Site Name : GAHANNA SERVICE COMPLEX
 132 OKLAHOMA AVE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5247707
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : 1989-08-01
 Tank Number : T00001
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : 1998-09-29
 Tank Content : Gasoline
 UST Capacity : 10000
 Construction : BM - Bare Metal
 CAS Number : 8006-61-9
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Cathodically Protected Steel
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : S - Suction
 Piping Constructions : BM - Bare Metal
 Piping Construction Comments : Cathodically Protected
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.017082
 Longitude : -82.877056

Site Details

Facility Number : 25010456
 Facility Type : Unknown
 Owner Name : N/R
 Owner Address : N/R
 Last Date in Agency List : 2022-02-04

Map Id: 31
 Direction: WSW
 Distance: 0.441 mi., 2329 ft.
 Elevation: 792 ft.
 Relative: Lower

Site Name : GAHANNA SERVICE COMPLEX
 132 OKLAHOMA AVE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5247707
 EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Information

Installation Date : 1989-08-01
 Tank Number : T00002
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : 1998-09-28
 Tank Content : Diesel
 UST Capacity : 1000
 Construction : BM - Bare Metal
 CAS Number : 68334-30-5
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Cathodically Protected Steel
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : S - Suction
 Piping Constructions : BM - Bare Metal
 Piping Construction Comments : Cathodically Protected
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments: N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.017082
 Longitude : -82.877056

EPA LUST

Facility Name : GAHANNA SERVICE COMPLEX
 Facility Address : 132 OKLAHOMA AVE, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25010456
 LUST ID : OH25010456-N00001
 Reported Date : 1998-12-21
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination
 (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R

Map Id: 31
 Direction: WSW
 Distance: 0.441 mi., 2329 ft.
 Elevation: 792 ft.
 Relative: Lower

Site Name : GAHANNA SERVICE COMPLEX
 132 OKLAHOMA AVE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST, LUST - OH] **(cont.)**

EnviroSite ID: 5247707
EPA ID: N/R

EPA LUST (cont.)

EPA Region : 5
 Estimated Population within 1500ft : 337
 Estimated Private Domestic Wells within 1500ft: 2
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.01708
 Longitude : -82.87706
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : GAHANNA SERVICE COMPLEX
 Facility Address : 132 OKLAHOMA AVE, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25010456
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 2
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.017082
 Longitude : -82.877056
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25010456_T00001
 Tank Status : Closed
 Installation Date : 1989-08-01
 Removal Date : 1998-10-01
 Capacity : 550
 Substances : Gasoline
 Tank Wall Type : Single

Tank ID : OH25010456_T00002
 Tank Status : Closed

Map Id: 31
 Direction: WSW
 Distance: 0.441 mi., 2329 ft.
 Elevation: 792 ft.
 Relative: Lower

Site Name : GAHANNA SERVICE COMPLEX
 132 OKLAHOMA AVE
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247707
EPA ID: N/R

EPA UST **(cont.)**

Installation Date : 1989-08-01
 Removal Date : 1998-10-01
 Capacity : 550
 Substances : Diesel
 Tank Wall Type : Single

LUST - OH

Facility Name : GAHANNA SERVICE COMPLEX
 Facility Address : 132 OKLAHOMA AVE, GAHANNA, OH 43230
 County : Franklin

Review Date : 2004-02-03
 Release Date : 1998-12-21
 Release Number : 25010456-N00001
 LTF Status : 1 SUS/CON from regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 2
 Class : D
 Latitude : 40.017082
 Longitude : -82.877056
 Last Date in Agency List : 2022-04-20

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH]

Envirosite ID: 5245301
EPA ID: OHR000009480

ECHO

Facility Name : PENSKE AUTO CENTER NO 3338
 Facility Address : 300 S HAMILTON RD BLDG B, GAHANNA, OH 43230
 County : FRANKLIN

Last Inspection Date : N/R
 Registry ID : 110004714006
 FIPS Code : 39049
 EPA Region : 05
 Inspection Count : 0
 Last Inspection Days : N/R
 Informal Count : 0

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

ECHO **(cont.)**

Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	05060001
Derived WBD :	050600011505
Derived STCTY FIPS :	39049
Derived Zip :	43230
Derived CD113 :	03
Derived CB2010 :	390490074271007
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	44511 - Supermarkets and Other Grocery (except Convenience) Stores
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

ECHO **(cont.)**

Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeake Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	40.01208
Longitude :	-82.86708
Last Date in Agency List :	2022-03-29

EPA UST

Facility Name :	KROGER FUEL #N522
Facility Address :	300 S HAMILTON RD, GAHANNA, Ohio 43230
County :	Franklin
Facility ID :	OH25010955
Facility Status :	Open UST(s)
Open USTs :	3
Closed USTs :	0
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	5
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	40.01209
Longitude :	-82.86626
Last Date in Agency List :	2022-04-07

Tank Details

Tank ID :	OH25010955_T00001
Tank Status :	Open
Installation Date :	2008-01-21
Removal Date :	N/R
Capacity :	20000
Substances :	Gasoline
Tank Wall Type :	Double
Tank ID :	OH25010955_T00002
Tank Status :	Open

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

EnviroSite ID: 5245301
EPA ID: OHR000009480

EPA UST **(cont.)**

Installation Date : 2008-01-21
 Removal Date : N/R
 Capacity : 8000
 Substances : Diesel
 Tank Wall Type : Double

Tank ID : OH25010955_T00003
 Tank Status : Open
 Installation Date : 2008-01-21
 Removal Date : N/R
 Capacity : 8000
 Substances : Gasoline
 Tank Wall Type : Double

FRS

Facility Name : PENSKE AUTO CENTER NO 3338
 Facility Address : 300 S HAMILTON RD BLDG B, GAHANNA, OH 43230-3308
 County : FRANKLIN

Site Details

Registry ID : 110004714006
 FRS Facility URL : [Click here for hyperlink provided by the agency.](#)
 Last Date in Agency List : 2022-02-17

Source Description

Source Description :

The OH-CORE database contains information commonly shared among the Ohio EPA environmental programs. The information is facility-based, general in nature, and used to support specific programmatic systems while simultaneously maintaining an inventory of common facility-related data. Specific programmatic details are maintained in programmatic databases.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

FRS (cont.)

FRS Environmental Interest
 Source and System ID : OH-CORE - 230915
 RCRAINFO - OHR000009480

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your EnviroSite account representative for a complimentary site report containing all of the details available.

Manifest Number : 015513937FLE
 Shipped Date : 2021-06-08
 Updated Date : 2021-06-22
 Received Date : 2021-06-14
 Status : Signed
 Generator ID : OHR000009480
 Generator Name : Kroger 522-16
 Generator Address : 300 S Hamilton Rd, Gahanna, OH 43230-3308
 Generator Mailing : 300 S Hamilton Rd ATTN: MANAGER, Gahanna, OH 43230-3308
 Generator Contact : N/R
 Destination ID : MID980991566
 Destination Name : EQ DETROIT, INC.
 Destination Mailing : 1923 FREDERICK STREET, DETROIT, MI 48211
 Destination Address : 1923 FREDERICK STREET, DETROIT, MI 48211
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN3249

DOT Information : RQ, UN3249, Waste Medicines, solid, toxic, n.o.s. (Residue Last Contained: Warfarin), 6.1, PGII, RQ(Warfarin), ERG#151

Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : P001
 State Code : N/R

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN3249
DOT Information :	RQ, UN3249, Waste Medicine, solid, toxic, n.o.s. (Warfarin), 6.1, PGII, RQ: Warfarin, ERG#151
Non Waste Description :	N/R
Quantity :	1 Pounds
Quantity Tons, Acute, Non-Acute :	0.0005, 0.0005, 0
Quantity Kg, Acute, Non-Acute :	0.45351502, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	P001
State Code :	N/R
Waste Line Number :	3
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Pharmaceutical Non Haz
Quantity :	10 Pounds
Quantity Tons, Acute, Non-Acute :	0.005, 0, 0.005
Quantity Kg, Acute, Non-Acute :	0, 4.53515
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	MI - 070U, MI - 073U, MI - 116U, MI - 117U

Manifest Details

Manifest Number :	015516041JJK
Shipped Date :	2021-01-04
Updated Date :	2021-01-18
Received Date :	2021-01-12
Status :	Signed
Generator ID :	OHR000009480
Generator Name :	KROGER STORE 522
Generator Address :	300 S HAMILTON RD, GAHANNA, OH 43230
Generator Mailing :	4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT INC
Destination Mailing :	1923 FREDERICK ST, DETROIT, MI 48211
Destination Address :	1923 FREDERICK ST, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2022-03-20

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1950
DOT Information :	RQ, UN1950, WASTE AEROSOLS, 2.1, (RQ:D001), ERG#126
Non Waste Description :	N/R
Quantity :	18 Pounds
Quantity Tons, Acute, Non-Acute :	0.009, 0, 0.009
Quantity Kg, Acute, Non-Acute :	0, 8.16327
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D001, D002, D035
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN1791
DOT Information :	RQ, UN1791, Waste Hypochlorite solutions, 8, PGII, (RQ:D002), ERG#154
Non Waste Description :	N/R
Quantity :	6 Pounds
Quantity Tons, Acute, Non-Acute :	0.003, 0, 0.003
Quantity Kg, Acute, Non-Acute :	0, 2.72109
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002
State Code :	N/R
Waste Line Number :	3
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Non Hazardous Liquid
Quantity :	12 Pounds
Quantity Tons, Acute, Non-Acute :	0.006, 0, 0.006
Quantity Kg, Acute, Non-Acute :	0, 5.44218
Management Method :	H110 - STABILIZATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R
Waste Line Number :	4
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Universal Waste Batteries Pound
Quantity :	6 Pounds
Quantity Tons, Acute, Non-Acute :	0.003, 0, 0.003
Quantity Kg, Acute, Non-Acute :	0, 2.72109
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA, RCRA_VSQG, UNREG LTANKS - OH, UST - OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Federal Code : N/R
 State Code : N/R

Manifest Details

Manifest Number : 015516042JJK
 Shipped Date : 2021-01-04
 Updated Date : 2021-01-18
 Received Date : 2021-01-12
 Status : Signed
 Generator ID : OHR000009480
 Generator Name : KROGER STORE 522
 Generator Address : 300 S HAMILTON RD, GAHANNA, OH 43230
 Generator Mailing : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Generator Contact : N/R
 Destination ID : MID980991566
 Destination Name : EQ DETROIT INC
 Destination Mailing : 1923 FREDERICK ST, DETROIT, MI 48211
 Destination Address : 1923 FREDERICK ST, DETROIT, MI 48211
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN3077

DOT Information : RQ, UN3077, Waste Environmentally hazardous substances, solid, n.o.s. (Chromium, Selenium,Silver), 9, PGIII, (RQ:D011), ERG#171

Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0, 0.0005
 Quantity Kg, Acute, Non-Acute : 0, 0.45351502
 Management Method : H110 - STABILIZATION
 Is EPA Waste : Y
 Federal Code : D007, D010, D011
 State Code : N/R

Waste Line Number : 2
 Is DOT Hazardous : Y
 DOT ID Number : UN3248

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

DOT Information : RQ, UN3248, Waste Medicine, Liquid, Flammable, Toxic, N.O.S. (Cresol, Resorcinol), 3(6.1), PGIII, RQ (D009), ERG#131

Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0, 0.0005
 Quantity Kg, Acute, Non-Acute : 0, 0.45351502
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y

Federal Code : D001, D005, D006, D007, D008, D009, D010, D011, D018, D024, D026, U002, U010, U019, U035, U058, U059, U089, U129, U132, U144, U187, U188, U200, U201, U206, U239, U248

State Code : N/R

Waste Line Number : 3
 Is DOT Hazardous : Y
 DOT ID Number : UN3249

DOT Information : RQ, UN3249, Waste Medicines, solid, toxic, n.o.s. (Residue Last Contained: Warfarin), 6.1, PGII, RQ(Warfarin), ERG#151

Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : P001
 State Code : N/R

Waste Line Number : 4
 Is DOT Hazardous : N
 DOT ID Number : N/R
 DOT Information : N/R
 Non Waste Description : Pharmaceutical Non Haz
 Quantity : 4 Pounds
 Quantity Tons, Acute, Non-Acute : 0.002, 0, 0.002
 Quantity Kg, Acute, Non-Acute : 0, 1.8140601
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : N
 Federal Code : N/R
 State Code : MI - 070U, MI - 073U, MI - 116U, MI - 117U

Manifest Details

Manifest Number : 021586370JJK
 Shipped Date : 2020-08-05

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA, RCRA_VSQG, UNREG LTANKS - OH, UST - OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Updated Date : 2020-08-20
 Received Date : 2020-08-16
 Status : Signed
 Generator ID : OHR000009480
 Generator Name : KROGER STORE 522
 Generator Address : 300 S HAMILTON RD, GAHANNA, OH 43230
 Generator Mailing : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Generator Contact : N/R
 Destination ID : MID980991566
 Destination Name : EQ DETROIT INC
 Destination Mailing : 1923 FREDERICK ST, DETROIT, MI 48211
 Destination Address : 1923 FREDERICK ST, DETROIT, MI 48211
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN1950
 DOT Information : RQ, UN1950, WASTE AEROSOLS, 2.1, (RQ:D001), ERG#126
 Non Waste Description : N/R
 Quantity : 21 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0105, 0, 0.0105
 Quantity Kg, Acute, Non-Acute : 0, 9.523815
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : D001, D002, D035
 State Code : N/R

Waste Line Number : 2
 Is DOT Hazardous : Y
 DOT ID Number : UN3077
 DOT Information : RQ, UN3077, Waste Environmentally hazardous substances, solid, n.o.s. (Chromium, Selenium, Silver), 9, PGIII, (RQ:D011), ERG#171

Non Waste Description : N/R
 Quantity : 7 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0035, 0, 0.0035
 Quantity Kg, Acute, Non-Acute : 0, 3.1746051
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : D007, D010, D011
 State Code : N/R

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3077
DOT Information :	RQ, UN3077, Waste Environmentally hazardous substances, solid, n.o.s. (Mercury), 9, PGIII, RQ (D009), ERG#171
Non Waste Description :	N/R
Quantity :	1 Pounds
Quantity Tons, Acute, Non-Acute :	0.0005, 0, 0.0005
Quantity Kg, Acute, Non-Acute :	0, 0.45351502
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D009
State Code :	N/R
Waste Line Number :	4
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Non Hazardous Liquid
Quantity :	41 Pounds
Quantity Tons, Acute, Non-Acute :	0.0205, 0, 0.0205
Quantity Kg, Acute, Non-Acute :	0, 18.594116
Management Method :	H110 - STABILIZATION
Is EPA Waste :	N
Federal Code :	N/R
State Code :	MI - 029L
Waste Line Number :	5
Is DOT Hazardous :	N
DOT ID Number :	N/R
DOT Information :	N/R
Non Waste Description :	Universal Waste Batteries Pound
Quantity :	4 Pounds
Quantity Tons, Acute, Non-Acute :	0.002, 0, 0.002
Quantity Kg, Acute, Non-Acute :	0, 1.8140601
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

Manifest Details

Manifest Number :	021586371JJK
Shipped Date :	2020-08-05
Updated Date :	2020-08-20
Received Date :	2020-08-16
Status :	Signed

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA, RCRA_VSQG, UNREG LTANKS - OH, UST - OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Generator ID : OHR000009480
 Generator Name : KROGER STORE 522
 Generator Address : 300 S HAMILTON RD, GAHANNA, OH 43230
 Generator Mailing : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Generator Contact : N/R
 Destination ID : MID980991566
 Destination Name : EQ DETROIT INC
 Destination Mailing : 1923 FREDERICK ST, DETROIT, MI 48211
 Destination Address : 1923 FREDERICK ST, DETROIT, MI 48211
 Destination Contact : N/R
 Submission Type : DataImage5Copy
 Origin Type : Service
 Manifest Residue : N
 Rejection : N
 Last Date in Agency List : 2022-03-20

Waste Details

Waste Line Number : 1
 Is DOT Hazardous : Y
 DOT ID Number : UN3077

DOT Information : RQ, UN3077, Waste Environmentally hazardous substances, solid, n.o.s. (Chromium, Selenium,Silver), 9, PGIII, (RQ:D011), ERG#171

Non Waste Description : N/R
 Quantity : 2 Pounds
 Quantity Tons, Acute, Non-Acute : 0.001, 0, 0.001
 Quantity Kg, Acute, Non-Acute : 0, 0.90703005
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : D007, D010, D011
 State Code : N/R

Waste Line Number : 2
 Is DOT Hazardous : Y
 DOT ID Number : UN3249
 DOT Information : UN3249, Waste Medicine, solid, toxic, n.o.s. (Warfarin), 6.1, PGII, ERG#151

Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0.0005, 0
 Quantity Kg, Acute, Non-Acute : 0.45351502, 0
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y
 Federal Code : P001
 State Code : N/R

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA, RCRA_VSQG, UNREG LTANKS - OH, UST - OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

MANIFEST EPA **(cont.)**

Waste Line Number : 3
 Is DOT Hazardous : Y
 DOT ID Number : UN3248

DOT Information : RQ, UN3248, Waste Medicine, liquid, flammable, toxic, n.o.s. (m-Cresol), 3(6.1), PGI, RQ (D009), ERG#131

Non Waste Description : N/R
 Quantity : 1 Pounds
 Quantity Tons, Acute, Non-Acute : 0.0005, 0, 0.0005
 Quantity Kg, Acute, Non-Acute : 0, 0.45351502
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : Y

Federal Code : D001, D007, D009, D010, D011, D018, D024, D026, U035, U058, U059, U089, U150, U187, U188, U200, U201

State Code : N/R

Waste Line Number : 4
 Is DOT Hazardous : N
 DOT ID Number : N/R
 DOT Information : N/R
 Non Waste Description : Pharmaceutical Non Haz
 Quantity : 14 Pounds
 Quantity Tons, Acute, Non-Acute : 0.007, 0, 0.007
 Quantity Kg, Acute, Non-Acute : 0, 6.3492103
 Management Method : H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
 Is EPA Waste : N
 Federal Code : N/R
 State Code : MI - 014L, MI - 070U, MI - 073U, MI - 116U, MI - 117U

RCRA_VSQG

Facility Name : KROGER STORE 522
 Facility Address : 300 S HAMILTON RD, GAHANNA, OH 43230
 County : FRANKLIN

Date Form Received by Agency : 2007-09-25
 EPA ID : OHR000009480
 Mailing Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Contact : JIM WARD
 Contact Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Contact Country : US
 Contact Telephone : 614-898-3506
 Contact Email : JIM.WARD@KROGER.COM
 EPA Region : 05
 Land Type : Private
 Source Type : Notification
 Classification : Very Small Quantity Generator

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

RCRA_VSQG **(cont.)**

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2022-01-25

Owner/Operator Summary

Owner/Operator Name : KROGER CO
 Owner/Operator Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Owner/Operator Country : US
 Owner/Operator Telephone : 614-898-3506
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Owner
 Owner/Operator Start Date : 2006-10-05
 Owner/Operator End Date : N/R

Owner/Operator Name : KROGER CO
 Owner/Operator Address : 4111 EXECUTIVE PKWY, COLUMBUS, OH 43081
 Owner/Operator Country : US
 Owner/Operator Telephone : 614-898-3506
 Owner/Operator Email : N/R
 Owner/Operator Fax : N/R
 Legal Status : Private
 Owner/Operator Type : Operator
 Owner/Operator Start Date : 2006-10-05
 Owner/Operator End Date : N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste : N
 Mixed Waste (Haz. and Radioactive) : N
 Recycler of Hazardous Waste : N
 Transporter of Hazardous Waste : N
 Treater, Storer or Disposer of HW : N
 Underground Injection Activity : N
 On-site Burner Exemption : N
 Furnace Exemption : N
 Used Oil Fuel Burner : N

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

RCRA_VSQG (cont.)

Used Oil Processor : N
 Used Oil Refiner : N
 Used Oil Fuel Marketer to Burner : N
 Used Oil Specification Marketer : N
 Used Oil Transfer Facility : N
 Used Oil Transporter : N

Historical Generators

Date Form Received by Agency : 1995-12-11
 Facility Name : PENSKE AUTO CENTER NO 3338
 Classification : Very Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :
 D001 - IGNITABLE WASTE
 D002 - CORROSIVE WASTE
 D003 - REACTIVE WASTE
 D005 - BARIUM
 D007 - CHROMIUM
 D008 - LEAD
 D011 - SILVER
 D016 - 2,4-D (2,4-DICHLOROPHENOXYACETIC ACID)
 D018 - BENZENE
 D035 - METHYL ETHYL KETONE

Notices of Violations Summary

Regulation Violated : N

UNREG LTANKS - OH

Facility Name : KROGER FUEL #N522
 Facility Address : 300 S HAMILTON RD, GAHANNA, Ohio 43230
 County : Franklin

Last Update Date : 2012-04-28
 Last Status Updated : 2012-03-13
 Last Review Date : 2012-03-13
 Status : RPT: a possible incident is reported
 SubStatus : N/R
 Release Date : 2009-12-24
 Release Number : 25010955 - N00001
 Incident Number : N/R
 Last Updated by : N/R
 Coordinator : David Israel
 Priority : 2
 Class : D

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

UNREG LTANKS - OH **(cont.)**

Rules : 2005
 LTF : 5 Petro incident, not from spill/overflow/release
 Facility Latitude : 40.01209
 Facility Longitude : -82.86626
 Last Date in Agency List : 2022-01-24

UST - OH

Facility Name : KROGER FUEL #N522
 Facility Address : 300 S HAMILTON RD, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25010955
 Facility Type : Commercial
 Owner Name : KROGER CO
 Owner Address : 4111 EXECUTIVE PKWY, WESTERVILLE, OH 43081
 Last Date in Agency List : 2022-02-17

Tank Information

Installation Date : 2008-01-21
 Tank Number : T00003
 Tank Type : UST
 Status : CIU - Currently In Use
 Date Last Used : N/R
 Date TCL Closed : N/R
 Date Removed : N/R
 Tank Content : Gasoline
 UST Capacity : 8000
 Construction : FRP-Fiberglass Reinforced Plastic
 CAS Number : 8006-61-9
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : SC- Secondarily Contained
 Construction Comments : N/R
 Corrosion Protections : NR - None Required by Rule
 Corrosion Protection Comments : N/R
 Primary Release Detection : IMT - Int. Monitoring (D/W Tank)
 Secondary Release Detection : IMT - Int. Monitoring (D/W Tank)
 Release Detection Comments : N/R
 Piping Configuration : SC - Secondarily Contained
 Piping Configuration Comments : N/R
 Piping Styles : P - Pressure
 Piping Constructions : FRP - Fiberglass Reinforced Plastic
 Piping Construction Comments : N/R

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

UST - OH **(cont.)**

Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	IMT - Interstitial Monitoring
Piping Release Detection Comments :	ELLD
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment :	N/R
Latitude :	40.01209
Longitude :	-82.86626

Installation Date :	2008-01-21
Tank Number :	T00001
Tank Type :	UST
Status :	CIU - Currently In Use
Date Last Used :	N/R
Date TCL Closed :	N/R
Date Removed :	N/R
Tank Content :	Gasoline
UST Capacity :	20000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	8006-61-9
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	SC- Secondarily Contained
Construction Comments :	N/R
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection :	IMT - Int. Monitoring (D/W Tank)
Release Detection Comments :	N/R
Piping Configuration :	SC - Secondarily Contained
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	N/R
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	IMT - Interstitial Monitoring
Piping Release Detection Comments :	ELLD
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment :	N/R
Latitude :	40.01209
Longitude :	-82.86626

Map Id: G32
 Direction: SSE
 Distance: 0.457 mi., 2411 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : KROGER FUEL #N522 | KROGER STORE
 522 | PENSKE AUTO CENTER NO 3338
 300 S HAMILTON RD | 300 S HAMILTON
 RD BLDG B
 GAHANNA | Gahanna, OH

Database(s) : [ECHO, EPA UST, FRS, MANIFEST EPA,
 RCRA_VSQG, UNREG LTANKS - OH, UST -
 OH] **(cont.)**

Envirosite ID: 5245301
EPA ID: OHR000009480

UST - OH **(cont.)**

Installation Date :	2008-01-21
Tank Number :	T00002
Tank Type :	UST
Status :	CIU - Currently In Use
Date Last Used :	N/R
Date TCL Closed :	N/R
Date Removed :	N/R
Tank Content :	Diesel
UST Capacity :	8000
Construction :	FRP-Fiberglass Reinforced Plastic
CAS Number :	68334-30-5
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	SC- Secondarily Contained
Construction Comments :	N/R
Corrosion Protections :	NR - None Required by Rule
Corrosion Protection Comments :	N/R
Primary Release Detection :	IMT - Int. Monitoring (D/W Tank)
Secondary Release Detection :	IMT - Int. Monitoring (D/W Tank)
Release Detection Comments :	N/R
Piping Configuration :	SC - Secondarily Contained
Piping Configuration Comments :	N/R
Piping Styles :	P - Pressure
Piping Constructions :	FRP - Fiberglass Reinforced Plastic
Piping Construction Comments :	N/R
Piping Corrosion Protections :	NR - None required by rule
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	IMT - Interstitial Monitoring
Piping Release Detection Comments :	ELLD
Spill Prevention Manholes :	SB - Spill Containment Manhole (bucket)
Spill Prevention Manhole Comments :	N/R
Overfill Prevention :	FILL - Fill Pipe (drop tube flapper)
Overfill Prevention Comment :	N/R
Latitude :	40.01209
Longitude :	-82.86626

Map Id: G33
 Direction: SSE
 Distance: 0.460 mi., 2429 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : K MART #3338
 300 S HAMILTON RD
 COLUMBUS, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH]

EnviroSite ID: 5246608
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : K MART #3338
 Facility Address : 300 S HAMILTON RD, COLUMBUS, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25000324
 Facility Type : Gas Station
 Owner Name : SEARS HOLDING GROUP
 Owner Address : 3333 BEVERLY RD, HOFFMAN ESTATES, IL 60179
 Last Date in Agency List : 2022-02-04

Tank Information

Installation Date : 1976-06-01
 Tank Number : T00001
 Tank Type : UST
 Status : REM - Removed
 Date Last Used : 1993-08-09
 Date TCL Closed : N/R
 Date Removed : 1993-08-09
 Tank Content : Used Oil
 UST Capacity : 1000
 Construction : BM - Bare Metal
 CAS Number : N/R
 Abandoned Approved : N/R
 Comments : N/R
 Regulated : YES
 Sensitive Area : NO
 Date of Sensitivity : N/R
 UST Configurations : N/R
 Construction Comments : Steel
 Corrosion Protections : N/R
 Corrosion Protection Comments : N/R
 Primary Release Detection : AMO - Alternative Method (Other, explain)
 Secondary Release Detection : N/R
 Release Detection Comments : RDTank: / RDLine:
 Piping Configuration : N/R
 Piping Configuration Comments : N/R
 Piping Styles : NA - Not Applicable
 Piping Constructions : BM - Bare Metal
 Piping Construction Comments : Galvanized Steel
 Piping Corrosion Protections : OTH - Other (explain)
 Piping Corrosion Protection Comments : N/R
 Piping Release Detections : OTH - Other(explain)
 Piping Release Detection Comments : N/R
 Spill Prevention Manholes : NP - None Present
 Spill Prevention Manhole Comments : No
 Overfill Prevention : N/R
 Overfill Prevention Comment : OverFill Spill: No
 Latitude : 40.011807
 Longitude : -82.866932

Map Id: G33
 Direction: SSE
 Distance: 0.460 mi., 2429 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : K MART #3338
 300 S HAMILTON RD
 COLUMBUS, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5246608
 EPA ID: N/R

EPA LUST

Facility Name : K MART #3338
 Facility Address : 300 S HAMILTON RD, COLUMBUS, Ohio
 County : Franklin

Facility ID : OH25000324
 LUST ID : OH25000324-N00001
 Reported Date : N/R
 Status : No Further Action
 Substance : N/R
 Closed With Residual Contamination (Tribal Only): N/R
 NFA_Letter (Tribal Only) : N/R
 Tribe (Tribal Only) : N/R
 EPA Region : 5
 Estimated Population within 1500ft : 1158
 Estimated Private Domestic Wells within 1500ft: 6
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0118099999999
 Longitude : -82.8669299999999
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : K MART #3338
 Facility Address : 300 S HAMILTON RD, COLUMBUS, Ohio
 County : Franklin

Facility ID : OH25000324
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 1
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.011807
 Longitude : -82.866932
 Last Date in Agency List : 2022-04-07

Map Id: G33
 Direction: SSE
 Distance: 0.460 mi., 2429 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : K MART #3338
 300 S HAMILTON RD
 COLUMBUS, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

EnviroSite ID: 5246608
EPA ID: N/R

EPA UST **(cont.)**

Tank Details

Tank ID : OH25000324_T00001
 Tank Status : Closed
 Installation Date : 1976-06-01
 Removal Date : 1993-08-09
 Capacity : 1000
 Substances : Used Oil
 Tank Wall Type : Single

LUST - OH

Facility Name : K MART #3338
 Facility Address : 300 S HAMILTON RD, COLUMBUS, OH 43230
 County : Franklin

Review Date : 2000-06-20
 Release Date : N/R
 Release Number : 25000324-N00001
 LTF Status : 6 Closure of regulated UST
 FR Status : NFA: No Further Action
 Facility Status : Inactive
 Priority : 3
 Class : D
 Latitude : 40.011807
 Longitude : -82.866932
 Last Date in Agency List : 2022-04-20

Map Id: 34
 Direction: WNW
 Distance: 0.474 mi., 2501 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : C & M LEASING
 171 N HIGH STREET
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH]

EnviroSite ID: 5247366
EPA ID: N/R

ARCHIVE UST - OH

Facility Name : C & M LEASING
 Facility Address : 171 N HIGH STREET, GAHANNA, Ohio 43230
 County : Franklin

Site Details

Facility Number : 25009176
 Facility Type : Unknown
 Owner Name : N/R
 Owner Address : N/R
 Last Date in Agency List : 2022-02-04

Map Id: 34
 Direction: WNW
 Distance: 0.474 mi., 2501 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : C & M LEASING
 171 N HIGH STREET
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247366
EPA ID: N/R

ARCHIVE UST - OH **(cont.)**

Tank Information

Installation Date :	N/R
Tank Number :	T00001
Tank Type :	UST
Status :	REM - Removed
Date Last Used :	1999-12-29
Date TCL Closed :	N/R
Date Removed :	1999-12-29
Tank Content :	Used Oil
UST Capacity :	550
Construction :	BM - Bare Metal
CAS Number :	N/R
Abandoned Approved :	N/R
Comments :	N/R
Regulated :	YES
Sensitive Area :	NO
Date of Sensitivity :	N/R
UST Configurations :	N/R
Construction Comments :	Steel
Corrosion Protections :	N/R
Corrosion Protection Comments :	N/R
Primary Release Detection :	AMO - Alternative Method (Other, explain)
Secondary Release Detection :	N/R
Release Detection Comments :	RDTank: / RDLine:
Piping Configuration :	N/R
Piping Configuration Comments :	N/R
Piping Styles :	NA - Not Applicable
Piping Constructions :	OTH - Other (explain)
Piping Construction Comments :	N/R
Piping Corrosion Protections :	OTH - Other (explain)
Piping Corrosion Protection Comments:	N/R
Piping Release Detections :	OTH - Other(explain)
Piping Release Detection Comments :	N/R
Spill Prevention Manholes :	NP - None Present
Spill Prevention Manhole Comments :	No
Overfill Prevention :	N/R
Overfill Prevention Comment :	OverFill Spill: No
Latitude :	40.02207
Longitude :	-82.878278

EPA LUST

Facility Name :	C & M LEASING
Facility Address :	171 N HIGH STREET, GAHANNA, Ohio
County :	Franklin

Facility ID :	OH25009176
LUST ID :	OH25009176-N00001
Reported Date :	1999-12-29
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R

Map Id: 34
 Direction: WNW
 Distance: 0.474 mi., 2501 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : C & M LEASING
 171 N HIGH STREET
 GAHANNA, OH 43230

Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
 LUST - OH] **(cont.)**

Envirosite ID: 5247366
 EPA ID: N/R

EPA LUST **(cont.)**

EPA Region : 5
 Estimated Population within 1500ft : 449
 Estimated Private Domestic Wells within 1500ft: 1
 Within Source Water Protection Area (SPA): No
 SPA Public Water System and Facility ID: N/R
 SPA Water Type : N/R
 SPA Facility Type : N/R
 SPA HUC12 : N/R
 Within Groundwater Wellhead Protection Area (WHPA): No
 WHPA Public Water System and Facility ID: N/R
 WHPA Water Type : N/R
 WHPA Facility Type : N/R
 WHPA HUC12 : N/R
 Within Estimated 100-year Floodplain: No
 Latitude : 40.0220699999999
 Longitude : -82.87828
 Last Date in Agency List : 2022-04-22

EPA UST

Facility Name : C & M LEASING
 Facility Address : 171 N HIGH STREET, GAHANNA, Ohio
 County : Franklin

Facility ID : OH25009176
 Facility Status : Closed UST(s)
 Open USTs : 0
 Closed USTs : 1
 Temporarily Out of Service USTs : 0
 Date of Last Inspection : N/R
 EPA Region : 5
 Tribe : N/R
 Facility ID 2 : N/R
 Latitude : 40.02207
 Longitude : -82.878278
 Last Date in Agency List : 2022-04-07

Tank Details

Tank ID : OH25009176_T00001
 Tank Status : Closed
 Installation Date : N/R
 Removal Date : 1999-12-29
 Capacity : 550
 Substances : Used Oil
 Tank Wall Type : Single

LUST - OH

Facility Name : C & M LEASING

Map Id: 34
Direction: WNW
Distance: 0.474 mi., 2501 ft.
Elevation: 802 ft.
Relative: Higher

Site Name : C & M LEASING
171 N HIGH STREET
GAHANNA, OH 43230
Database(s) : [ARCHIVE UST - OH, EPA LUST, EPA UST,
LUST - OH] **(cont.)**

EnviroSite ID: 5247366
EPA ID: N/R

LUST - OH **(cont.)**

Facility Address : 171 N HIGH STREET, GAHANNA, OH 43230
County : Franklin

Review Date : 2006-05-22
Release Date : 1999-12-29
Release Number : 25009176-N00001
LTF Status : 6 Closure of regulated UST
FR Status : NFA: No Further Action
Facility Status : Inactive
Priority : 3
Class : D
Latitude : 40.02207
Longitude : -82.878278
Last Date in Agency List : 2022-04-20

<u>ENVIROSITE ID</u>	<u>NAME</u>	<u>ADDRESS</u>	<u>CITY</u>	<u>ZIP</u>	<u>DATABASE(S)</u>
<u>20476967</u>	ABANDONED GAS STATION	CORNER JOHNSTOWN & STELZE...	COLUMBUS		ARCHIVE UST - OH, UN...
<u>44369182</u>	COLUMBUS AUTO PARTS	E HUDSON & I-71	COLUMBUS		EPA LUST, LUST - OH
<u>20671532</u>	EARTHCO DEMO DUMP	N/R	COLUMBUS		HIST LF-LD - OH
<u>20671585</u>	GEORGIA-PACIFIC CORP. RES...	N/R			HIST LF-LD - OH
<u>20457095</u>	STREET RIGHT OF WAY	N/E CORNER MORSE & CLEVEL...	COLUMBUS		LUST - OH
<u>33352167</u>	SWACO Franklin County San...	N/R			SWF/LF - OH

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

AST PBS: Bulk petroleum terminals with a total bulk storage capacity of 50,000 barrels or more.

Agency Version Date: 02/22/2022	Agency: Department of Homeland Security
Agency Update Frequency: Quarterly	Agency Contact: 202-853-5361
Planned Next Contact: 05/20/2022	Most Recent Contact: 02/22/2022

EPA UST: Facilities listed in the EPA UST Finder database

Agency Version Date: 02/15/2022	Agency: EPA
Agency Update Frequency: Quarterly	Agency Contact: (202) 566-1667
Planned Next Contact: 07/25/2022	Most Recent Contact: 04/28/2022

FEMA UST: FEMA underground storage tank listing

Agency Version Date: 10/08/2021	Agency: FEMA
Agency Update Frequency: Varies	Agency Contact: 202-212-5283
Planned Next Contact: 06/27/2022	Most Recent Contact: 04/01/2022

HIST INDIAN UST R6: Historical Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 12/03/2021	Agency: U.S. Environmental Protection Agency Region 6
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 05/27/2022	Most Recent Contact: 03/01/2022

HIST INDIAN UST R7: Historical Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 08/10/2021	Agency: U.S. Environmental Protection Agency Region 7
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/15/2022

INDIAN UST R1: Underground Storage Tanks on Indian Land in EPA Region 1

Agency Version Date: 04/15/2022	Agency: U.S. Environmental Protection Agency Region 1
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/14/2022	Most Recent Contact: 04/15/2022

INDIAN UST R10: Underground Storage Tanks on Indian Land in EPA Region 10

Agency Version Date: 02/14/2022	Agency: U.S. Environmental Protection Agency Region 10
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/14/2022

INDIAN UST R2: Underground Storage Tanks on Indian Land in EPA Region 2

Agency Version Date: 12/07/2016	Agency: U.S. Environmental Protection Agency Region 2
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

INDIAN UST R4: Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 02/14/2022	Agency: U.S. Environmental Protection Agency Region 4
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/14/2022

INDIAN UST R5: Underground Storage Tanks on Indian Land in EPA Region 5

Agency Version Date: 01/31/2022	Agency: U.S. Environmental Protection Agency Region 5
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 07/25/2022	Most Recent Contact: 04/28/2022

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS (cont.)

INDIAN UST R6: Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 03/01/2022	Agency: U.S. Environmental Protection Agency Region 6
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 05/27/2022	Most Recent Contact: 03/01/2022

INDIAN UST R7: Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 04/28/2022	Agency: U.S. Environmental Protection Agency Region 7
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 07/25/2022	Most Recent Contact: 04/28/2022

INDIAN UST R8: Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 04/14/2022	Agency: U.S. Environmental Protection Agency Region 8
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/11/2022	Most Recent Contact: 04/14/2022

INDIAN UST R9: Underground Storage Tanks on Indian Land in EPA Region 9

Agency Version Date: 04/14/2022	Agency: U.S. Environmental Protection Agency Region 9
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/11/2022	Most Recent Contact: 04/14/2022

ARCHIVE UST - OH: Underground Storage Tanks that have been removed

Agency Version Date: 02/03/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 752-7938
Planned Next Contact: 07/28/2022	Most Recent Contact: 05/02/2022

AST - OH: Boiler Tank Database

Agency Version Date: 01/13/2022	Agency: Department of Commerce
Agency Update Frequency: Varies	Agency Contact: (614) 466-3636
Planned Next Contact: 07/07/2022	Most Recent Contact: 04/11/2022

UST - OH: Registered Underground Storage Tanks

Agency Version Date: 02/15/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 752-7938
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/15/2022

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSD: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 215-814-2469
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

RCRA_TSD: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 215-814-2469
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

FEDERAL CERCLIS LIST

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 800-424-9346
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

CERCLIS-HIST: The CERCLIS program database contains information on the assessment and remediation of federal hazardous waste sites. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 800-424-9346
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

EPA SAA: Listing of Sites with Superfund Alternative Approach Agreements.

Agency Version Date: 11/01/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 800-424-9346
Planned Next Contact: 07/21/2022	Most Recent Contact: 04/25/2022

FEDERAL FACILITY: Sites where Federal Facilities Restoration and Reuse Office (FFRRO) arranged cleanup for Base Closure and Property Transfer at Federal Facilities

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 703-603-8712
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

SEMS_8R_ACTIVE SITES: The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. NPL sites include latitude and longitude information. For non-NPL sites, a brief site status is provided.

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

SEMS_8R_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time.

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 202-566-1667
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

HIST CORRACTS 2: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases that are no longer in current agency list.

Agency Version Date: 10/12/2018	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: 202-566-1667
Planned Next Contact: 05/23/2022	Most Recent Contact: 02/24/2022

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL: National Priority List of sites that were delisted and no longer require action

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

DELISTED PROPOSED NPL: Sites that have been delisted from the proposed National Priority List

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

SEMS_DELETED NPL: All Deleted National Priority List Sties

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

EPA LF MOP: Sites in the EPA Landfill Methane Outreach Program

Agency Version Date: 03/25/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST: Releases listed in the EPA UST Finder database

Agency Version Date: 02/15/2022	Agency: EPA
Agency Update Frequency: Quarterly	Agency Contact: (202) 566-1667
Planned Next Contact: 07/25/2022	Most Recent Contact: 04/28/2022

HIST INDIAN LUST R4: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 08/23/2021	Agency: U.S. Environmental Protection Agency Region 4
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/15/2022

HIST INDIAN LUST R8: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 08/16/2021	Agency: U.S. Environmental Protection Agency Region 8
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/04/2022

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land in EPA Region 1

Agency Version Date: 04/15/2022	Agency: U.S. Environmental Protection Agency Region 1
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/14/2022	Most Recent Contact: 04/15/2022

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land in EPA Region 10

Agency Version Date: 02/14/2022	Agency: U.S. Environmental Protection Agency Region 10
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/14/2022

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)

INDIAN LUST R2: Leaking Underground Storage Tanks on Indian Land in EPA Region 2

Agency Version Date: 12/07/2016	Agency: U.S. Environmental Protection Agency Region 2
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 02/14/2022	Agency: U.S. Environmental Protection Agency Region 4
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 05/12/2022	Most Recent Contact: 02/14/2022

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land in EPA Region 5

Agency Version Date: 01/31/2022	Agency: U.S. Environmental Protection Agency Region 5
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 07/25/2022	Most Recent Contact: 04/28/2022

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 02/03/2022	Agency: U.S. Environmental Protection Agency Region 6
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/28/2022	Most Recent Contact: 05/02/2022

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 08/10/2021	Agency: U.S. Environmental Protection Agency Region 7
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 07/25/2022	Most Recent Contact: 04/28/2022

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 02/04/2022	Agency: U.S. Environmental Protection Agency Region 8
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/03/2022

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land in EPA Region 9

Agency Version Date: 04/14/2022	Agency: U.S. Environmental Protection Agency Region 9
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 07/11/2022	Most Recent Contact: 04/14/2022

LAST - OH: Leaking Aboveground Storage Tanks

Agency Version Date: 01/21/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 752-7938
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

LUST - OH: Listing of leaking tanks

Agency Version Date: 04/19/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 752-7938
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

UNREG LTANKS - OH: Oil and other releases from the Ohio Department of Commerce

Agency Version Date: 01/21/2022	Agency: Ohio Department of Commerce
Agency Update Frequency: Varies	Agency Contact: 614-387-7412
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

FEDERAL ERNS LIST

ERNS: Emergency Response Notification System records of reported spills

Agency Version Date: 04/19/2022	Agency: National Response Center United States Coast Guard
Agency Update Frequency: Annually	Agency Contact: N/R
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

FED E C: Federal listing of remediation sites with engineering controls

Agency Version Date: 02/22/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 800-424-9346
Planned Next Contact: 05/20/2022	Most Recent Contact: 02/22/2022

FED I C: Federal listing of remediation sites with institutional controls

Agency Version Date: 02/22/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 800-424-9346
Planned Next Contact: 05/20/2022	Most Recent Contact: 02/22/2022

RCRA IC_EC: Sites with institutional or engineering controls related to Resource Conservation and Recovery Act

Agency Version Date: 02/04/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 215-814-2469
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/03/2022

FEDERAL RCRA GENERATORS LIST

HIST RCRA_CESQG: List of Resource Conservation and Recovery Act licensed conditionally exempt small quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: 215-814-2469
Planned Next Contact: 05/23/2022	Most Recent Contact: 02/24/2022

HIST RCRA_LQG: List of Resource Conservation and Recovery Act licensed large quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: 215-814-2469
Planned Next Contact: 05/23/2022	Most Recent Contact: 02/24/2022

HIST RCRA_NONGEN: List of Resource Conservation and Recovery Act licensed non-generators that are no longer in current agency list.

Agency Version Date: 10/12/2018	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: 215-814-2469
Planned Next Contact: 05/23/2022	Most Recent Contact: 02/24/2022

HIST RCRA_SQG: List of Resource Conservation and Recovery Act licensed small quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: 215-814-2469
Planned Next Contact: 05/23/2022	Most Recent Contact: 02/24/2022

FEDERAL RCRA GENERATORS LIST (cont.)

RCRA_LQG: Resource Conservation and Recovery Act listing of licensed large quantity generators

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 215-814-2469
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

RCRA_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 215-814-2469
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

RCRA_SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 215-814-2469
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

RCRA_VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators.

Agency Version Date: 12/30/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 215-814-2469
Planned Next Contact: 06/22/2022	Most Recent Contact: 03/28/2022

FEDERAL NPL SITE LIST

NPL: List of priority contaminated sites among identified releases or threatened releases of hazardous substances pollutants or contaminants nationally

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

NPL EPA R1 GIS: Geospatial data for the Environmental Protection Agency Region 1 National Priority List subject to environmental regulation

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 202-566-2132
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

NPL EPA R3 GIS: Geospatial data for the Environmental Protection Agency Region 3 National Priority List subject to environmental regulation

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 202-566-2132
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

NPL EPA R6 GIS: Geospatial data for the Environmental Protection Agency Region 6 National Priority List subject to environmental regulation

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 202-566-2132
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

NPL EPA R8 GIS: Geospatial data for the Environmental Protection Agency Region 8 National Priority List subject to environmental regulation

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 202-566-2132
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

FEDERAL NPL SITE LIST (cont.)

NPL EPA R9 GIS: Geospatial data for the Environmental Protection Agency Region 9 National Priority List subject to environmental regulation

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 202-566-2132
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

PART NPL: Sites that are a part of an National Priority List site referred to as the parent site

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

PROPOSED NPL: Sites that have been proposed for the National Priority List

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

SEMS_FINAL NPL: All Included National Priority List Sites

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

SEMS_PROPOSED NPL: All Proposed National Priority List Sites

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

STATE AND TRIBAL BROWNFIELD SITES

TRIBAL BROWNFIELDS: Tribal brownfield remediation site listing

Agency Version Date: 02/10/2017	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: No Longer Maintained	Agency Contact: 855-246-3642
Planned Next Contact: 06/10/2022	Most Recent Contact: 03/16/2022

BROWNFIELDS - OH: Sites with Brownfields

Agency Version Date: 03/09/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2285
Planned Next Contact: 06/06/2022	Most Recent Contact: 03/09/2022

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - OH: Sites with Engineering Controls

Agency Version Date: 03/10/2022	Agency: Division of Environmental Response and Revitalization
Agency Update Frequency: Varies	Agency Contact: (614) 644-2309
Planned Next Contact: 06/06/2022	Most Recent Contact: 03/10/2022

I C - OH: Sites with Institutional Controls

Agency Version Date: 03/10/2022	Agency: Division of Environmental Response and Revitalization
Agency Update Frequency: Varies	Agency Contact: (614) 644-2309
Planned Next Contact: 06/06/2022	Most Recent Contact: 03/10/2022

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES (cont.)

IC LUC - OH: State Remedial Response Sites with Land Use Institutional Controls in Place.

Agency Version Date: 09/13/2021	Agency: Division of Environmental Response and Revitalization
Agency Update Frequency: Varies	Agency Contact: (614) 644-2924
Planned Next Contact: 06/03/2022	Most Recent Contact: 03/08/2022

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

HIST LF - OH: Old/abandoned Solid Waste Facilities

Agency Version Date: 03/03/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2782
Planned Next Contact: 05/30/2022	Most Recent Contact: 03/03/2022

HIST LF-LD - OH: Database developed from Ohio EPA staff notebooks and other information dating from the mid-1970s.

Agency Version Date: 10/23/2017	Agency: Ohio EPA
Agency Update Frequency: No Longer Maintained	Agency Contact: (614) 644-2782
Planned Next Contact: 05/16/2022	Most Recent Contact: 02/16/2022

SWF/LF - OH: Solid Waste Landfills

Agency Version Date: 02/04/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2306
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/03/2022

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - OH: Sites with Voluntary Cleanup Program

Agency Version Date: 03/11/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2309
Planned Next Contact: 06/07/2022	Most Recent Contact: 03/11/2022

LOCAL BROWNFIELD LISTS

BROWNFIELDS-ACRES: EPA Brownfields Assessment, Cleanup and Redevelopment Exchange System.

Agency Version Date: 09/17/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 855-246-3642
Planned Next Contact: 06/06/2022	Most Recent Contact: 03/10/2022

FED BROWNFIELDS: Federal brownfield remediation sites

Agency Version Date: 01/24/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Semi Annually	Agency Contact: 855-246-3642
Planned Next Contact: 07/18/2022	Most Recent Contact: 04/21/2022

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL: The U.S. Department of Justice listing of clandestine drug lab locations

Agency Version Date: 04/11/2022	Agency: U.S. Department of Justice
Agency Update Frequency: Quarterly	Agency Contact: 202-307-7610
Planned Next Contact: 07/07/2022	Most Recent Contact: 04/11/2022

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES (cont.)

US HIST CDL: The U.S. Department of Justice historical listing of clandestine drug lab locations

Agency Version Date: 08/05/2019	Agency: U.S. Department of Justice
Agency Update Frequency: Quarterly	Agency Contact: 202-307-7610
Planned Next Contact: 05/16/2022	Most Recent Contact: 02/16/2022

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

HIST INDIAN ODI R8: List of Region 8 Indian land open dump inventory sites maintained within the STARS program that is no longer in current agency list.

Agency Version Date: 11/12/2018	Agency: Indian Health Service
Agency Update Frequency: Annually	Agency Contact: 855-246-3642
Planned Next Contact: 07/04/2022	Most Recent Contact: 04/07/2022

INDIAN ODI R8: Region 8 Indian land open dump inventory sites maintained within the STARS program

Agency Version Date: 01/28/2022	Agency: Indian Health Service
Agency Update Frequency: Varies	Agency Contact: 855-246-3642
Planned Next Contact: 07/21/2022	Most Recent Contact: 04/26/2022

ODI: Open dump inventory sites

Agency Version Date: 10/03/2017	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: No Update	Agency Contact: 855-246-3642
Planned Next Contact: 05/10/2022	Most Recent Contact: 02/11/2022

TRIBAL ODI: Indian land open dump inventory for all regions

Agency Version Date: 02/21/2022	Agency: Indian Health Service
Agency Update Frequency: Varies	Agency Contact: 301-443-3593
Planned Next Contact: 05/19/2022	Most Recent Contact: 02/21/2022

SWRCY - OH: Recycling Facilities

Agency Version Date: 12/21/2021	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2782
Planned Next Contact: 06/14/2022	Most Recent Contact: 03/18/2022

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT): Hazardous Material spills reported by the Department of Transportation

Agency Version Date: 03/18/2022	Agency: U.S. Department of Transportation
Agency Update Frequency: Varies	Agency Contact: (202) 366-4996
Planned Next Contact: 06/14/2022	Most Recent Contact: 03/18/2022

SPILLS - OH: Incidents reported to the Emergency Response Unit

Agency Version Date: 04/21/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: N/R
Planned Next Contact: 07/18/2022	Most Recent Contact: 04/21/2022

LOCAL LAND RECORDS

LIENS 2: Comprehensive Environmental Response Compensation and Liability Act sites with liens

Agency Version Date: 05/11/2017	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: No Longer Maintained	Agency Contact: 800-424-9346
Planned Next Contact: 06/13/2022	Most Recent Contact: 03/16/2022

OTHER ASCERTAINABLE RECORDS

AFS: Air Facility Systems Quarterly Extract

Agency Version Date: 01/31/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/25/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 04/28/2022

ALT FUELING: Alternative Fueling Stations by fuel type.

Agency Version Date: 03/25/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 06/21/2022

Agency: U.S. Department of Energy
 Agency Contact: N/R
 Most Recent Contact: 03/25/2022

ARENAS: List of Arenas and Sport Venues

Agency Version Date: 01/25/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 05/23/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 02/24/2022

ARENAS 2: List of Convention Centers and Fairgrounds

Agency Version Date: 02/24/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 05/23/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 02/24/2022

BRS: Reporting of hazardous waste generation and management from large quantity generators

Agency Version Date: 12/30/2021
 Agency Update Frequency: Biennial
 Planned Next Contact: 06/22/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/28/2022

CDC HAZDAT: The Agency for Toxic Substances and Disease Registry's Hazardous Substance Release/Health Effects Database.

Agency Version Date: 01/28/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/22/2022

Agency: Agency for Toxic Substances and Disease Registry
 Agency Contact: 770-488-6399
 Most Recent Contact: 04/26/2022

CHURCHES: List of places of worship

Agency Version Date: 02/21/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 05/20/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 02/21/2022

COAL ASH DOE: List of existing and planned generators with 1 megawatt or greater of combined capacity that are utilizing coal ash impoundments.

Agency Version Date: 09/29/2021
 Agency Update Frequency: Varies
 Planned Next Contact: 06/16/2022

Agency: Department of Energy
 Agency Contact: (202) 586-8800
 Most Recent Contact: 03/22/2022

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

Agency Version Date: 02/18/2021
 Agency Update Frequency: Varies
 Planned Next Contact: 07/28/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 04/29/2022

COAL GAS: Manufactured Gas Plant locations

Agency Version Date: 01/07/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/01/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: 855-246-3642
 Most Recent Contact: 04/04/2022

OTHER ASCERTAINABLE RECORDS (cont.)

COLLEGES: List of major Universities & Colleges

Agency Version Date: 04/15/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/13/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 04/15/2022

COLLEGES 2: List of Universities & Colleges

Agency Version Date: 04/18/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/14/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 04/18/2022

CONSENT (DECREES): Legal decisions regarding responsibility for Superfund locations

Agency Version Date: 01/28/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/22/2022

Agency: Environmental Protection Agency
 Agency Contact: (800) 424-9346
 Most Recent Contact: 04/26/2022

CORRECTIVE ACTIONS_2020: In 2009 the EPA created the 2020 Corrective Action Baseline list of contaminated or potentially contaminated sites with a cleanup goal to complete 95% by the year 2020. The names on the list indicate the facility owners who may or may not have caused the contamination.

Agency Version Date: 12/21/2018
 Agency Update Frequency: No Longer Maintained
 Planned Next Contact: 07/15/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: N/R
 Most Recent Contact: 04/19/2022

DEBRIS EPA LF: EPA list of designated landfill facilities for the safe disposal of disaster debris.

Agency Version Date: 01/14/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/08/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: 855-246-3642
 Most Recent Contact: 04/12/2022

DEBRIS EPA SWRCY: EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris.

Agency Version Date: 01/14/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/08/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: 855-246-3642
 Most Recent Contact: 04/12/2022

DOD: Department of Defense sites from the Protected Areas Database (PAD-US)

Agency Version Date: 01/28/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/22/2022

Agency: United States Geologic Survey (USGS)
 Agency Contact: 1-888-275-8747
 Most Recent Contact: 04/26/2022

DOT OPS: Incident Data Report

Agency Version Date: 02/14/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 05/12/2022

Agency: U.S. Department of Transportation
 Agency Contact: (202) 366-4996
 Most Recent Contact: 02/14/2022

ECHO: ECHO is EPA Enforcement and Compliance History Online website to search for facilities in your community to assess their compliance with environmental regulations related to CAA, CWA, RCRA, & SDWA.

Agency Version Date: 03/22/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 06/16/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: 202-566-1667
 Most Recent Contact: 03/22/2022

OTHER ASCERTAINABLE RECORDS (cont.)

ENOI: The Electronic Notice of Intent (eNOI) database contains construction sites and industrial facilities that submit permit requests to EPA for Construction General Permits (CGP) and Multi-Sector General Permits (MSGP).

Agency Version Date: 03/19/2021	Agency: Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (202) 566-1667
Planned Next Contact: 06/02/2022	Most Recent Contact: 03/08/2022

EPA FUELS: List of companies and facilities registered to participate in EPA Fuel Programs under Title 40 CFR Part 80.

Agency Version Date: 02/04/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (202) 564-2307
Planned Next Contact: 07/28/2022	Most Recent Contact: 05/03/2022

EPA OSC: Listing of oil spills and hazardous substance release sites requiring EPA On-Site Coordinators.

Agency Version Date: 03/17/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (202) 564-2307
Planned Next Contact: 06/13/2022	Most Recent Contact: 03/17/2022

EPA WATCH: The EPA Watch List was used to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. EPA maintained the lists from 2011 - 2013.

Agency Version Date: 02/09/2018	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: No Longer Maintained	Agency Contact: (202) 564-2307
Planned Next Contact: 06/13/2022	Most Recent Contact: 03/16/2022

FA HWF: Hazardous Waste Facilities with Financial Assurance

Agency Version Date: 04/04/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (800) 424-9346
Planned Next Contact: 06/30/2022	Most Recent Contact: 04/04/2022

FEDLAND: Federal Lands from the Protected Areas Database (PAD-US)

Agency Version Date: 01/28/2022	Agency: United States Geologic Survey (USGS)
Agency Update Frequency: Varies	Agency Contact: 1-888-275-8747
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

FRS: Facility Registry Systems

Agency Version Date: 02/09/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 08/02/2022	Most Recent Contact: 05/06/2022

FTTS: Tracking of administrative and enforcement activities related to FIFRA/TSCA

Agency Version Date: 04/06/2013	Agency: Environmental Protection Agency
Agency Update Frequency: No Longer Maintained	Agency Contact: (202) 564-2280
Planned Next Contact: 06/28/2022	Most Recent Contact: 04/01/2022

FTTS INSP: Tracking of inspections related to FIFRA/TSCA

Agency Version Date: 05/08/2017	Agency: Environmental Protection Agency
Agency Update Frequency: No Longer Maintained	Agency Contact: (202) 564-2280
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

OTHER ASCERTAINABLE RECORDS (cont.)

FUDS: Defense sites that require cleanup

Agency Version Date: 02/07/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 08/01/2022

Agency: US Army Corps of Engineering
 Agency Contact: (202) 761-0011
 Most Recent Contact: 05/05/2022

GOV MANSIONS: List of Governors Mansions

Agency Version Date: 02/24/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 05/23/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 02/24/2022

HIST AFS: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Agency Version Date: 06/14/2019
 Agency Update Frequency: Quarterly
 Planned Next Contact: 06/10/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/16/2022

HIST AFS 2: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Agency Version Date: 11/26/2018
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/11/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 04/14/2022

HIST DOD: Department of Defense historical sites

Agency Version Date: 01/28/2022
 Agency Update Frequency: No Longer Maintained
 Planned Next Contact: 07/22/2022

Agency: Environmental Protection Agency
 Agency Contact: (800) 424-9346
 Most Recent Contact: 04/26/2022

HIST LEAD_SMELTER: List of former lead smelter sites that is no longer in current agency list.

Agency Version Date: 12/12/2018
 Agency Update Frequency: Annually
 Planned Next Contact: 06/28/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 04/01/2022

HIST MLTS: List of sites in possession/use of radioactive materials regulated by NRC that is no longer in current agency list.

Agency Version Date: 07/13/2016
 Agency Update Frequency: Annually
 Planned Next Contact: 07/07/2022

Agency: Nuclear Regulatory Commission
 Agency Contact: (800) 397-4209
 Most Recent Contact: 04/11/2022

HIST PCB TRANS: List of PCB Disposal Facilities that are no longer in current agency list.

Agency Version Date: 01/18/2018
 Agency Update Frequency: No Update
 Planned Next Contact: 07/28/2022

Agency: Environmental Protection Agency
 Agency Contact: (703) 308-8404
 Most Recent Contact: 05/03/2022

HIST PCS ENF: List of permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Agency Version Date: 12/08/2018
 Agency Update Frequency: Annually
 Planned Next Contact: 05/17/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 564-6582
 Most Recent Contact: 02/18/2022

OTHER ASCERTAINABLE RECORDS (cont.)

HIST PCS FACILITY: List of Permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Agency Version Date: 12/18/2018	Agency: Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: (202) 564-6582
Planned Next Contact: 05/17/2022	Most Recent Contact: 02/18/2022

HIST SSTS: List of tracking of facilities who produce pesticides and their quantity that are no longer in current agency list.

Agency Version Date: 02/13/2019	Agency: Environmental Protection Agency
Agency Update Frequency: Annually	Agency Contact: (202) 566-1667
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/05/2022

HOSPITALS: List of major Hospitals

Agency Version Date: 04/15/2022	Agency: DHS Homeland Infrastructure Foundation
Agency Update Frequency: Varies	Agency Contact: N/R
Planned Next Contact: 07/13/2022	Most Recent Contact: 04/15/2022

HWC DOCKET: Listing of Federal facilities which are managing or have managed hazardous waste; or have had a release of hazardous waste.

Agency Version Date: 11/09/2021	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (202) 564-2307
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/03/2022

ICIS: Comprised of all Federal Administrative and Judicial enforcement information [intended to replace PCS] by tracking enforcement and compliance information (also contains what used to be known as FFTS)

Agency Version Date: 12/28/2021	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

INACTIVE PCS: Inactive Permitted facilities to discharge wastewater

Agency Version Date: 12/28/2021	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 564-6582
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

INDIAN RESERVATION: American Indian Lands from the Protected Areas Database (PAD-US)

Agency Version Date: 01/28/2022	Agency: United States Geologic Survey (USGS)
Agency Update Frequency: Varies	Agency Contact: 1-888-275-8747
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

LUCIS: Land Use Control Information Systems

Agency Version Date: 03/18/2022	Agency: Department of the Navy: BRAC PMO
Agency Update Frequency: Quarterly	Agency Contact: (619) 532-0900
Planned Next Contact: 06/16/2022	Most Recent Contact: 03/18/2022

LUCIS 2: Land Use Control Information Systems

Agency Version Date: 01/17/2018	Agency: Department of the Navy: BRAC PMO
Agency Update Frequency: No Longer Maintained	Agency Contact: (619) 532-0900
Planned Next Contact: 07/28/2022	Most Recent Contact: 05/03/2022

OTHER ASCERTAINABLE RECORDS (cont.)

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest)

Agency Version Date: 02/08/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (202) 566-1667
Planned Next Contact: 08/02/2022	Most Recent Contact: 05/06/2022

MINE OPERATIONS: Mine plants and operations for commodities monitored by the National Minerals Information Center of the USGS

Agency Version Date: 02/11/2022	Agency: USGS Mineral Resources Program
Agency Update Frequency: Varies	Agency Contact: (703) 648-5953
Planned Next Contact: 05/10/2022	Most Recent Contact: 02/11/2022

MINES: Mines Master Index Files

Agency Version Date: 03/28/2022	Agency: Department of Labor
Agency Update Frequency: Varies	Agency Contact: (202) 693-9400
Planned Next Contact: 06/23/2022	Most Recent Contact: 03/28/2022

MINES USGS: Listing of all active mines and mineral plants in 2003

Agency Version Date: 02/11/2022	Agency: USGS Mineral Resources Program
Agency Update Frequency: Varies	Agency Contact: (703) 648-5953
Planned Next Contact: 05/10/2022	Most Recent Contact: 02/11/2022

MLTS: Sites in possession/use of radioactive materials regulated by NRC

Agency Version Date: 01/21/2022	Agency: Nuclear Regulatory Commission
Agency Update Frequency: Varies	Agency Contact: (800) 397-4209
Planned Next Contact: 07/15/2022	Most Recent Contact: 04/19/2022

NPL AOC: Areas of Concern related to NPL remediation sites

Agency Version Date: 01/28/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: N/R
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

NPL LIENS: National Priority List of sites with Liens

Agency Version Date: 01/28/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: 703-603-8867
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

NURSING HOMES: List of Nursing Homes

Agency Version Date: 01/14/2022	Agency: DHS Homeland Infrastructure Foundation
Agency Update Frequency: Varies	Agency Contact: N/R
Planned Next Contact: 07/08/2022	Most Recent Contact: 04/12/2022

OSHA: OSHA's listing of inspections violations and fatality information

Agency Version Date: 03/24/2022	Agency: Occupational Safety & Health Administration
Agency Update Frequency: Varies	Agency Contact: 800-321-6742
Planned Next Contact: 06/20/2022	Most Recent Contact: 03/24/2022

PADS: Listing of generators transporters commercial store/ brokers and disposers of PCB

Agency Version Date: 04/26/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (703) 308-8404
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

OTHER ASCERTAINABLE RECORDS (cont.)

PCB TRANSFORMER: Disposal and Storage of Polychlorinated Biphenyl (PCB) Waste

Agency Version Date: 02/11/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: (703) 308-8404
Planned Next Contact: 05/10/2022	Most Recent Contact: 02/11/2022

PCS ENF: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Agency Version Date: 03/25/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 564-6582
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

PCS FACILITY: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Agency Version Date: 12/28/2021	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 564-6582
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

PFAS NPL: List of NPL sites with PFAS or PFOA contamination

Agency Version Date: 04/01/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 07/26/2022	Most Recent Contact: 04/29/2022

PFAS TRIS: List of TRIS sites where PFAS or PFOA are used/manufactured/ treated/ transported/released.

Agency Version Date: 03/25/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

PFAS UCMR3: List of PWS wells sampled for Unregulated Contaminant Monitoring Rule (UCMR)

Agency Version Date: 03/08/2022	Agency: U.S. Environmental Protection Agency
Agency Update Frequency: Quarterly	Agency Contact: 703-603-8867
Planned Next Contact: 06/02/2022	Most Recent Contact: 03/08/2022

RAATS: Listing of major violators with enforcement actions issued under RCRA. Includes administrative and civil actions filed by the EPA. This dataset is no longer maintained.

Agency Version Date: 09/23/2019	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 07/14/2022	Most Recent Contact: 04/18/2022

RADINFO: EPA regulated facilities with radiation and radioactive materials

Agency Version Date: 08/01/2019	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (202) 566-1667
Planned Next Contact: 06/30/2022	Most Recent Contact: 04/06/2022

RMP: Facilities producing/handling/ process/ distribute/ store specific chemicals report plans required by the Clean Air Act

Agency Version Date: 01/04/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Monthly	Agency Contact: (202) 564-2534
Planned Next Contact: 06/28/2022	Most Recent Contact: 04/01/2022

ROD: Permanent remedy at an NPL site

Agency Version Date: 01/28/2022	Agency: Environmental Protection Agency
Agency Update Frequency: Varies	Agency Contact: (800) 424-9346
Planned Next Contact: 07/22/2022	Most Recent Contact: 04/26/2022

OTHER ASCERTAINABLE RECORDS (cont.)

SCHOOLS PRIVATE: List of Private Schools

Agency Version Date: 04/15/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/13/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 04/15/2022

SCHOOLS PUBLIC: List of Public Schools

Agency Version Date: 02/08/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/13/2022

Agency: DHS Homeland Infrastructure Foundation
 Agency Contact: N/R
 Most Recent Contact: 04/15/2022

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners

Agency Version Date: 03/02/2022
 Agency Update Frequency: No Update
 Planned Next Contact: 05/27/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/02/2022

SEMS_SMELTER: This report includes sites that have smelting-related, or potentially smelting-related, indicators in the SEMS database. The report includes information on the site location as well as contaminants of concern.

Agency Version Date: 01/28/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/22/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: 703-603-8867
 Most Recent Contact: 04/26/2022

SSTS: Tracking of facilities who produce pesticides and their quantity

Agency Version Date: 03/08/2022
 Agency Update Frequency: Annually
 Planned Next Contact: 06/02/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/08/2022

STORMWATER: Permitted storm water sites

Agency Version Date: 03/18/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 06/14/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/18/2022

TOSCA-PLANT: Plants controlled by the Toxic Substance Control Act

Agency Version Date: 03/14/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 06/09/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/14/2022

TRIS: Information regarding toxic chemicals that are being used/manufactured/ treated/ transported/released into the environment

Agency Version Date: 03/25/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 06/21/2022

Agency: Environmental Protection Agency
 Agency Contact: (202) 566-1667
 Most Recent Contact: 03/25/2022

UMTRA: Uranium Recovery Sites

Agency Version Date: 07/08/2021
 Agency Update Frequency: Varies
 Planned Next Contact: 06/21/2022

Agency: United States Nuclear Regulatory Commission
 Agency Contact: (301) 415-8200
 Most Recent Contact: 03/25/2022

OTHER ASCERTAINABLE RECORDS (cont.)

VAPOR: EPA Vapor Intrusion Database

Agency Version Date: 03/19/2021
 Agency Update Frequency: Varies
 Planned Next Contact: 06/03/2022

Agency: U.S. Environmental Protection Agency
 Agency Contact: 855-246-3642
 Most Recent Contact: 03/08/2022

AIRS - OH: Title V Permit listings

Agency Version Date: 03/28/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 06/23/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2270
 Most Recent Contact: 03/28/2022

COAL ASH - OH: Sites with Coal Ash Disposal Facilities

Agency Version Date: 01/22/2018
 Agency Update Frequency: Varies
 Planned Next Contact: 06/13/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2782
 Most Recent Contact: 03/15/2022

COAL ASH 2 - OH: Sites with Coal Ash Disposal Facilities

Agency Version Date: 01/22/2018
 Agency Update Frequency: Quarterly
 Planned Next Contact: 06/13/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2782
 Most Recent Contact: 03/15/2022

CRO - OH: Cessation of Regulated Operations Facility Listing

Agency Version Date: 07/13/2021
 Agency Update Frequency: Varies
 Planned Next Contact: 06/28/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2621
 Most Recent Contact: 04/01/2022

DAYCARE - OH: Daycare listing

Agency Version Date: 03/07/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 06/01/2022

Agency: Department of Job and Family Services
 Agency Contact: (800) 686-1556
 Most Recent Contact: 03/07/2022

DERR - OH: Sites listed in the DERR database

Agency Version Date: 02/28/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 05/26/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2304
 Most Recent Contact: 02/28/2022

DRYCLEANERS - OH: Sites with Drycleaners

Agency Version Date: 04/11/2022
 Agency Update Frequency: Varies
 Planned Next Contact: 07/08/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2924
 Most Recent Contact: 04/11/2022

HIST NPDES - OH: List of Industrial & Municipal water discharge permits that are no longer in current agency list.

Agency Version Date: 07/13/2018
 Agency Update Frequency: Annually
 Planned Next Contact: 07/28/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2001
 Most Recent Contact: 05/03/2022

HIST USD - OH: Withdrawn sites

Agency Version Date: 04/26/2022
 Agency Update Frequency: Quarterly
 Planned Next Contact: 07/21/2022

Agency: Ohio EPA
 Agency Contact: (614) 644-2924
 Most Recent Contact: 04/26/2022

OTHER ASCERTAINABLE RECORDS (cont.)

NPDES - OH: Listing of facilities with wastewater and NPDES permits

Agency Version Date: 04/25/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2001
Planned Next Contact: 07/21/2022	Most Recent Contact: 04/25/2022

PFAS - OH: List of wells in the statewide PFAS investigation

Agency Version Date: 02/08/2022	Agency: Ohio EPA and Ohio Department of Health
Agency Update Frequency: Quarterly	Agency Contact: (614) 644-2160
Planned Next Contact: 08/02/2022	Most Recent Contact: 05/06/2022

SLUDGE - OH: Database of sludge pits, ponds and lagoon sites. The SIABASE data was published by US EPA in 1980.

Agency Version Date: 12/25/2017	Agency: Ohio EPA
Agency Update Frequency: No Longer Maintained	Agency Contact: (614) 644-2782
Planned Next Contact: 07/29/2022	Most Recent Contact: 05/05/2022

STORMWATER - OH: Listing of facilities with wastewater and NPDES permits

Agency Version Date: 04/11/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2001
Planned Next Contact: 07/07/2022	Most Recent Contact: 04/11/2022

TOWN GAS - OH: A list of 82 sites of coal gas generators in Ohio.

Agency Version Date: 12/25/2017	Agency: Ohio EPA
Agency Update Frequency: No Longer Maintained	Agency Contact: (614) 644-2782
Planned Next Contact: 08/03/2022	Most Recent Contact: 05/09/2022

UIC - OH: Regulated Underground Injection Controlled wells

Agency Version Date: 12/29/2021	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2752
Planned Next Contact: 06/21/2022	Most Recent Contact: 03/25/2022

USD - OH: Sites with Urban Setting Designation Sites

Agency Version Date: 04/26/2022	Agency: Ohio EPA
Agency Update Frequency: Varies	Agency Contact: (614) 644-2924
Planned Next Contact: 07/21/2022	Most Recent Contact: 04/26/2022

SUBJECT PROPERTY ADDRESS:

60 Rocky Creek Dr.
60 Rocky Creek Dr
Columbus, OH 43230

SUBJECT PROPERTY COORDINATES:

Latitude(North):	40.019811 - 40°1'11.3"
Longitude(West):	-82.868893 - -82°52'8"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	340513.03
UTM Y (Meters):	4431628.96

ELEVATION:

Elevation: 801 ft. above sea level

USGS TOPOGRAPHIC MAP:

Subject Property Map:	40082-A7 New Albany, OH
Most Recent Revision:	2019

GEOHYDROLOGY DATA:

SUBJECT PROPERTY TOPOGRAPHY:

Topographic Gradient: Southwest

DFIRM FLOOD ZONE:

	DFIRM Flood
Subject Property County:	Electronic Data:
FRANKLIN	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	39049C0213K (Eff. date 6/17/2008)
Additional Panels in search area:	39049C0192K (Eff. date 6/17/2008) 39049C0211K (Eff. date 6/17/2008) 39049C0194K (Eff. date 6/17/2008)

FEMA FLOOD ZONE:

	FEMA Flood
Subject Property County:	Electronic Data:
FRANKLIN	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	39049C0188G
Additional Panels in search area:	39049C0167G 39049C0186G 39049C0169G

NATIONAL WETLAND INVENTORY:

	NWI Electronic
<u>NWI Quad at Subject Property:</u>	<u>Data Coverage:</u>
New Albany	Yes - refer to the Geological Findings Map



LITHOSTRATIGRAPHIC INFORMATION:

ROCK STRATIGRAPHIC UNIT:

GEOLOGIC AGE IDENTIFICATION



Era: Paleozoic	Category: 103 D3 Upper Devonian
System: Devonian	
Series: Upper Devonian	
Code: D3	

SURROUNDING ELEVATION PROFILES:



SUBJECT NAME: 60 Rocky Creek Dr.
ADDRESS: 60 Rocky Creek Dr, Columbus, OH, 43230
LAT/LONG: 40.019811 / -82.868893

PREPARED FOR: ERAtech Environmental Inc
ORDER #: 71775
REPORT DATE: May 10, 2022



+ Subject Property - SSURGO - STATSGO

SOIL COMPOSITION IN GENERAL AREA OF SUBJECT PROPERTY:

Agency source: Soil Conservation Service, US Department of Agriculture

SOIL MAP ID 1

SSURGO

USDA Soil Name	Bennington, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C/D
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	6
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-7.3
2	23-74	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	4.5-7.3
3	74-102	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials,	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	0.42-1.41	6.1-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	74-102	Silty clay loam	1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	6.1-7.8
4	102-200	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	7.4-8.4

SOIL MAP ID 2

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	4.23-14.11	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-30	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	30-69	Clay	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
3	69-76	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.6-7.8
4	76-200	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 3

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Not Reported
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	18-89	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	42.34-141.14	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 4

SSURGO

USDA Soil Name	Thackery, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Moderately well drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	25-53	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	4.23-14.11	5.1-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	25-53	Loam	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-6.5
3	53-124	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-7.8
4	124-137	Sandy loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14.11-42.34	6.1-7.8
5	137-178	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 5

SSURGO

USDA Soil Name	Cardington, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Not Reported
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	4.5-7.3
2	15-86	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	86-178	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	1.41-4.23	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	86-178	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

SOIL MAP ID 6

SSURGO

USDA Soil Name	Alexandria, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	4.5-7.3
2	20-107	Silty clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	1.41-4.23	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	20-107	Silty clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	107-178	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

SOIL MAP ID 7

SSURGO

USDA Soil Name	Alexandria, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	4.5-7.3
2	20-107	Silty clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	107-178	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

SOIL MAP ID 8

SSURGO

USDA Soil Name	Alexandria, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Well drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-20	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	4.5-7.3
2	20-107	Silty clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	107-178	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	1.41-4.23	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	107-178	Loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

SOIL MAP ID 9

SSURGO

USDA Soil Name	Cardington, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Not Reported
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	4.5-7.3
2	15-86	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	1.41-4.23	4.5-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	15-86	Silty clay loam	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	86-178	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	7.4-8.4

SOIL MAP ID 10

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Not Reported
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	18-89	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 11

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Not Reported
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	18-89	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	42.34-141.14	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 12

SSURGO

USDA Soil Name	Crane, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	23-53	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200), clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	1.41-4.23	5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	23-53	Silty clay loam	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	5.1-7.3
3	53-109	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	5.6-7.8
4	109-132	Loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	6.1-7.8
5	132-178	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly Graded Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-705	7.9-8.4

SOIL MAP ID 13

SSURGO

USDA Soil Name	Eel, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	A/D
Soil Drainage Class	Moderately well drained
Hydric Classification	4
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.1-7.8
2	23-38	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	6.1-7.8
3	38-135	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	4.23-14.11	6.1-7.8

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	38-135	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	test D 2487, in ASTM, 1984).	4.23-14.11	6.1-7.8
4	135-183	Sandy loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-42.33	7.4-8.4

SOIL MAP ID 14

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Not Reported
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	4.23-14.11	5.6-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	18-89	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 15

SSURGO

USDA Soil Name	Eldean, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Not Reported
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	18-89	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	89-178	Loamy sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 16

SSURGO

USDA Soil Name	Cardington, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Not Reported
Hydric Classification	10
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays, (liquid limit is less than 50%), Silt. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	4.5-7.3
2	15-86	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	4.5-7.8
3	86-178	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM	1.41-4.23	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	86-178	Clay loam		Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	test D 2487, in ASTM, 1984).	1.41-4.23 7.4-8.4

SOIL MAP ID 17

SSURGO

USDA Soil Name	Crane, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-23	Silt loam		Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984).	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11 5.6-7.3
2	23-53	Silty clay loam		Silt-Clay materials (more than 35% passing No. 200), clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	1.41-4.23 5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	23-53	Silty clay loam	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	5.1-7.3
3	53-109	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	5.6-7.8
4	109-132	Loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-4.23	6.1-7.8
5	132-178	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly Graded Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141.14-705	7.9-8.4

SOIL MAP ID 18

SSURGO

USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 19

SSURGO

USDA Soil Name	Eldean,Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	B
Soil Drainage Class	Not Reported
Hydric Classification	5
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Silt loam	Silt-Clay materials (more than 35% passing NO. 200), silty soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.6-7.3
2	18-89	Clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	1.41-14.11	5.6-7.8
3	89-178	Loamy sand	Reference: This is a classification of soil	COARSE-GRAINED SOILS, Gravels, Gravels with	42.34-141.14	7.4-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	89-178	Loamy sand	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	finer, Silty Gravel. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.34-141.14	7.4-8.4

SOIL MAP ID 20

SSURGO

USDA Soil Name	Bennington, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C/D
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	6
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25	Silt loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4.23-14.11	5.1-7.3
2	25-74	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	0.42-1.41	4.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	25-74	Silty clay loam	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	4.5-7.3
3	74-107	Silty clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	6.1-7.8
4	107-200	Clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	0.42-1.41	7.4-8.4

SOIL MAP ID A

STATSGO

USDA Soil Name	Bennington, Series
USDA Soil Texture	Silt loam
Hydrologic Soil Group	C
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	21
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-8	Silt loam	No data	No data	4.2343-14.1143	4.5-7.3
2	8-37	No data	No data	No data	0.4234-4.2343	4.5-7.8
3	37-60	No data	No data	No data	0.4234-1.4114	7.4-8.4

WATER AGENCY DATA:

WATER AGENCY SEARCH DISTANCES:

<u>DATABASE:</u>	<u>SEARCH DISTANCE (MILES):</u>
NWIS	1.000
OIL & GAS WELLS - OH	1.000
PWS	1.000
WELLS - OH	1.000

<u>DISTANCE TO NEAREST:</u>	<u>DISTANCE:</u>
NWIS	0.140 mi / 737 ft
OIL & GAS WELLS - OH	N/A
PWS	0.310 mi / 1635 ft
WELLS - OH	0.022 mi / 116 ft

FEDERAL WATER AGENCY DATA SUMMARY:

<u>MAP ID:</u>	<u>WELL ID:</u>	<u>LOCATION FROM SP:</u>
8	03228560	1/8 - 1/4 Mile ENE
11	GAHANNA MUNICIPAL COMPLEX City of Gahanna OH2501303	1/4 - 1/2 Mile SSE
14	OH2502012 OH2503712 NORTONS MOBILE HOME PARK 1-NORTONS MHP	1/4 - 1/2 Mile E
F33	OH4552612	1/2 - 1 Mile NNE

Note: PWS System location is not always the same as well location.

STATE/LOCAL WATER AGENCY DATA SUMMARY:



<u>MAP ID:</u>	<u>WELL ID:</u>	<u>LOCATION FROM SP:</u>
A1	836395 836399 836400	< 1/8 Mile SSE
B2	2040794	< 1/8 Mile ENE
A3	768082 768083 768084	< 1/8 Mile SE
B4	2040792	< 1/8 Mile ENE
B5	2040791	< 1/8 Mile ENE
B6	2040789	< 1/8 Mile ENE
B7	2040790	< 1/8 Mile ENE
9	770638	1/8 - 1/4 Mile WSW
10	226012	1/4 - 1/2 Mile NE
12	374708	1/4 - 1/2 Mile NE
13	330226	1/4 - 1/2 Mile NE
C15	312106	1/4 - 1/2 Mile ENE
D16	2040892	1/4 - 1/2 Mile SSE
C17	377986	1/4 - 1/2 Mile NE
D18	2040895	1/4 - 1/2 Mile SSE
D19	2040893	1/4 - 1/2 Mile SSE
C20	334620	1/4 - 1/2 Mile NE
C21	296436	1/4 - 1/2 Mile NE

STATE/LOCAL WATER AGENCY DATA SUMMARY: (cont.)

MAP ID:	WELL ID:	LOCATION FROM SP:
E22	292284	1/4 - 1/2 Mile WNW
E23	494749	1/4 - 1/2 Mile WNW
E24	41907	1/4 - 1/2 Mile NW
E25	219057	1/4 - 1/2 Mile NW
26	74442	1/2 - 1 Mile NNE
27	835798 899283 899284	1/2 - 1 Mile W
28	298771 353857	1/2 - 1 Mile NE
29	314752	1/2 - 1 Mile WSW
F30	2055140	1/2 - 1 Mile NNE
31	28518	1/2 - 1 Mile NNW
32	138942 248165	1/2 - 1 Mile ENE
F34	2055138	1/2 - 1 Mile NNE
35	28544	1/2 - 1 Mile N
F36	28411	1/2 - 1 Mile NNE
G37	711129 736061	1/2 - 1 Mile NE
G38	874205	1/2 - 1 Mile NE
39	346676	1/2 - 1 Mile NE
H40	2044641	1/2 - 1 Mile NNW
41	505684	1/2 - 1 Mile N
I42	559208	1/2 - 1 Mile NW
I43	559209	1/2 - 1 Mile NW
44	334607	1/2 - 1 Mile WSW
45	170754	1/2 - 1 Mile N
H46	74435	1/2 - 1 Mile NNW
47	182025 248175 266114	1/2 - 1 Mile ENE
48	1002236	1/2 - 1 Mile W
50	41819	1/2 - 1 Mile W
J51	242522	1/2 - 1 Mile W
J52	242521	1/2 - 1 Mile W
54	602469	1/2 - 1 Mile SW
57	785050	1/2 - 1 Mile SW
59	950767	1/2 - 1 Mile SSW
60	239476	1/2 - 1 Mile SW
L61	9765	1/2 - 1 Mile W
N63	41828	1/2 - 1 Mile NW
64	2004112 2017892	1/2 - 1 Mile ENE
O65	950765	1/2 - 1 Mile SSW
66	226037	1/2 - 1 Mile ENE
P68	214514	1/2 - 1 Mile NE
69	185064	1/2 - 1 Mile SW
70	127658	1/2 - 1 Mile NNE
O71	950766	1/2 - 1 Mile SSW
N72	346510	1/2 - 1 Mile NW
P73	304796	1/2 - 1 Mile NE

SUBJECT NAME: 60 Rocky Creek Dr.
 ADDRESS: 60 Rocky Creek Dr, Columbus, OH, 43230
 LAT/LONG: 40.019811 / -82.868893

PREPARED FOR: ERAtech Environmental Inc
 ORDER #: 71775
 REPORT DATE: May 10, 2022



- + Subject Property
 Basins (No Data)
 Geologic Cluster
 Geologic Cluster with Water Well
- G Geological Site
 Basins (No Data)
 NWIS
 Oil & Gas Wells (No Data)

Map Id: A1
 Direction: SSE
 Distance: 0.022 mi., 116 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 836395 | 836399 | 836400
 40.01855, -82.86846
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34172058
EPA ID: N/R

WELLS - OH

Well Number : 836395
 Type : W
 Completion Date : 1996-05-06
 Well Use : MONITOR
 Address : 406 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : SUNOCO
 Total Dept : 12
 Case Length : 7
 Bedrock : 1
 DEM Elevation : 809.90002441
 Aquifer Type : GRAVEL & CLAY
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 810
 Latitude : 40.01855
 Longitude : -82.86846
 Last Date in Agency List : 2022-03-28

Well Number : 836399
 Type : W
 Completion Date : 1996-05-06
 Well Use : MONITOR
 Address : 406 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : SUNOCO
 Total Dept : 17
 Case Length : 7
 Bedrock : 0
 DEM Elevation : 809.90002441
 Aquifer Type : LIMESTONE
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 810
 Latitude : 40.01855
 Longitude : -82.86846
 Last Date in Agency List : 2022-03-28

Well Number : 836400
 Type : W
 Completion Date : 1996-05-06
 Well Use : MONITOR
 Address : 406 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : SUNOCO
 Total Dept : 14
 Case Length : 14
 Bedrock : 1
 DEM Elevation : 809.90002441
 Aquifer Type : BEDROCK

Map Id: A1
 Direction: SSE
 Distance: 0.022 mi., 116 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 836395 | 836399 | 836400
 40.01855, -82.86846
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34172058
EPA ID: N/R

WELLS - OH (**cont.**)

Drill Type :	AUGER
Test Rate :	0
Static WAT :	0
Elevation :	810
Latitude :	40.01855
Longitude :	-82.86846
Last Date in Agency List :	2022-03-28

Map Id: B2
 Direction: ENE
 Distance: 0.055 mi., 289 ft.
 Elevation: 802 ft.
 Relative: Higher

Site Name : 2040794
 40.02062, -82.86721
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34334076
EPA ID: N/R

WELLS - OH

Well Number :	2040794
Type :	W
Completion Date :	2012-11-07
Well Use :	MONITOR
Address :	125 HAMILTON RD
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	CLOOTHING CARE LLC
Total Dept :	20
Case Length :	10
Bedrock :	0
DEM Elevation :	802.79998779
Aquifer Type :	SAND
Drill Type :	DIRECT PUSH
Test Rate :	0
Static WAT :	0
Elevation :	802
Latitude :	40.02062
Longitude :	-82.86721
Last Date in Agency List :	2022-03-28

Map Id: A3
 Direction: SE
 Distance: 0.057 mi., 301 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 768082 | 768083 | 768084
 40.01825, -82.86781
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34097165
EPA ID: N/R

WELLS - OH

Well Number : 768082
 Type : W
 Completion Date : 1995-08-31
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : BP EXPLORATION & OIL
 Total Dept : 26
 Case Length : 20
 Bedrock : 24
 DEM Elevation : 811.29998779
 Aquifer Type : SHALE
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 768083
 Type : W
 Completion Date : 1995-08-31
 Well Use : SOIL BORING
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : BP OIL
 Total Dept : 32
 Case Length : 0
 Bedrock : 25
 DEM Elevation : 811.29998779
 Aquifer Type : SHALE
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 768084
 Type : W
 Completion Date : 1995-08-31
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : BP OIL
 Total Dept : 27
 Case Length : 17
 Bedrock : 19
 DEM Elevation : 811.29998779
 Aquifer Type : GRAVEL

Map Id: A3
 Direction: SE
 Distance: 0.057 mi., 301 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 768082 | 768083 | 768084
 40.01825, -82.86781
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34097165
EPA ID: N/R

WELLS - OH (cont.)

Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 768085
 Type : W
 Completion Date : 1995-08-31
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : BP OIL
 Total Dept : 27
 Case Length : 17
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : SAND
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 768086
 Type : W
 Completion Date : 1995-08-31
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : BP OIL
 Total Dept : 30
 Case Length : 20
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : SAND
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810910
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR

Map Id: A3
 Direction: SE
 Distance: 0.057 mi., 301 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 768082 | 768083 | 768084
 40.01825, -82.86781
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34097165
EPA ID: N/R

WELLS - OH (cont.)

Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 28
 Case Length : 19
 Bedrock : 26
 DEM Elevation : 811.29998779
 Aquifer Type : SHALE
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 17.9
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810911
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 31
 Case Length : 0
 Bedrock : 28
 DEM Elevation : 811.29998779
 Aquifer Type : SHALE
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 19.1
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810912
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 23
 Case Length : 20
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 18.5
 Elevation : 811

Map Id: A3
 Direction: SE
 Distance: 0.057 mi., 301 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 768082 | 768083 | 768084
 40.01825, -82.86781
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34097165
EPA ID: N/R

WELLS - OH (cont.)

Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810913
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 33
 Case Length : 19
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : SAND & GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 19.3
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810914
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 28
 Case Length : 20
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : SAND
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 20.3
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810915
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL

Map Id: A3
 Direction: SE
 Distance: 0.057 mi., 301 ft.
 Elevation: 811 ft.
 Relative: Higher

Site Name : 768082 | 768083 | 768084
 40.01825, -82.86781
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34097165
EPA ID: N/R

WELLS - OH (cont.)

Total Dept : 24
 Case Length : 20
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 20.1
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 810916
 Type : W
 Completion Date : 1995-05-24
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 27
 Case Length : 18
 Bedrock : 0
 DEM Elevation : 811.29998779
 Aquifer Type : SAND & GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 19.3
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Well Number : 862076
 Type : W
 Completion Date : 1997-03-19
 Well Use : MONITOR
 Address : 407 GRANVILLE ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : BP OIL
 Total Dept : 27
 Case Length : 17
 Bedrock : 12
 DEM Elevation : 811.29998779
 Aquifer Type : GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 18.7
 Elevation : 811
 Latitude : 40.01825
 Longitude : -82.86781
 Last Date in Agency List : 2022-03-28

Map Id: B4
Direction: ENE
Distance: 0.057 mi., 302 ft.
Elevation: 804 ft.
Relative: Higher

Site Name : 2040792
40.02041, -82.86718
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34335661
EPA ID: N/R

WELLS - OH

Well Number : 2040792
Type : W
Completion Date : 2012-11-07
Well Use : MONITOR
Address : 125 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : CLOTHING CARE LLC
Total Dept : 16
Case Length : 6
Bedrock : 0
DEM Elevation : 804
Aquifer Type : SAND & GRAVEL
Drill Type : DIRECT PUSH
Test Rate : 0
Static WAT : 0
Elevation : 802
Latitude : 40.02041
Longitude : -82.86718
Last Date in Agency List : 2022-03-28

Map Id: B5
Direction: ENE
Distance: 0.070 mi., 371 ft.
Elevation: 803 ft.
Relative: Higher

Site Name : 2040791
40.02032, -82.86694
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34335659
EPA ID: N/R

WELLS - OH

Well Number : 2040791
Type : W
Completion Date : 2012-11-07
Well Use : MONITOR
Address : 125 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : CLOTHING CARE LLC
Total Dept : 16
Case Length : 6
Bedrock : 0
DEM Elevation : 802.4002441
Aquifer Type : SAND
Drill Type : DIRECT PUSH
Test Rate : 0
Static WAT : 0
Elevation : 803
Latitude : 40.02032
Longitude : -82.86694
Last Date in Agency List : 2022-03-28

Map Id: B6
Direction: ENE
Distance: 0.080 mi., 423 ft.
Elevation: 802 ft.
Relative: Higher

Site Name : 2040789
40.02048, -82.86674
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34335654
EPA ID: N/R

WELLS - OH

Well Number : 2040789
Type : W
Completion Date : 2012-11-07
Well Use : MONITOR
Address : 125 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : CLOTHING CARE LLC
Total Dept : 16
Case Length : 6
Bedrock : 0
DEM Elevation : 802.20001221
Aquifer Type : SAND
Drill Type : DIRECT PUSH
Test Rate : 0
Static WAT : 0
Elevation : 803
Latitude : 40.02048
Longitude : -82.86674
Last Date in Agency List : 2022-03-28

Map Id: B7
Direction: ENE
Distance: 0.085 mi., 451 ft.
Elevation: 803 ft.
Relative: Higher

Site Name : 2040790
40.02035, -82.86665
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34335658
EPA ID: N/R

WELLS - OH

Well Number : 2040790
Type : W
Completion Date : 2012-11-07
Well Use : MONITOR
Address : 125 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : CLOTHING CARE LLC
Total Dept : 16
Case Length : 6
Bedrock : 0
DEM Elevation : 802.40002441
Aquifer Type : SAND
Drill Type : DIRECT PUSH
Test Rate : 0
Static WAT : 0
Elevation : 803
Latitude : 40.02035
Longitude : -82.86665
Last Date in Agency List : 2022-03-28

Map Id: 9
Direction: WSW
Distance: 0.242 mi., 1279 ft.
Elevation: 797 ft.
Relative: Lower

Site Name : 770638
40.0177, -82.87382
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34469806
EPA ID: N/R

WELLS - OH

Well Number : 770638
Type : W
Completion Date : 1993-09-20
Well Use : AGRIC/IRRIG
Address : 249 LINCOLN CIR
County : FRANKLIN
Township : JEFFERSON
Owner Name : REES, GAYLE
Total Dept : 102
Case Length : 31
Bedrock : 23
DEM Elevation : 796.59997559
Aquifer Type : SHALE
Drill Type : ROTARY
Test Rate : 1
Static WAT : 12
Elevation : 789
Latitude : 40.0177
Longitude : -82.87382
Last Date in Agency List : 2022-03-28

Map Id: 10
Direction: NE
Distance: 0.276 mi., 1458 ft.
Elevation: 813 ft.
Relative: Higher

Site Name : 226012
40.024438, -82.86547
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34225065
EPA ID: N/R

WELLS - OH

Well Number : 226012
Type : W
Completion Date : 1959-03-25
Well Use : DOMESTIC
Address : 4840 CLARK STATE
County : FRANKLIN
Township : JEFFERSON
Owner Name : LUFT, HARRY
Total Dept : 33
Case Length : 37
Bedrock : 0
DEM Elevation : 813.5
Aquifer Type : GRAVEL
Drill Type : N/R
Test Rate : 0
Static WAT : 3
Elevation : 817
Latitude : 40.024438
Longitude : -82.86547
Last Date in Agency List : 2022-03-28

Map Id: 11
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [PWS, PWS ENF]

EnviroSite ID: 5242210
EPA ID: N/R

PWS

Facility Address : 200 S HAMILTON RD, GAHANNA, OH 43230

PWS ID :	OH2501303
PWS Type :	Community water system
PWS Name :	GAHANNA CITY PWS
Activity Status :	Active
Primary Source :	Surface water purchased
Submission Year :	2021
Submission Year Quarter :	2021Q4
Population Served Count :	33,258
Service Connections Count :	10733
Population Category 2 :	10,000+
Population Category 3 :	3,301-50,000
Population Category 4 :	10K-49,999
Population Category 5 :	10,001-100,000
Population Category 11 :	10,001-50,000
Submission Quarter :	4
Submission Status Code :	Y
First Reported Date :	1981-01-30
Last Reported Date :	2021-11-03
Deactivation Date :	N/R
GW or SW :	Surface water
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	Y
Primacy Agency :	Ohio
Primacy Type :	State
Org Name :	FELTZ, JEFF
EPA Region :	Region 5
Admin Name :	FELTZ, JEFF
Owner Type :	Local government
Phone Number :	614-342-4005
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	jeff.feltz@gahanna.gov
Fax Number :	614-342-4100
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	System serving 100K or more people OR systems that are connected to a system serving 100K or more
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	2018-07-16
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2022-02-03

Map Id: 11
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5242210
EPA ID: N/R

PWS ENF

Facility Address : 200 S HAMILTON RD, GAHANNA, OH 43230

Site Details

PWS ID : OH2501303
 PWS Name : GAHANNA CITY PWS
 EPA Region : Region 5
 Primacy Agency : Ohio
 PWS Type : Community water system
 Primacy Type : State
 Primary Source : Surface water purchased
 Activity Status : Active
 Deactivation Date : N/R
 Owner Type : Local government
 Phone Number : 614-342-4005
 Last Date in Agency List : 2022-03-28

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosearch account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID : N/R
 Violation ID : 7280504
 Submission Year : 2021
 Violation First Reported Date : 2004-12-03
 Contaminant Name : TTHM
 Rule Family : Stage 1 Disinfectants and Disinfection Byproducts Rule
 Rule Group : Disinfectants and Disinfection Byproducts Rule
 Rule Name : Stage 1 Disinfectants and Disinfection Byproducts Rule
 Violation Type : Monitoring and Reporting (DBP)
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Known
 RTC Date : N/R
 Enforcement Action Description : N/R
 Admin Name : FELTZ, JEFF
 Email Address : jeff.feltz@gahanna.gov

RTC Enforcement ID : 198
 Violation ID : 1335197
 Submission Year : 2021
 Violation First Reported Date : 2001-06-07
 Contaminant Name : Lead and Copper Rule
 Rule Family : Lead and Copper Rule
 Rule Group : Chemicals

Map Id: 11
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [PWS, PWS ENF] **(cont.)**

EnviroSite ID: 5242210
EPA ID: N/R

PWS ENF (cont.)

Rule Name : Lead and Copper Rule
 Violation Type : Follow-up Or Routine LCR Tap M/R
 Is Health Based : N
 Is Major Violation : N/R
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Returned to Compliance
 RTC Date : 1997-10-16
 Enforcement Action Description : State Public Notification received
 Admin Name : FELTZ, JEFF
 Email Address : jeff.feltz@gahanna.gov

RTC Enforcement ID : 2041306
 Violation ID : 8447606
 Submission Year : 2021
 Violation First Reported Date : 2006-05-30
 Contaminant Name : Coliform (TCR)
 Rule Family : Total Coliform Rules
 Rule Group : Microbials
 Rule Name : Total Coliform Rule
 Violation Type : Monitoring, Routine Minor (TCR)
 Is Health Based : N
 Is Major Violation : N/R
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Returned to Compliance
 RTC Date : 2007-04-19
 Enforcement Action Description : State Compliance achieved
 Admin Name : FELTZ, JEFF
 Email Address : jeff.feltz@gahanna.gov

RTC Enforcement ID : 294
 Violation ID : 1335392
 Submission Year : 2021
 Violation First Reported Date : 2001-06-07
 Contaminant Name : Lead and Copper Rule
 Rule Family : Lead and Copper Rule
 Rule Group : Chemicals
 Rule Name : Lead and Copper Rule
 Violation Type : Initial Tap Sampling for Pb and Cu
 Is Health Based : N
 Is Major Violation : N/R
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Returned to Compliance
 RTC Date : 1994-09-20
 Enforcement Action Description : State Compliance achieved

Map Id: 11
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5242210
EPA ID: N/R

PWS ENF (cont.)

Admin Name :	FELTZ, JEFF
Email Address :	jeff.feltz@gahanna.gov
RTC Enforcement ID :	294
Violation ID :	1335493
Submission Year :	2021
Violation First Reported Date :	2001-06-07
Contaminant Name :	Lead and Copper Rule
Rule Family :	Lead and Copper Rule
Rule Group :	Chemicals
Rule Name :	Lead and Copper Rule
Violation Type :	Initial Tap Sampling for Pb and Cu
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	200 S HAMILTON RD, GAHANNA, 43230
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	1994-09-20
Enforcement Action Description :	State Compliance achieved
Admin Name :	FELTZ, JEFF
Email Address :	jeff.feltz@gahanna.gov
RTC Enforcement ID :	294
Violation ID :	1345293
Submission Year :	2021
Violation First Reported Date :	2004-03-17
Contaminant Name :	Lead and Copper Rule
Rule Family :	Lead and Copper Rule
Rule Group :	Chemicals
Rule Name :	Lead and Copper Rule
Violation Type :	Initial Tap Sampling for Pb and Cu
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	200 S HAMILTON RD, GAHANNA, 43230
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	1994-09-20
Enforcement Action Description :	State Compliance achieved
Admin Name :	FELTZ, JEFF
Email Address :	jeff.feltz@gahanna.gov
RTC Enforcement ID :	8082201
Violation ID :	1512301
Submission Year :	2021
Violation First Reported Date :	2002-06-01
Contaminant Name :	Consumer Confidence Rule
Rule Family :	Consumer Confidence Rule
Rule Group :	Other

Map Id: 11
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5242210
EPA ID: N/R

PWS ENF (cont.)

Rule Name : Consumer Confidence Rule
 Violation Type : Consumer Confidence Report Complete Failure to Report
 Is Health Based : N
 Is Major Violation : N/R
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Returned to Compliance
 RTC Date : 2001-08-22
 Enforcement Action Description : State Compliance achieved
 Admin Name : FELTZ, JEFF
 Email Address : jeff.feltz@gahanna.gov

RTC Enforcement ID : 8083104
 Violation ID : 7280604
 Submission Year : 2021
 Violation First Reported Date : 2004-12-03
 Contaminant Name : Total Haloacetic Acids (HAA5)
 Rule Family : Stage 1 Disinfectants and Disinfection Byproducts Rule
 Rule Group : Disinfectants and Disinfection Byproducts Rule
 Rule Name : Stage 1 Disinfectants and Disinfection Byproducts Rule
 Violation Type : Monitoring and Reporting (DBP)
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Returned to Compliance
 RTC Date : 2004-08-31
 Enforcement Action Description : State Public Notification received
 Admin Name : FELTZ, JEFF
 Email Address : jeff.feltz@gahanna.gov

RTC Enforcement ID : 8083113
 Violation ID : 8447909
 Submission Year : 2021
 Violation First Reported Date : 2013-05-29
 Contaminant Name : TTHM
 Rule Family : Stage 2 Disinfectants and Disinfection Byproducts Rule
 Rule Group : Disinfectants and Disinfection Byproducts Rule
 Rule Name : Stage 2 Disinfectants and Disinfection Byproducts Rule
 Violation Type : Maximum Contaminant Level Violation, Average
 Is Health Based : Y
 Is Major Violation : N/R
 Severity Indicator Count : N/R
 Public Notification Tier : 2
 Address Line 1 : 200 S HAMILTON RD, GAHANNA, 43230
 Address Line 2 : N/R
 Compliance Status : Returned to Compliance
 RTC Date : 2013-08-14
 Enforcement Action Description : State Compliance achieved

Map Id: 11
 Direction: SSE
 Distance: 0.310 mi., 1636 ft.
 Elevation: 807 ft.
 Relative: Higher

Site Name : GAHANNA MUNICIPAL COMPLEX | City of Gahanna | OH2501303
 200 S HAMILTON RD | 200 SOUTH HAMILTON ROAD
 GAHANNA | Gahanna, OH

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5242210
EPA ID: N/R

PWS ENF (cont.)

Admin Name :	FELTZ, JEFF
Email Address :	jeff.feltz@gahanna.gov
RTC Enforcement ID :	8083113
Violation ID :	8447910
Submission Year :	2021
Violation First Reported Date :	2013-05-29
Contaminant Name :	TTHM
Rule Family :	Stage 2 Disinfectants and Disinfection Byproducts Rule
Rule Group :	Disinfectants and Disinfection Byproducts Rule
Rule Name :	Stage 2 Disinfectants and Disinfection Byproducts Rule
Violation Type :	Maximum Contaminant Level Violation, Average
Is Health Based :	Y
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	2
Address Line 1 :	200 S HAMILTON RD, GAHANNA, 43230
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	2013-08-14
Enforcement Action Description :	State Compliance achieved
Admin Name :	FELTZ, JEFF
Email Address :	jeff.feltz@gahanna.gov

Map Id: 12
 Direction: NE
 Distance: 0.323 mi., 1704 ft.
 Elevation: 828 ft.
 Relative: Higher

Site Name : 374708
 40.023699, -82.863198
 OH

Database(s) : [WELLS - OH]

Envirosite ID: 34445372
EPA ID: N/R

WELLS - OH

Well Number :	374708
Type :	W
Completion Date :	1968-02-10
Well Use :	N/R
Address :	3311 LONGSTRECH PARK PL
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	ROBT CLARK/SONS BUIL
Total Dept :	48
Case Length :	48
Bedrock :	0
DEM Elevation :	827.09997559
Aquifer Type :	SAND & GRAVEL
Drill Type :	N/R
Test Rate :	10
Static WAT :	25

Map Id: 12
Direction: NE
Distance: 0.323 mi., 1704 ft.
Elevation: 828 ft.
Relative: Higher

Site Name : 374708
40.023699, -82.863198
OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34445372
EPA ID: N/R

WELLS - OH (**cont.**)

Elevation : 831
Latitude : 40.023699
Longitude : -82.863198
Last Date in Agency List : 2022-03-28

Map Id: 13
Direction: NE
Distance: 0.339 mi., 1789 ft.
Elevation: 825 ft.
Relative: Higher

Site Name : 330226
40.024638, -82.863864
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34395184
EPA ID: N/R

WELLS - OH

Well Number : 330226
Type : W
Completion Date : 1965-11-02
Well Use : N/R
Address : 3359 LONGSTRECH PARK PL
County : FRANKLIN
Township : JEFFERSON
Owner Name : ROBERT CLARK/SONS BU
Total Dept : 44
Case Length : 44
Bedrock : 0
DEM Elevation : 822.40002441
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 10
Static WAT : 28
Elevation : 820
Latitude : 40.024638
Longitude : -82.863864
Last Date in Agency List : 2022-03-28

Map Id: 14
Direction: E
Distance: 0.343 mi., 1812 ft.
Elevation: 829 ft.
Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
MOBILE HOME PARK 1-NORTONS MHP
123 SOUTHWIND
GAHANNA, OH 43231
Database(s) : [PWS, PWS ENF]

Envirosite ID: 5343970
EPA ID: N/R

PWS

Facility Address : 123 SOUTHWIND, GAHANNA, OH 43231

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] (**cont.**)

Envirosite ID: 5343970
EPA ID: N/R

PWS (cont.)

PWS ID :	OH2502012
PWS Type :	Community water system
PWS Name :	NORTONS MOBILE HOME PARK 2
Activity Status :	Inactive
Primary Source :	Ground water
Submission Year :	2021
Submission Year Quarter :	2021Q4
Population Served Count :	80
Service Connections Count :	40
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	4
Submission Status Code :	Y
First Reported Date :	1981-01-30
Last Reported Date :	2009-10-29
Deactivation Date :	2001-05-24
GW or SW :	Groundwater
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Ohio
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 5
Admin Name :	NORTONS MOBILE HOME PARK
Owner Type :	Private
Phone Number :	614-260-1652
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	N
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	N/R
Season End Date :	N/R
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2022-02-03

PWS ID :	OH2503712
PWS Type :	Community water system
PWS Name :	NORTONS MOBILE HOME PARK 1
Activity Status :	Inactive
Primary Source :	Ground water

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5343970
EPA ID: N/R

PWS (cont.)

Submission Year :	2021
Submission Year Quarter :	2021Q4
Population Served Count :	35
Service Connections Count :	22
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	4
Submission Status Code :	Y
First Reported Date :	1981-01-30
Last Reported Date :	2005-08-31
Deactivation Date :	1992-10-01
GW or SW :	Groundwater
Is Grant Eligible :	N
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Ohio
Primacy Type :	State
Org Name :	N/R
EPA Region :	Region 5
Admin Name :	NORTONS MOBILE HOME PARK
Owner Type :	Private
Phone Number :	614-260-1652
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	N
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2022-02-03

PWS ENF

Facility Address : 123 SOUTHWIND, GAHANNA, OH 43231

Site Details

PWS ID :	OH2503712
PWS Name :	NORTONS MOBILE HOME PARK 1
EPA Region :	Region 5
Primacy Agency :	Ohio

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] **(cont.)**

EnviroSite ID: 5343970
EPA ID: N/R

PWS ENF (cont.)

PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	1992-10-01
Owner Type :	Private
Phone Number :	614-260-1652
Last Date in Agency List :	2022-03-28

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	8507872
Submission Year :	2021
Violation First Reported Date :	1985-09-30
Contaminant Name :	Gross Alpha, Excl. Radon and U
Rule Family :	Radionuclides
Rule Group :	Chemicals
Rule Name :	Radionuclides
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	123 SOUTHWIND, GAHANNA, 43231
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	1992-10-01
Enforcement Action Description :	State Formal Notice of Violation issued
Admin Name :	NORTONS MOBILE HOME PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	1367592
Submission Year :	2021
Violation First Reported Date :	2009-08-11
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Major (TCR)
Is Health Based :	N
Is Major Violation :	N/R
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	123 SOUTHWIND, GAHANNA, 43231
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	1992-10-01
Enforcement Action Description :	State Formal Notice of Violation issued
Admin Name :	NORTONS MOBILE HOME PARK
Email Address :	N/R

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5343970
EPA ID: N/R

PWS ENF (cont.)

Site Details

PWS ID :	OH2502012
PWS Name :	NORTONS MOBILE HOME PARK 2
EPA Region :	Region 5
Primacy Agency :	Ohio
PWS Type :	Community water system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Inactive
Deactivation Date :	2001-05-24
Owner Type :	Private
Phone Number :	614-260-1652
Last Date in Agency List :	2022-03-28

Violation Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosearch account representative for a complimentary site report containing all of the details available.

RTC Enforcement ID :	N/R
Violation ID :	8600534
Submission Year :	2021
Violation First Reported Date :	1986-09-30
Contaminant Name :	Fluoride
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Inorganic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	123 SOUTHWIND, GAHANNA, 43231
Address Line 2 :	N/R
Compliance Status :	System Inactive
RTC Date :	2001-05-24
Enforcement Action Description :	State Formal Notice of Violation issued
Admin Name :	NORTONS MOBILE HOME PARK
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	8600530
Submission Year :	2021
Violation First Reported Date :	1986-09-30
Contaminant Name :	Arsenic
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Arsenic
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] **(cont.)**

Envirosite ID: 5343970
EPA ID: N/R

PWS ENF (cont.)

Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8600531
 Submission Year : 2021
 Violation First Reported Date : 1986-09-30
 Contaminant Name : Barium
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Inorganic Chemicals
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8600538
 Submission Year : 2021
 Violation First Reported Date : 1986-09-30
 Contaminant Name : Selenium
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Inorganic Chemicals
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8600536

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] (**cont.**)

Envirosite ID: 5343970
EPA ID: N/R

PWS ENF (cont.)

Submission Year : 2021
 Violation First Reported Date : 1986-09-30
 Contaminant Name : Mercury
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Inorganic Chemicals
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8600537
 Submission Year : 2021
 Violation First Reported Date : 1986-09-30
 Contaminant Name : Nitrate
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Nitrates
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8600532
 Submission Year : 2021
 Violation First Reported Date : 1986-09-30
 Contaminant Name : Cadmium
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Inorganic Chemicals
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] *(cont.)*

Envirosite ID: 5343970
EPA ID: N/R

PWS ENF (cont.)

Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8145699
 Submission Year : 2021
 Violation First Reported Date : 2001-06-07
 Contaminant Name : Fluoride
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Inorganic Chemicals
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Violation/Reminder Notice
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : N/R
 Violation ID : 8600533
 Submission Year : 2021
 Violation First Reported Date : 1986-09-30
 Contaminant Name : Chromium
 Rule Family : Inorganic Chemicals
 Rule Group : Chemicals
 Rule Name : Inorganic Chemicals
 Violation Type : Monitoring, Regular
 Is Health Based : N
 Is Major Violation : Y
 Severity Indicator Count : N/R
 Public Notification Tier : 3
 Address Line 1 : 123 SOUTHWIND, GAHANNA, 43231
 Address Line 2 : N/R
 Compliance Status : System Inactive
 RTC Date : 2001-05-24
 Enforcement Action Description : State Formal Notice of Violation issued
 Admin Name : NORTONS MOBILE HOME PARK
 Email Address : N/R

RTC Enforcement ID : 1000198
 Violation ID : 8155097
 Submission Year : 2021
 Violation First Reported Date : 1998-05-13

Map Id: 14
 Direction: E
 Distance: 0.343 mi., 1812 ft.
 Elevation: 829 ft.
 Relative: Higher

Site Name : OH2502012 | OH2503712 | NORTONS
 MOBILE HOME PARK 1-NORTONS MHP
 123 SOUTHWIND
 GAHANNA, OH 43231

Database(s) : [PWS, PWS ENF] (*cont.*)

Envirosite ID: 5343970
EPA ID: N/R

PWS ENF (*cont.*)

Contaminant Name :	Carbon tetrachloride
Rule Family :	Volatile Organic Chemicals
Rule Group :	Chemicals
Rule Name :	Volatile Organic Chemicals
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	123 SOUTHWIND, GAHANNA, 43231
Address Line 2 :	N/R
Compliance Status :	Returned to Compliance
RTC Date :	1998-01-09
Enforcement Action Description :	State Compliance achieved
Admin Name :	NORTONS MOBILE HOME PARK
Email Address :	N/R

Map Id: C15
 Direction: ENE
 Distance: 0.349 mi., 1846 ft.
 Elevation: 831 ft.
 Relative: Higher

Site Name : 312106
 40.023821, -82.862696
 OH

Database(s) : [WELLS - OH]

Envirosite ID: 34285065
EPA ID: N/R

WELLS - OH

Well Number :	312106
Type :	W
Completion Date :	1965-09-13
Well Use :	DOMESTIC
Address :	3300 LONGSTRECH PARK PL
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	LONGSTRETH, MYRON
Total Dept :	68
Case Length :	68
Bedrock :	0
DEM Elevation :	830.29998779
Aquifer Type :	SAND & GRAVEL
Drill Type :	N/R
Test Rate :	8
Static WAT :	27
Elevation :	831
Latitude :	40.023821
Longitude :	-82.862696
Last Date in Agency List :	2022-03-28

Map Id: D16
Direction: SSE
Distance: 0.383 mi., 2024 ft.
Elevation: 808 ft.
Relative: Higher

Site Name : 2040892
40.013291, -82.866518
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34223455
EPA ID: N/R

WELLS - OH

Well Number : 2040892
Type : W
Completion Date : 2012-09-19
Well Use : MONITOR
Address : 240 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : SPEEDWAY SUMPERAMERICA LLC
Total Dept : 20
Case Length : 9.5
Bedrock : 0
DEM Elevation : 807.09997559
Aquifer Type : SAND & GRAVEL
Drill Type : AUGER
Test Rate : 0
Static WAT : 15
Elevation : 808
Latitude : 40.013291
Longitude : -82.866518
Last Date in Agency List : 2022-03-28

Map Id: C17
Direction: NE
Distance: 0.385 mi., 2033 ft.
Elevation: 829 ft.
Relative: Higher

Site Name : 377986
40.024502, -82.86251
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34446061
EPA ID: N/R

WELLS - OH

Well Number : 377986
Type : W
Completion Date : 1969-06-11
Well Use : DOMESTIC
Address : 0 LONGSTRECH PARK PL
County : FRANKLIN
Township : JEFFERSON
Owner Name : LONGSTRETH, MYRON
Total Dept : 76
Case Length : 76
Bedrock : 0
DEM Elevation : 829.09997559
Aquifer Type : GRAVEL
Drill Type : N/R
Test Rate : 8
Static WAT : 47
Elevation : 831
Latitude : 40.024502
Longitude : -82.86251
Last Date in Agency List : 2022-03-28

Map Id: D18
Direction: SSE
Distance: 0.392 mi., 2072 ft.
Elevation: 808 ft.
Relative: Higher

Site Name : 2040895
40.013172, -82.866443
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34221832
EPA ID: N/R

WELLS - OH

Well Number : 2040895
Type : W
Completion Date : 2012-09-19
Well Use : MONITOR
Address : 240 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : SPEEDWAY SUPER AMERICA LLC
Total Dept : 19.5
Case Length : 9
Bedrock : 0
DEM Elevation : 808
Aquifer Type : SAND & GRAVEL
Drill Type : AUGER
Test Rate : 0
Static WAT : 17
Elevation : 808
Latitude : 40.013172
Longitude : -82.866443
Last Date in Agency List : 2022-03-28

Map Id: D19
Direction: SSE
Distance: 0.394 mi., 2080 ft.
Elevation: 808 ft.
Relative: Higher

Site Name : 2040893
40.013111, -82.866593
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34221831
EPA ID: N/R

WELLS - OH

Well Number : 2040893
Type : W
Completion Date : 2012-09-19
Well Use : MONITOR
Address : 240 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : SPEEDWAY SUPERAMERICA LLC
Total Dept : 21
Case Length : 10
Bedrock : 0
DEM Elevation : 807.29998779
Aquifer Type : SAND & GRAVEL
Drill Type : AUGER
Test Rate : 0
Static WAT : 16
Elevation : 808
Latitude : 40.013111
Longitude : -82.866593
Last Date in Agency List : 2022-03-28

Map Id: C20
Direction: NE
Distance: 0.405 mi., 2138 ft.
Elevation: 828 ft.
Relative: Higher

Site Name : 334620
40.025226, -82.86286
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34252214
EPA ID: N/R

WELLS - OH

Well Number : 334620
Type : W
Completion Date : 1965-07-17
Well Use : N/R
Address : 3354 LONGSTRECH PARK PL
County : FRANKLIN
Township : JEFFERSON
Owner Name : ELKAY CO.
Total Dept : 74
Case Length : 74
Bedrock : 0
DEM Elevation : 827.40002441
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 20
Static WAT : 19
Elevation : 828
Latitude : 40.025226
Longitude : -82.86286
Last Date in Agency List : 2022-03-28

Map Id: C21
Direction: NE
Distance: 0.408 mi., 2154 ft.
Elevation: 830 ft.
Relative: Higher

Site Name : 296436
40.024961, -82.862448
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34437915
EPA ID: N/R

WELLS - OH

Well Number : 296436
Type : W
Completion Date : 1963-11-01
Well Use : DOMESTIC
Address : 3342 LONGSTRECH PARK PL
County : FRANKLIN
Township : JEFFERSON
Owner Name : UNTEREINER, JAS
Total Dept : 75
Case Length : 75
Bedrock : 0
DEM Elevation : 829.79998779
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 10
Static WAT : 33
Elevation : 830
Latitude : 40.024961
Longitude : -82.862448
Last Date in Agency List : 2022-03-28

Map Id: E22
Direction: WNW
Distance: 0.448 mi., 2368 ft.
Elevation: 805 ft.
Relative: Higher

Site Name : 292284
40.024418, -82.876257
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34436141
EPA ID: N/R

WELLS - OH

Well Number : 292284
Type : W
Completion Date : 1963-09-13
Well Use : DOMESTIC
Address : 143 HEIL ST
County : FRANKLIN
Township : MIFFLIN
Owner Name : VANUE, JOSEPH
Total Dept : 48
Case Length : 48
Bedrock : 0
DEM Elevation : 805.70001221
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 6
Static WAT : 17
Elevation : 802
Latitude : 40.024418
Longitude : -82.876257
Last Date in Agency List : 2022-03-28

Map Id: E23
Direction: WNW
Distance: 0.485 mi., 2559 ft.
Elevation: 804 ft.
Relative: Higher

Site Name : 494749
40.024575, -82.876957
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34369051
EPA ID: N/R

WELLS - OH

Well Number : 494749
Type : W
Completion Date : 1977-08-31
Well Use : DOMESTIC
Address : 107 HEIL DR
County : FRANKLIN
Township : MIFFLIN
Owner Name : CALVIN, L
Total Dept : 43
Case Length : 43
Bedrock : 0
DEM Elevation : 803.5
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 19
Static WAT : 15
Elevation : 795
Latitude : 40.024575
Longitude : -82.876957
Last Date in Agency List : 2022-03-28

Map Id: E24
Direction: NW
Distance: 0.495 mi., 2612 ft.
Elevation: 808 ft.
Relative: Higher

Site Name : 41907
40.025474, -82.876225
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34163537
EPA ID: N/R

WELLS - OH

Well Number : 41907
Type : W
Completion Date : 1948-04-01
Well Use : DOMESTIC
Address : 0 SR 62
County : FRANKLIN
Township : MIFFLIN
Owner Name : CRITERS, ED
Total Dept : 45
Case Length : 45
Bedrock : 0
DEM Elevation : 807.20001221
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 0
Static WAT : 20
Elevation : 798
Latitude : 40.025474
Longitude : -82.876225
Last Date in Agency List : 2022-03-28

Map Id: E25
Direction: NW
Distance: 0.496 mi., 2620 ft.
Elevation: 805 ft.
Relative: Higher

Site Name : 219057
40.025075, -82.876728
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34157603
EPA ID: N/R

WELLS - OH

Well Number : 219057
Type : W
Completion Date : 1958-10-14
Well Use : DOMESTIC
Address : 100 HEIL ST
County : FRANKLIN
Township : MIFFLIN
Owner Name : LONGSTRETCH, MYRON
Total Dept : 70
Case Length : 70
Bedrock : 0
DEM Elevation : 804.59997559
Aquifer Type : GRAVEL
Drill Type : N/R
Test Rate : 0
Static WAT : 15
Elevation : 795
Latitude : 40.025075
Longitude : -82.876728
Last Date in Agency List : 2022-03-28

Map Id: 26
Direction: NNE
Distance: 0.525 mi., 2770 ft.
Elevation: 822 ft.
Relative: Higher

Site Name : 74442 40.02851, -82.866449 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34380795
EPA ID: N/R

WELLS - OH

Well Number :	74442
Type :	W
Completion Date :	1949-09-28
Well Use :	DOMESTIC
Address :	3305 BEECHAM RD
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	NEEFF, E
Total Dept :	72
Case Length :	72
Bedrock :	0
DEM Elevation :	819.09997559
Aquifer Type :	SAND & GRAVEL
Drill Type :	N/R
Test Rate :	0
Static WAT :	5.5
Elevation :	820
Latitude :	40.02851
Longitude :	-82.866449
Last Date in Agency List :	2022-03-28

Map Id: 27
Direction: W
Distance: 0.543 mi., 2867 ft.
Elevation: 795 ft.
Relative: Lower

Site Name : 835798 899283 899284 40.02145, -82.87969 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34271474
EPA ID: N/R

WELLS - OH

Well Number :	835798
Type :	W
Completion Date :	1996-04-17
Well Use :	MONITOR
Address :	143 MILL ST
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	CLARK
Total Dept :	14
Case Length :	4
Bedrock :	0
DEM Elevation :	794.20001221
Aquifer Type :	SAND & GRAVEL
Drill Type :	AUGER
Test Rate :	0
Static WAT :	0
Elevation :	794
Latitude :	40.02145
Longitude :	-82.87969
Last Date in Agency List :	2022-03-28

Map Id: 27
 Direction: W
 Distance: 0.543 mi., 2867 ft.
 Elevation: 795 ft.
 Relative: Lower

Site Name : 835798 | 899283 | 899284
 40.02145, -82.87969
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34271474
EPA ID: N/R

WELLS - OH (cont.)

Well Number : 899283
 Type : W
 Completion Date : 2000-03-22
 Well Use : MONITOR
 Address : 143 MILL ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : CLARK GAS STATION
 Total Dept : 14
 Case Length : 4
 Bedrock : 0
 DEM Elevation : 794.20001221
 Aquifer Type : SAND & GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 794
 Latitude : 40.02145
 Longitude : -82.87969
 Last Date in Agency List : 2022-03-28

Well Number : 899284
 Type : W
 Completion Date : 2000-03-22
 Well Use : MONITOR
 Address : 143 MILL ST
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : CLARK GAS STATION
 Total Dept : 14
 Case Length : 4
 Bedrock : 0
 DEM Elevation : 794.20001221
 Aquifer Type : SAND & GRAVEL
 Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 794
 Latitude : 40.02145
 Longitude : -82.87969
 Last Date in Agency List : 2022-03-28

Map Id: 28
Direction: NE
Distance: 0.561 mi., 2961 ft.
Elevation: 858 ft.
Relative: Higher

Site Name : 298771 353857 40.027103, -82.86117 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34072772
EPA ID: N/R

WELLS - OH

Well Number :	298771
Type :	W
Completion Date :	1963-09-03
Well Use :	DOMESTIC
Address :	110 CLARK STATE RD
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	SINDEL, WALTER
Total Dept :	60
Case Length :	26
Bedrock :	15
DEM Elevation :	857.59997559
Aquifer Type :	SANDSTONE
Drill Type :	N/R
Test Rate :	10
Static WAT :	20
Elevation :	856
Latitude :	40.027103
Longitude :	-82.86117
Last Date in Agency List :	2022-03-28

Well Number :	353857
Type :	W
Completion Date :	1966-07-09
Well Use :	DOMESTIC
Address :	110 CLARK STATE RD
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	SINDEL, WALTER
Total Dept :	85
Case Length :	26
Bedrock :	15
DEM Elevation :	857.59997559
Aquifer Type :	SHALE
Drill Type :	N/R
Test Rate :	10
Static WAT :	20
Elevation :	856
Latitude :	40.027103
Longitude :	-82.86117
Last Date in Agency List :	2022-03-28

Map Id: 29
Direction: WSW
Distance: 0.568 mi., 3000 ft.
Elevation: 790 ft.
Relative: Lower

Site Name : 314752
40.015848, -82.87952
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34248452
EPA ID: N/R

WELLS - OH

Well Number : 314752
Type : W
Completion Date : 1964-04-29
Well Use : N/R
Address : 0 BIG WALNUT
County : FRANKLIN
Township : MIFFLIN
Owner Name : JEFFERSON RECREATION
Total Dept : 47
Case Length : 24
Bedrock : 0
DEM Elevation : 789.5
Aquifer Type : CLAY & HARDPAN
Drill Type : N/R
Test Rate : 25
Static WAT : 4.5
Elevation : 790
Latitude : 40.015848
Longitude : -82.87952
Last Date in Agency List : 2022-03-28

Map Id: F30
Direction: NNE
Distance: 0.587 mi., 3100 ft.
Elevation: 831 ft.
Relative: Higher

Site Name : 2055140
40.029376, -82.86608
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34342082
EPA ID: N/R

WELLS - OH

Well Number : 2055140
Type : W
Completion Date : 2015-10-19
Well Use : AGRIC/IRRIG
Address : 471 HAMILTON RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : BONITA 25 REAL ESTATE
Total Dept : 82.5
Case Length : 77.5
Bedrock : 0
DEM Elevation : 0
Aquifer Type : SAND & GRAVEL
Drill Type : ROTARY
Test Rate : 60
Static WAT : 27.5
Elevation : 831
Latitude : 40.029376
Longitude : -82.86608
Last Date in Agency List : 2022-03-28

Map Id: 31
 Direction: NNW
 Distance: 0.597 mi., 3152 ft.
 Elevation: 818 ft.
 Relative: Higher

Site Name : 28518
 40.028325, -82.874313
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34069430
EPA ID: N/R

WELLS - OH

Well Number : 28518
 Type : W
 Completion Date : 1948-05-21
 Well Use : N/R
 Address : 0
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : LITNER
 Total Dept : 27
 Case Length : 27
 Bedrock : 0
 DEM Elevation : 815.40002441
 Aquifer Type : SAND & GRAVEL
 Drill Type : N/R
 Test Rate : 16
 Static WAT : 12
 Elevation : 810
 Latitude : 40.028325
 Longitude : -82.874313
 Last Date in Agency List : 2022-03-28

Map Id: 32
 Direction: ENE
 Distance: 0.598 mi., 3159 ft.
 Elevation: 836 ft.
 Relative: Higher

Site Name : 138942 | 248165
 40.023497, -82.85737
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34229501
EPA ID: N/R

WELLS - OH

Well Number : 138942
 Type : W
 Completion Date : 1954-12-13
 Well Use : DOMESTIC
 Address : 5065 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : ALTMIER, JOHN
 Total Dept : 39
 Case Length : 39
 Bedrock : 0
 DEM Elevation : 832.29998779
 Aquifer Type : GRAVEL
 Drill Type : N/R
 Test Rate : 4
 Static WAT : 28
 Elevation : 828
 Latitude : 40.023497
 Longitude : -82.85737
 Last Date in Agency List : 2022-03-28

Map Id: 32
 Direction: ENE
 Distance: 0.598 mi., 3159 ft.
 Elevation: 836 ft.
 Relative: Higher

Site Name : 138942 | 248165
 40.023497, -82.85737
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34229501
EPA ID: N/R

WELLS - OH (cont.)

Well Number : 248165
 Type : W
 Completion Date : 1960-05-21
 Well Use : DOMESTIC
 Address : 5065 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : ALTAMAIER, JOHN
 Total Dept : 50
 Case Length : 50
 Bedrock : 0
 DEM Elevation : 832.29998779
 Aquifer Type : SAND & GRAVEL
 Drill Type : N/R
 Test Rate : 30
 Static WAT : 18
 Elevation : 828
 Latitude : 40.023497
 Longitude : -82.85737
 Last Date in Agency List : 2022-03-28

Map Id: F33
 Direction: NNE
 Distance: 0.627 mi., 3313 ft.
 Elevation: 833 ft.
 Relative: Higher

Site Name : OH4552612
 624 Kamilah Lane
 GAHANNA, OH 43230
Database(s) : [PWS]

Envirosite ID: 31246381
EPA ID: N/R

PWS

Facility Address : 624 Kamilah Lane, GAHANNA, OH 43230

PWS ID : OH4552612
 PWS Type : Transient non-community system
 PWS Name : THORNVILLE SHELL
 Activity Status : Active
 Primary Source : Ground water
 Submission Year : 2019
 Submission Year Quarter : 2019Q4
 Population Served Count : 603
 Service Connections Count : 1
 Population Category 2 : <10,000
 Population Category 3 : <=3300
 Population Category 4 : <10K
 Population Category 5 : 501-3,300
 Population Category 11 : 501-1,000
 Submission Quarter : 4
 Submission Status Code : Y
 First Reported Date : 1981-01-30
 Last Reported Date : 2019-12-17
 Deactivation Date : N/R

Map Id: F33
 Direction: NNE
 Distance: 0.627 mi., 3313 ft.
 Elevation: 833 ft.
 Relative: Higher

Site Name : OH4552612
 624 Kamilah Lane
 GAHANNA, OH 43230

Database(s) : [PWS] **(cont.)**

Envirosite ID: 31246381
EPA ID: N/R

PWS (cont.)

GW or SW :	Groundwater
Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N
Primacy Agency :	Ohio
Primacy Type :	State
Org Name :	TATEL, DEVANGI
EPA Region :	Region 5
Admin Name :	TATEL, DEVANGI
Owner Type :	Private
Phone Number :	614-517-4733
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	devangi86@gmail.com
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2020-02-20

Map Id: F34
 Direction: NNE
 Distance: 0.632 mi., 3337 ft.
 Elevation: 831 ft.
 Relative: Higher

Site Name : 2055138
 40.030105, -82.866637
 OH

Database(s) : [WELLS - OH]

Envirosite ID: 34342080
EPA ID: N/R

WELLS - OH

Well Number :	2055138
Type :	W
Completion Date :	2015-10-15
Well Use :	AGRIC/IRRIG
Address :	471 HAMILTON RD
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	BONITA 25 REAL ESTATE
Total Dept :	62.5
Case Length :	61.5
Bedrock :	0
DEM Elevation :	0

Map Id: F34
Direction: NNE
Distance: 0.632 mi., 3337 ft.
Elevation: 831 ft.
Relative: Higher

Site Name : 2055138
40.030105, -82.866637
OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34342080
EPA ID: N/R

WELLS - OH (**cont.**)

Aquifer Type : SAND/GRAVEL/CLAY
Drill Type : ROTARY
Test Rate : 6
Static WAT : 25
Elevation : 830
Latitude : 40.030105
Longitude : -82.866637
Last Date in Agency List : 2022-03-28

Map Id: 35
Direction: N
Distance: 0.641 mi., 3383 ft.
Elevation: 810 ft.
Relative: Higher

Site Name : 28544
40.0301, -82.87078
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34435221
EPA ID: N/R

WELLS - OH

Well Number : 28544
Type : W
Completion Date : 1948-10-04
Well Use : DOMESTIC
Address : 0 SR 62
County : FRANKLIN
Township : MIFFLIN
Owner Name : HANS, A
Total Dept : 42
Case Length : 42
Bedrock : 0
DEM Elevation : 809.79998779
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 12
Static WAT : 6
Elevation : 811
Latitude : 40.0301
Longitude : -82.87078
Last Date in Agency List : 2022-03-28

Map Id: F36
Direction: NNE
Distance: 0.656 mi., 3467 ft.
Elevation: 832 ft.
Relative: Higher

Site Name : 28411 40.030434, -82.866355 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34434834
EPA ID: N/R

WELLS - OH

Well Number :	28411
Type :	W
Completion Date :	1949-06-14
Well Use :	DOMESTIC
Address :	0
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	HICKMAN, WILLIS
Total Dept :	42
Case Length :	42
Bedrock :	0
DEM Elevation :	831.59997559
Aquifer Type :	SAND
Drill Type :	N/R
Test Rate :	6
Static WAT :	25
Elevation :	835
Latitude :	40.030434
Longitude :	-82.866355
Last Date in Agency List :	2022-03-28

Map Id: G37
Direction: NE
Distance: 0.689 mi., 3639 ft.
Elevation: 873 ft.
Relative: Higher

Site Name : 711129 736061 40.02751, -82.8583 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34317209
EPA ID: N/R

WELLS - OH

Well Number :	711129
Type :	W
Completion Date :	1990-04-21
Well Use :	AGRIC/IRRIG
Address :	5057 CLARK STATE RD
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	DUNN, DON
Total Dept :	37
Case Length :	35
Bedrock :	32
DEM Elevation :	871
Aquifer Type :	SHALE
Drill Type :	ROTARY
Test Rate :	20
Static WAT :	13
Elevation :	870
Latitude :	40.02751
Longitude :	-82.8583
Last Date in Agency List :	2022-03-28

Map Id: G37
Direction: NE
Distance: 0.689 mi., 3639 ft.
Elevation: 873 ft.
Relative: Higher

Site Name : 711129 | 736061
40.02751, -82.8583
OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34317209
EPA ID: N/R

WELLS - OH (**cont.**)

Well Number : 736061
Type : W
Completion Date : 1991-11-06
Well Use : DOMESTIC
Address : 5057 CLARK STATE RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : DUNN, DONALD
Total Dept : 45
Case Length : 33
Bedrock : 0
DEM Elevation : 871
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 75
Static WAT : 12
Elevation : 870
Latitude : 40.02751
Longitude : -82.8583
Last Date in Agency List : 2022-03-28

Map Id: G38
Direction: NE
Distance: 0.690 mi., 3641 ft.
Elevation: 873 ft.
Relative: Higher

Site Name : 874205
40.02751, -82.85829
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34106769
EPA ID: N/R

WELLS - OH

Well Number : 874205
Type : W
Completion Date : 1999-06-25
Well Use : AGRIC/IRRIG
Address : 5065 CLARK STATE RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : DUNN, JAMES
Total Dept : 67
Case Length : 59
Bedrock : 0
DEM Elevation : 871
Aquifer Type : GRAVEL/SAND/CLAY
Drill Type : ROTARY
Test Rate : 30
Static WAT : 8
Elevation : 870
Latitude : 40.02751
Longitude : -82.85829
Last Date in Agency List : 2022-03-28

Map Id: 39
Direction: NE
Distance: 0.690 mi., 3644 ft.
Elevation: 879 ft.
Relative: Higher

Site Name : 346676
40.028251, -82.859191
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34256781
EPA ID: N/R

WELLS - OH

Well Number : 346676
Type : W
Completion Date : 1967-04-21
Well Use : N/R
Address : 3492 CLOTTS RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : SAMMON, HARLON
Total Dept : 73
Case Length : 8
Bedrock : 8
DEM Elevation : 878.20001221
Aquifer Type : SHALE
Drill Type : N/R
Test Rate : 1
Static WAT : 12
Elevation : 879
Latitude : 40.028251
Longitude : -82.859191
Last Date in Agency List : 2022-03-28

Map Id: H40
Direction: NNW
Distance: 0.699 mi., 3691 ft.
Elevation: 814 ft.
Relative: Higher

Site Name : 2044641
40.030417, -82.873167
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34337325
EPA ID: N/R

WELLS - OH

Well Number : 2044641
Type : W
Completion Date : 2013-09-16
Well Use : DOMESTIC
Address : 481 JOHNSTOWN RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : TOCASH, RONALD
Total Dept : 71
Case Length : 48.7
Bedrock : 0
DEM Elevation : 813.29998779
Aquifer Type : SAND & GRAVEL
Drill Type : ROTARY
Test Rate : 15
Static WAT : 16
Elevation : 815
Latitude : 40.030417
Longitude : -82.873167
Last Date in Agency List : 2022-03-28

Map Id: 41
Direction: N
Distance: 0.712 mi., 3760 ft.
Elevation: 818 ft.
Relative: Higher

Site Name : 505684
40.031297, -82.869513
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34371056
EPA ID: N/R

WELLS - OH

Well Number : 505684
Type : W
Completion Date : 1977-12-28
Well Use : DOMESTIC
Address : 560 JOHNSTOWN RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : DAVIS, BOB
Total Dept : 31
Case Length : 35
Bedrock : 0
DEM Elevation : 817.90002441
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 10
Static WAT : 11
Elevation : 818
Latitude : 40.031297
Longitude : -82.869513
Last Date in Agency List : 2022-03-28

Map Id: 142
Direction: NW
Distance: 0.720 mi., 3804 ft.
Elevation: 801 ft.
Relative: Lower

Site Name : 559208
40.029289, -82.876826
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34090736
EPA ID: N/R

WELLS - OH

Well Number : 559208
Type : W
Completion Date : 1980-09-19
Well Use : N/R
Address : 409 JOHNSTOWN RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : FATERNAL ORDER OF PO
Total Dept : 40
Case Length : 38
Bedrock : 0
DEM Elevation : 800.90002441
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 20
Static WAT : 5
Elevation : 799
Latitude : 40.029289
Longitude : -82.876826
Last Date in Agency List : 2022-03-28

Map Id: 143
Direction: NW
Distance: 0.721 mi., 3805 ft.
Elevation: 801 ft.
Relative: Lower

Site Name : 559209
40.02929, -82.876828
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34090737
EPA ID: N/R

WELLS - OH

Well Number : 559209
Type : W
Completion Date : 1980-09-19
Well Use : N/R
Address : 409 JOHNSTOWN RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : FATERNAL ORDER OF PO
Total Dept : 150
Case Length : 0
Bedrock : 138
DEM Elevation : 800.90002441
Aquifer Type : SHALE
Drill Type : N/R
Test Rate : 0
Static WAT : 0
Elevation : 799
Latitude : 40.02929
Longitude : -82.876828
Last Date in Agency List : 2022-03-28

Map Id: 44
Direction: WSW
Distance: 0.722 mi., 3811 ft.
Elevation: 802 ft.
Relative: Higher

Site Name : 334607
40.014958, -82.882189
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34253466
EPA ID: N/R

WELLS - OH

Well Number : 334607
Type : W
Completion Date : 1965-05-23
Well Use : DOMESTIC
Address : 186 JAMES RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : ROBY JR., ALBERT
Total Dept : 105
Case Length : 101
Bedrock : 0
DEM Elevation : 802.20001221
Aquifer Type : SAND
Drill Type : N/R
Test Rate : 24
Static WAT : 15
Elevation : 801
Latitude : 40.014958
Longitude : -82.882189
Last Date in Agency List : 2022-03-28

Map Id: 45
Direction: N
Distance: 0.730 mi., 3852 ft.
Elevation: 835 ft.
Relative: Higher

Site Name : 170754
40.031526, -82.866603
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34500111
EPA ID: N/R

WELLS - OH

Well Number : 170754
Type : W
Completion Date : 1956-01-19
Well Use : DOMESTIC
Address : 3607 HAMILTON RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : ROUCH, JAMES
Total Dept : 50
Case Length : 50
Bedrock : 0
DEM Elevation : 834
Aquifer Type : SAND
Drill Type : N/R
Test Rate : 7
Static WAT : 28
Elevation : 836
Latitude : 40.031526
Longitude : -82.866603
Last Date in Agency List : 2022-03-28

Map Id: H46
Direction: NNW
Distance: 0.731 mi., 3863 ft.
Elevation: 814 ft.
Relative: Higher

Site Name : 74435
40.030934, -82.873129
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34315152
EPA ID: N/R

WELLS - OH

Well Number : 74435
Type : W
Completion Date : 1949-09-03
Well Use : DOMESTIC
Address : 0 SR 62
County : FRANKLIN
Township : MIFFLIN
Owner Name : PETTY, EDGAR
Total Dept : 56
Case Length : 56
Bedrock : 0
DEM Elevation : 813.20001221
Aquifer Type : GRAVEL & CLAY
Drill Type : N/R
Test Rate : 0
Static WAT : 40
Elevation : 818
Latitude : 40.030934
Longitude : -82.873129
Last Date in Agency List : 2022-03-28

Map Id: 47
 Direction: ENE
 Distance: 0.769 mi., 4058 ft.
 Elevation: 877 ft.
 Relative: Higher

Site Name : 182025 | 248175 | 266114
 40.02739, -82.856287
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34229504
EPA ID: N/R

WELLS - OH

Well Number : 182025
 Type : W
 Completion Date : 1956-07-21
 Well Use : N/R
 Address : 0 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : ROCKY FORT HUNT/COUN
 Total Dept : 76
 Case Length : 76
 Bedrock : 0
 DEM Elevation : 877.90002441
 Aquifer Type : SAND & GRAVEL
 Drill Type : N/R
 Test Rate : 25
 Static WAT : 17
 Elevation : 865
 Latitude : 40.02739
 Longitude : -82.856287
 Last Date in Agency List : 2022-03-28

Well Number : 248175
 Type : W
 Completion Date : 1960-08-02
 Well Use : N/R
 Address : 0 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : ROCKY FORK COUNTRY C
 Total Dept : 84
 Case Length : 84
 Bedrock : 0
 DEM Elevation : 877.90002441
 Aquifer Type : SAND & GRAVEL
 Drill Type : N/R
 Test Rate : 10
 Static WAT : 65
 Elevation : 865
 Latitude : 40.02739
 Longitude : -82.856287
 Last Date in Agency List : 2022-03-28

Well Number : 266114
 Type : W
 Completion Date : 1961-09-18
 Well Use : N/R
 Address : 0 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : ROCKY FORK COUNTRY C
 Total Dept : 130
 Case Length : 33
 Bedrock : 30
 DEM Elevation : 877.90002441
 Aquifer Type : SHALE

Map Id: 47
 Direction: ENE
 Distance: 0.769 mi., 4058 ft.
 Elevation: 877 ft.
 Relative: Higher

Site Name : 182025 | 248175 | 266114
 40.02739, -82.856287
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34229504
EPA ID: N/R

WELLS - OH (cont.)

Drill Type : N/R
 Test Rate : 60
 Static WAT : 30
 Elevation : 865
 Latitude : 40.02739
 Longitude : -82.856287
 Last Date in Agency List : 2022-03-28

Well Number : 338734
 Type : W
 Completion Date : 1966-03-03
 Well Use : N/R
 Address : 5189 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : ROCKY FORK COUNTRY C
 Total Dept : 94
 Case Length : 94
 Bedrock : 0
 DEM Elevation : 877.90002441
 Aquifer Type : GRAVEL
 Drill Type : N/R
 Test Rate : 25
 Static WAT : 63
 Elevation : 865
 Latitude : 40.02739
 Longitude : -82.856287
 Last Date in Agency List : 2022-03-28

Map Id: 48
 Direction: W
 Distance: 0.789 mi., 4165 ft.
 Elevation: 809 ft.
 Relative: Higher

Site Name : 1002236
 40.01799, -82.88443
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34328003
EPA ID: N/R

WELLS - OH

Well Number : 1002236
 Type : W
 Completion Date : 2005-12-30
 Well Use : MONITOR
 Address : 180 JOHNSTOWN RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : LUTZ AUTO
 Total Dept : 22
 Case Length : 0
 Bedrock : 0
 DEM Elevation : 808.90002441
 Aquifer Type : N/R

Map Id: 48
 Direction: W
 Distance: 0.789 mi., 4165 ft.
 Elevation: 809 ft.
 Relative: Higher

Site Name : 1002236
 40.01799, -82.88443
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34328003
EPA ID: N/R

WELLS - OH (cont.)

Drill Type : AUGER
 Test Rate : 0
 Static WAT : 0
 Elevation : 807
 Latitude : 40.01799
 Longitude : -82.88443
 Last Date in Agency List : 2022-03-28

Map Id: 49
 Direction: E
 Distance: 0.790 mi., 4172 ft.
 Elevation: 876 ft.
 Relative: Higher

Site Name : BLDG
 40.017064, -82.853647
 COLUMBUS, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 5301213
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action : 2014-04-15
 Action : Add
 FAA Study Number : N/R
 OBS Number : 39-025218
 Obstacle Type : BLDG
 City Name : COLUMBUS
 State Identifier : OH
 Country Identifier : USA
 Type of Lighting : Unknown
 Verification Status : Verified
 Quantity : 1
 Mark Indicator : Unknown
 Above Ground Level Height (Feet) : 00098
 Above Mean Sea Level Height (Feet) : 00973
 Horizontal Accuracy : +-20'
 Vertical Accuracy : +-10'
 Latitude : 40 01 01.43N
 Longitude : 082 51 13.13W

Map Id: 50
 Direction: W
 Distance: 0.808 mi., 4266 ft.
 Elevation: 801 ft.
 Relative: Higher

Site Name : 41819
 40.016932, -82.884585
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34163288
EPA ID: N/R

WELLS - OH

Well Number : 41819
 Type : W

Map Id: 50
 Direction: W
 Distance: 0.808 mi., 4266 ft.
 Elevation: 801 ft.
 Relative: Higher

Site Name : 41819
 40.016932, -82.884585
 OH
Database(s) : [WELLS - OH] (**cont.**)

Envirosite ID: 34163288
EPA ID: N/R

WELLS - OH (**cont.**)

Completion Date :	1949-05-24
Well Use :	DOMESTIC
Address :	0 HALLS LN
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	HALL, ELNON
Total Dept :	40
Case Length :	40
Bedrock :	0
DEM Elevation :	800.90002441
Aquifer Type :	SAND
Drill Type :	N/R
Test Rate :	0
Static WAT :	0
Elevation :	800
Latitude :	40.016932
Longitude :	-82.884585
Last Date in Agency List :	2022-03-28

Map Id: J51
 Direction: W
 Distance: 0.809 mi., 4273 ft.
 Elevation: 817 ft.
 Relative: Higher

Site Name : 242522
 40.019646, -82.884891
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34228312
EPA ID: N/R

WELLS - OH

Well Number :	242522
Type :	W
Completion Date :	1961-08-15
Well Use :	N/R
Address :	1656 AGLER RD
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	MIFFLIN CEMETARY
Total Dept :	65
Case Length :	0
Bedrock :	0
DEM Elevation :	816.40002441
Aquifer Type :	GRAVEL
Drill Type :	N/R
Test Rate :	0
Static WAT :	0
Elevation :	815
Latitude :	40.019646
Longitude :	-82.884891
Last Date in Agency List :	2022-03-28

Map Id: J52
 Direction: W
 Distance: 0.809 mi., 4273 ft.
 Elevation: 817 ft.
 Relative: Higher

Site Name : 242521
 40.019646, -82.884893
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34228307
EPA ID: N/R

WELLS - OH

Well Number : 242521
 Type : W
 Completion Date : 1961-08-15
 Well Use : N/R
 Address : 4656 AGLER RD
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : MIFFLIN CEMETARY
 Total Dept : 68
 Case Length : 0
 Bedrock : 0
 DEM Elevation : 816.40002441
 Aquifer Type : GRAVEL
 Drill Type : N/R
 Test Rate : 18
 Static WAT : 20
 Elevation : 815
 Latitude : 40.019646
 Longitude : -82.884893
 Last Date in Agency List : 2022-03-28

Map Id: 53
 Direction: NW
 Distance: 0.822 mi., 4342 ft.
 Elevation: 797 ft.
 Relative: Lower

Site Name : TOWER
 40.029667, -82.879411
 GAHANNA, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 37095623
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action : 2020-08-07
 Action : Add
 FAA Study Number : 2018AGL126800E
 OBS Number : 39-107409
 Obstacle Type : TOWER
 City Name : GAHANNA
 State Identifier : OH
 Country Identifier : USA
 Type of Lighting : None
 Verification Status : Verified
 Quantity : 1
 Mark Indicator : None
 Above Ground Level Height (Feet) : 00128
 Above Mean Sea Level Height (Feet) : 00924
 Horizontal Accuracy : +-20'
 Vertical Accuracy : +-3'
 Latitude : 40 01 46.80N
 Longitude : 082 52 45.88W

Map Id: 54
 Direction: SW
 Distance: 0.859 mi., 4536 ft.
 Elevation: 798 ft.
 Relative: Lower

Site Name : 602469
 40.008152, -82.878267
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34094599
EPA ID: N/R

WELLS - OH

Well Number : 602469
 Type : W
 Completion Date : 1981-11-20
 Well Use : DOMESTIC
 Address : 109 PRICE RD
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : HARANG, EDWARD
 Total Dept : 35
 Case Length : 36
 Bedrock : 0
 DEM Elevation : 796.79998779
 Aquifer Type : GRAVEL
 Drill Type : N/R
 Test Rate : 10
 Static WAT : 12
 Elevation : 790
 Latitude : 40.008152
 Longitude : -82.878267
 Last Date in Agency List : 2022-03-28

Map Id: K55
 Direction: W
 Distance: 0.869 mi., 4589 ft.
 Elevation: 818 ft.
 Relative: Higher

Site Name : TOWER
 40.019742, -82.886017
 COLUMBUS, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 5308383
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action : 2014-04-15
 Action : Add
 FAA Study Number : N/R
 OBS Number : 39-025285
 Obstacle Type : TOWER
 City Name : COLUMBUS
 State Identifier : OH
 Country Identifier : USA
 Type of Lighting : Unknown
 Verification Status : Verified
 Quantity : 1
 Mark Indicator : Unknown
 Above Ground Level Height (Feet) : 00162
 Above Mean Sea Level Height (Feet) : 00980
 Horizontal Accuracy : +-20'
 Vertical Accuracy : +-10'
 Latitude : 40 01 11.07N
 Longitude : 082 53 09.66W

Map Id: K56
Direction: W
Distance: 0.871 mi., 4598 ft.
Elevation: 820 ft.
Relative: Higher

Site Name : TOWER
40.019753, -82.88605
GAHANNA, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 5310496
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action : 2014-03-05
Action : Add
FAA Study Number : 2010AGL059680E
OBS Number : 39-025136
Obstacle Type : TOWER
City Name : GAHANNA
State Identifier : OH
Country Identifier : USA
Type of Lighting : None
Verification Status : Verified
Quantity : 1
Mark Indicator : None
Above Ground Level Height (Feet) : 00163
Above Mean Sea Level Height (Feet) : 00979
Horizontal Accuracy : +-500'
Vertical Accuracy : +-50'
Latitude : 40 01 11.11N
Longitude : 082 53 09.78W

Map Id: 57
Direction: SW
Distance: 0.884 mi., 4670 ft.
Elevation: 793 ft.
Relative: Lower

Site Name : 785050
40.00888, -82.88032
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34379504
EPA ID: N/R

WELLS - OH

Well Number : 785050
Type : W
Completion Date : 1994-03-21
Well Use : DOMESTIC
Address : 81 PRICE RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : CORNERSTONE FELLOWSH
Total Dept : 30
Case Length : 20
Bedrock : 26
DEM Elevation : 792.40002441
Aquifer Type : SHALE
Drill Type : ROTARY
Test Rate : 10
Static WAT : 15
Elevation : 790
Latitude : 40.00888
Longitude : -82.88032
Last Date in Agency List : 2022-03-28

Map Id: L58
 Direction: WSW
 Distance: 0.890 mi., 4700 ft.
 Elevation: 808 ft.
 Relative: Higher

Site Name : TOWER
 40.016292, -82.885992
 COLUMBUS, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 5337944
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action : 2018-10-09
 Action : Change
 FAA Study Number : 2018AGL043460E
 OBS Number : 39-021054
 Obstacle Type : TOWER
 City Name : COLUMBUS
 State Identifier : OH
 Country Identifier : USA
 Type of Lighting : None
 Verification Status : Verified
 Quantity : 1
 Mark Indicator : None
 Above Ground Level Height (Feet) : 00125
 Above Mean Sea Level Height (Feet) : 00933
 Horizontal Accuracy : +-20'
 Vertical Accuracy : +-3'
 Latitude : 40 00 58.65N
 Longitude : 082 53 09.57W

Map Id: 59
 Direction: SSW
 Distance: 0.896 mi., 4732 ft.
 Elevation: 785 ft.
 Relative: Lower

Site Name : 950767
 40.00655, -82.87578
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34484682
EPA ID: N/R

WELLS - OH

Well Number : 950767
 Type : W
 Completion Date : 2003-07-08
 Well Use : N/R
 Address : 0 BRDGWAY AVE
 County : FRANKLIN
 Township : MIFFLIN
 Owner Name : COLUMBUS AIRPORT
 Total Dept : 71
 Case Length : 36
 Bedrock : 0
 DEM Elevation : 784.40002441
 Aquifer Type : SAND & GRAVEL
 Drill Type : ROTARY
 Test Rate : 300
 Static WAT : 15
 Elevation : 783
 Latitude : 40.00655
 Longitude : -82.87578
 Last Date in Agency List : 2022-03-28

Map Id: 60
Direction: SW
Distance: 0.908 mi., 4792 ft.
Elevation: 792 ft.
Relative: Lower

Site Name : 239476
40.009524, -82.881834
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34227693
EPA ID: N/R

WELLS - OH

Well Number : 239476
Type : W
Completion Date : 1960-08-22
Well Use : N/R
Address : 0 PRICE RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : CENCI CONSTRUCTION
Total Dept : 29
Case Length : 29
Bedrock : 0
DEM Elevation : 792
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 0
Static WAT : 15
Elevation : 794
Latitude : 40.009524
Longitude : -82.881834
Last Date in Agency List : 2022-03-28

Map Id: L61
Direction: W
Distance: 0.910 mi., 4805 ft.
Elevation: 809 ft.
Relative: Higher

Site Name : 9765
40.016683, -82.886488
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34122850
EPA ID: N/R

WELLS - OH

Well Number : 9765
Type : W
Completion Date : 1947-07-09
Well Use : DOMESTIC
Address : 3129 JOHNSTOWN RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : DUNKLE, G
Total Dept : 41
Case Length : 41
Bedrock : 0
DEM Elevation : 808.70001221
Aquifer Type : GRAVEL
Drill Type : N/R
Test Rate : 8
Static WAT : 16
Elevation : 809
Latitude : 40.016683
Longitude : -82.886488
Last Date in Agency List : 2022-03-28

Map Id: M62
 Direction: SSW
 Distance: 0.927 mi., 4897 ft.
 Elevation: 797 ft.
 Relative: Lower

Site Name : TOWER
 40.005375, -82.872678
 COLUMBUS, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 5309016
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-02-23
Action :	Change
FAA Study Number :	2012AGL109250E
OBS Number :	39-025293
Obstacle Type :	TOWER
City Name :	COLUMBUS
State Identifier :	OH
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00131
Above Mean Sea Level Height (Feet) :	00926
Horizontal Accuracy :	+ -20'
Vertical Accuracy :	+ -3'
Latitude :	40 00 19.35N
Longitude :	082 52 21.64W

Map Id: N63
 Direction: NW
 Distance: 0.930 mi., 4911 ft.
 Elevation: 812 ft.
 Relative: Higher

Site Name : 41828
 40.030306, -82.881543
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34361733
EPA ID: N/R

WELLS - OH

Well Number :	41828
Type :	W
Completion Date :	1948-08-06
Well Use :	DOMESTIC
Address :	0 RIDENOUR RD
County :	FRANKLIN
Township :	MIFFLIN
Owner Name :	BREHM, H
Total Dept :	71
Case Length :	70
Bedrock :	0
DEM Elevation :	811.5
Aquifer Type :	GRAVEL
Drill Type :	N/R
Test Rate :	0
Static WAT :	0
Elevation :	810
Latitude :	40.030306
Longitude :	-82.881543
Last Date in Agency List :	2022-03-28

Map Id: 64
 Direction: ENE
 Distance: 0.943 mi., 4978 ft.
 Elevation: 840 ft.
 Relative: Higher

Site Name : 2004112 | 2017892
 40.02375, -82.85075
 OH
Database(s) : [WELLS - OH]

Envirosite ID: 34211854
EPA ID: N/R

WELLS - OH

Well Number : 2004112
 Type : W
 Completion Date : 2006-07-24
 Well Use : PIEZOMETER
 Address : 5189 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : JEFFERSON WATER & SEWER DISTRICT
 Total Dept : 145
 Case Length : 125
 Bedrock : 145
 DEM Elevation : 839.70001221
 Aquifer Type : SAND & GRAVEL
 Drill Type : CABLE TOOL
 Test Rate : 30
 Static WAT : 19.7
 Elevation : 841
 Latitude : 40.02375
 Longitude : -82.85075
 Last Date in Agency List : 2022-03-28

Well Number : 2017892
 Type : W
 Completion Date : 2008-07-22
 Well Use : PIEZOMETER
 Address : 189 CLARK STATE RD
 County : FRANKLIN
 Township : JEFFERSON
 Owner Name : WATER & SEWER DIST, JEFFERSON
 Total Dept : 121
 Case Length : 97
 Bedrock : 0
 DEM Elevation : 839.70001221
 Aquifer Type : SAND & GRAVEL
 Drill Type : CABLE TOOL
 Test Rate : 0
 Static WAT : 20
 Elevation : 841
 Latitude : 40.02375
 Longitude : -82.85075
 Last Date in Agency List : 2022-03-28

Map Id: O65
Direction: SSW
Distance: 0.948 mi., 5008 ft.
Elevation: 793 ft.
Relative: Lower

Site Name : 950765
40.00642, -82.87775
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34484681
EPA ID: N/R

WELLS - OH

Well Number : 950765
Type : W
Completion Date : 2003-06-20
Well Use : TEST WELL
Address : 0 BRIDGEWAY AVE
County : FRANKLIN
Township : MIFFLIN
Owner Name : COLUMBUS AIRPORT
Total Dept : 75
Case Length : 45
Bedrock : 73
DEM Elevation : 792.40002441
Aquifer Type : SHALE
Drill Type : ROTARY
Test Rate : 100
Static WAT : 9
Elevation : 790
Latitude : 40.00642
Longitude : -82.87775
Last Date in Agency List : 2022-03-28

Map Id: 66
Direction: ENE
Distance: 0.954 mi., 5036 ft.
Elevation: 911 ft.
Relative: Higher

Site Name : 226037
40.02941, -82.853879
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34225079
EPA ID: N/R

WELLS - OH

Well Number : 226037
Type : W
Completion Date : 1959-07-08
Well Use : DOMESTIC
Address : 5264 CLARK STATE RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : STELZER, WILLIAM
Total Dept : 54
Case Length : 0
Bedrock : 10
DEM Elevation : 911.5
Aquifer Type : ROCK
Drill Type : N/R
Test Rate : 6
Static WAT : 11
Elevation : 911
Latitude : 40.02941
Longitude : -82.853879
Last Date in Agency List : 2022-03-28

Map Id: M67
Direction: SSW
Distance: 0.955 mi., 5044 ft.
Elevation: 799 ft.
Relative: Lower

Site Name : TOWER
40.004869, -82.871911
COLUMBUS, OH
Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 5310494
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action : 2014-04-15
Action : Change
FAA Study Number : N/R
OBS Number : 39-001689
Obstacle Type : TOWER
City Name : COLUMBUS
State Identifier : OH
Country Identifier : USA
Type of Lighting : Red
Verification Status : Verified
Quantity : 1
Mark Indicator : Unknown
Above Ground Level Height (Feet) : 00103
Above Mean Sea Level Height (Feet) : 00901
Horizontal Accuracy : +-20'
Vertical Accuracy : +-3'
Latitude : 40 00 17.53N
Longitude : 082 52 18.88W

Map Id: P68
Direction: NE
Distance: 0.958 mi., 5060 ft.
Elevation: 884 ft.
Relative: Higher

Site Name : 214514
40.033156, -82.859402
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34156705
EPA ID: N/R

WELLS - OH

Well Number : 214514
Type : W
Completion Date : 1958-07-22
Well Use : DOMESTIC
Address : 3725 CLOTTS RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : PRUSHING, BYRON
Total Dept : 25
Case Length : 25
Bedrock : 0
DEM Elevation : 883.70001221
Aquifer Type : GRAVEL
Drill Type : N/R
Test Rate : 10
Static WAT : 10
Elevation : 881
Latitude : 40.033156
Longitude : -82.859402
Last Date in Agency List : 2022-03-28

Map Id: 69
Direction: SW
Distance: 0.959 mi., 5064 ft.
Elevation: 796 ft.
Relative: Lower

Site Name : 185064
40.00868, -82.882115
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34143294
EPA ID: N/R

WELLS - OH

Well Number : 185064
Type : W
Completion Date : 1956-07-14
Well Use : DOMESTIC
Address : 0 PRICE RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : BESANG, JOE
Total Dept : 30
Case Length : 30
Bedrock : 0
DEM Elevation : 795.90002441
Aquifer Type : SAND & GRAVEL
Drill Type : N/R
Test Rate : 12
Static WAT : 5
Elevation : 796
Latitude : 40.00868
Longitude : -82.882115
Last Date in Agency List : 2022-03-28

Map Id: 70
Direction: NNE
Distance: 0.970 mi., 5123 ft.
Elevation: 857 ft.
Relative: Higher

Site Name : 127658
40.034793, -82.864514
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34178601
EPA ID: N/R

WELLS - OH

Well Number : 127658
Type : W
Completion Date : 1954-04-05
Well Use : DOMESTIC
Address : 3800 HAMILTON RD
County : FRANKLIN
Township : JEFFERSON
Owner Name : RIEHLE, FRED
Total Dept : 138
Case Length : 138
Bedrock : 0
DEM Elevation : 856.90002441
Aquifer Type : SAND
Drill Type : N/R
Test Rate : 5
Static WAT : 8
Elevation : 860
Latitude : 40.034793
Longitude : -82.864514
Last Date in Agency List : 2022-03-28

Map Id: O71
Direction: SSW
Distance: 0.974 mi., 5145 ft.
Elevation: 793 ft.
Relative: Lower

Site Name : 950766
40.0059, -82.8775
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34277683
EPA ID: N/R

WELLS - OH

Well Number : 950766
Type : W
Completion Date : 2003-06-20
Well Use : TEST WELL
Address : 0 BRIDGEWAY RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : COLUMBUS AIRPORT
Total Dept : 67
Case Length : 51
Bedrock : 65
DEM Elevation : 792
Aquifer Type : SHALE
Drill Type : ROTARY
Test Rate : 35
Static WAT : 9
Elevation : 790
Latitude : 40.0059
Longitude : -82.8775
Last Date in Agency List : 2022-03-28

Map Id: N72
Direction: NW
Distance: 0.976 mi., 5156 ft.
Elevation: 819 ft.
Relative: Higher

Site Name : 346510
40.030853, -82.882062
OH
Database(s) : [WELLS - OH]

Envirosite ID: 34440432
EPA ID: N/R

WELLS - OH

Well Number : 346510
Type : W
Completion Date : 1966-06-17
Well Use : N/R
Address : 3657 RIDENOUR RD
County : FRANKLIN
Township : MIFFLIN
Owner Name : CHESTERFIELD HOMES
Total Dept : 76
Case Length : 76
Bedrock : 71
DEM Elevation : 818.09997559
Aquifer Type : FREESTONE
Drill Type : N/R
Test Rate : 8
Static WAT : 25
Elevation : 819
Latitude : 40.030853
Longitude : -82.882062
Last Date in Agency List : 2022-03-28

Map Id: P73
Direction: NE
Distance: 0.988 mi., 5217 ft.
Elevation: 886 ft.
Relative: Higher

Site Name :	304796 40.033596, -82.859275 OH
Database(s) :	[WELLS - OH]

Envirosite ID: 34074233
EPA ID: N/R

WELLS - OH

Well Number :	304796
Type :	W
Completion Date :	1964-06-05
Well Use :	DOMESTIC
Address :	3741 CLOTTS RD
County :	FRANKLIN
Township :	JEFFERSON
Owner Name :	SOUDER, PAUL
Total Dept :	35
Case Length :	35
Bedrock :	0
DEM Elevation :	885.29998779
Aquifer Type :	GRAVEL
Drill Type :	N/R
Test Rate :	12
Static WAT :	13
Elevation :	888
Latitude :	40.033596
Longitude :	-82.859275
Last Date in Agency List :	2022-03-28

RADON DATA:

STATE SOURCE: No Available Data

FEDERAL AREA RADON INFORMATION FOR: 43230

NUMBER OF SAMPLE SITES: 6

<u>Area:</u>	<u>Average Activity:</u>	<u>% <4 pCi/L:</u>	<u>% 4-20 pCi/L:</u>	<u>% >20 pCi/L:</u>
basement	8.32 pCi/L	60%	20%	20%
first floor	6.4 pCi/L	0%	100%	0%

FEDERAL EPA RADON ZONE FOR FRANKLIN COUNTY: Zone = 1

Note: Zone 1 indoor average level > 4 pCi/L

: Zone 2 indoor average level > = 2 pCi/L and <= 4 pCi/L

: Zone 3 indoor average < 2 pCi/L

HIST PWS ENF

Historical Public Water Supply locations with Enforcement Violations

Environmental Protection Agency

(800) 426-4791

List of Safe Drinking Water Information Systems (SDWIS) with enforcement violations that are no longer in current agency list.

NWIS

National Water Information Systems

United States Geological Society

(703) 648-5953

Information on all water resources for the United States. This database contains all current and historical data for the nation.

PWS

Public Water Supply

Environmental Protection Agency

(800) 426-4791

Safe drinking water information Systems

PWS ENF

Public Water Supply locations with Enforcement Violations

Environmental Protection Agency

(800) 426-4791

Safe drinking water information Systems with enforcement violations

WELLS - OH

Wells

Ohio Department of Natural Resources

Water Wells

FLOOD Q3

Flood data

Environmental Protection Agency

(202) 566-1667

Q3 Flood Data

HYDROLOGIC UNIT

Hydrologic Unit Maps

USGS

The United States Geological Survey created a hierarchical system of hydrologic units originally called regions, sub-regions, accounting units, and cataloging units. Each unit was assigned a unique Hydrologic Unit Code (HUC). As first implemented the system had 21 regions, 221 subregions, 378 accounting units, and 2,264 cataloging units. Over time the system was changed and expanded. As of 2010 there are six levels in the hierarchy, represented by hydrologic unit codes from 2 to 12 digits long, called regions, subregions, basins, subbasins, watersheds, and subwatersheds. The table below describes the system's hydrologic unit levels and their characteristics, along with example names and codes.

WETLANDS NWI

National Wetland Inventory

U.S. Fish and Wildlife Service

(703) 358-2171

Wetland Inventory for the United States

SSURGO

Detailed Soil Data Map

Natural Resources Conservation Service: U.S. Department of Agriculture

(202) 690-4985

Detailed Soil Data Map

STATSGO & MUI

General Soil Data Map

Natural Resources Conservation Service: U.S. Department of Agriculture

(202) 690-4985

General Soil Data Map

USGS GEOLOGIC AGE

USGS Digital Data Series DDS

Natural Resources Conservation Service: U.S. Department of Agriculture

(202) 690-4985

USGS Digital Data Series DDS: Geologic Age and Rock Stratigraphic Unit

OIL & GAS WELLS - OH

Oil and Gas Well Data

Division of Oil & Gas Resources

614.265.6923

Oil and gas well locations and detail for all 6 districts

RADON

National Radon Database

U.S. Environmental Protection Agency

215-814-2469

A study of the EPA/State Residential Radon Survey and the National Residential Radon Survey.

RADON EPA

RADON EPA

U.S. Environmental Protection Agency

215-814-2469

EPA list of Radon zones

AIRPORT FACILITIES

Airport landing facilities

Federal Aviation Administration

(866) 835-5322

Airport landing facilities

BASINS

Better Assessment Science Integrating point & Non-point Sources

U.S. Environmental Protection Agency

855-246-3642

Integrated geographical information system national watershed data and environmental assessment known as Better Assessment Science Integrating point & Non-point Sources

DIGITAL OBSTACLE

Obstacles of interest to aviation users

Federal Aviation Administration

855-379-6518

The Digital Obstacle File describes all known obstacles of interest to aviation users in the U.S. with limited coverage of the Pacific the Caribbean Canada and Mexico. The obstacles are assigned unique numerical identifiers; accuracy codes and listed in order of ascending latitude within each state or area by FAA Region.

EPICENTERS

National Geographical Data Center

National Geographical Data Center

303-497-6826

List of recent and historic earthquakes and information.

FLOOD DFIRM

National Flood Hazard Layer Database

Federal Emergency Management Agency

The National Flood Hazard Layer Database (NFHL) is a computer database that contains the flood hazard map information from FEMA's Flood Map Modernization program. These map data are from Digital Flood Insurance Rate Map (DFIRM) databases and Letters of Map Revision.

APPENDIX E
U.S. EPA ECHO INFORMATION

Detailed Facility Report

Facility Summary

SWAN CLEANERS #39

355 GRANVILLE ST, GAHANNA, OH 43230

FRS (Facility Registry Service) ID: 110004643075
 EPA Region: 05
 Latitude: 40.01842
 Longitude: -82.86881
 Locational Data Source: FRS
 Industries: --
 Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	03/10/2009
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

Regulatory Information

Clean Air Act (CAA): No Information
 Clean Water Act (CWA): No Information
 Resource Conservation and Recovery Act (RCRA): Inactive Other, (OHD981531544)
 Safe Drinking Water Act (SDWA): No Information

[Go To Enforcement/Compliance Details](#)
[Known Data Problems](#)

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information
 Greenhouse Gas Emissions (eGGRT): No Information
 Toxic Releases (TRI): No Information
 Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004643075					N	40.01842	-82.86881
RCRAInfo	RCRA	OHD981531544	Other	Inactive ()			N	40.01814	-82.868832

Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110004643075	SWAN CLEANERS #39	355 GRANVILLE ST, GAHANNA, OH 43230	Franklin County
RCRAInfo	RCRA	OHD981531544	SWAN CLEANERS #39	355 GRANVILLE ST, GAHANNA, OH 43230	Franklin County

Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description
--------	------------	----------	-----------------

No data records returned

Facility NAICS (North American Industry Classification System) Codes

System	Identifier	NAICS Code	NAICS Description
--------	------------	------------	-------------------

No data records returned

Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
------------------	------------	---------------	---------------------------

No data records returned

Enforcement and Compliance

Compliance Monitoring History Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
---------	-----------	--------	---------------	----------------------------	-------------	------	-------------------------

No data records returned

Entries in italics are not counted in EPA compliance monitoring strategies or annual results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	OHD981531544	No	05/07/2022	0	05/06/2022

Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11	QTR 12+
RCRA (Source ID: OHD981531544)		04/01-06/30/19	07/01-09/30/19	10/01-12/31/19	01/01-03/31/20	04/01-06/30/20	07/01-09/30/20	10/01-12/31/20	01/01-03/31/21	04/01-06/30/21	07/01-09/30/21	10/01-12/31/21	01/01-03/31/22
	Facility-Level Status	No Violation Identified											
	Violation												
	Agency												

Informal Enforcement Actions Last 5 Years

Statute	System	Source ID	Type of Action	Lead Agency	Date
---------	--------	-----------	----------------	-------------	------

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions Last 5 Years

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/Filed Date	Settlements/Actions	Settlement/Action Date	Federal Penalty Assessed	State/Local Penalty Assessed	Penalty Amount Collected	SEP Cost	Comp Action Cost
---------	--------	-------------	-----------	----------------	----------	-------------	-----------	-------------------	---------------------	------------------------	--------------------------	------------------------------	--------------------------	----------	------------------

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
--	---	---	---------------------------------	--------------------------------------	--	---

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Aquatic Life	Fish Consumption Use	Recreation Use	Other Use
-------	--------------	--------------------	----------------------	-----------------	-----------------------	--------------------	--------------	----------------------	----------------	-----------

No data records returned

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
Ozone	No	--	Yes	1-Hour Ozone (1979); 8-Hour Ozone (2008); 8-Hour Ozone (2015)
Lead	No	--	No	--
Particulate Matter	No	--	Yes	PM-2.5 (1997)
Carbon Monoxide	No	--	No	--
Sulfur Dioxide	No	--	No	--

Pollutants

Toxics Release Inventory History of Reported Chemicals Released in Pounds per Year at Site

TRI Facility ID	Year	Total Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Releases to Land	Total On-Site Releases	Total Off-Site Transfers
-----------------	------	---------------------	--------------------------	--	------------------------	------------------	------------------------	--------------------------

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

Community

EJScreen EJ Indexes

Twelve environmental justice (EJ) indexes of EJScreen, EPA's screening tool for EJ concerns. EPA uses these indexes to identify geographic areas that may warrant further consideration or analysis for potential EJ concerns. The index values below are for the Census block group or 1-mile maximum (US or State) in which the facility is located. Note that use of these indexes does not designate an area as an "EJ community" or "EJ facility." EJScreen provides screening level indicators, not a determination of the existence or absence of EJ concerns. For more information, see the [EJScreen home page](#).

Show EJ Indexes calculated based on: Census Block Group - US ▼

Census Block Group EJ Indexes (percentile)	
Particulate Matter 2.5	11.7
Ozone	13.4
Diesel Particulate Matter	4.4
Air Toxics Cancer Risk	12
Air Toxics Respiratory Hazard Index	10.6
Traffic Proximity	2.4
Lead Paint	2.8
Risk Management Plan (RMP) Facility Proximity	12.1
Hazardous Waste Proximity	16.5
Superfund Proximity	2.8
Underground Storage Tanks (UST)	8.5
Wastewater Discharge	24.6

Number of EJ Indexes Above 80th Percentile
0

[View EJScreen Report](#)

Demographic Profile of Surrounding Area (1 mile)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2010 U.S. Census and 2015 - 2019 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. EPA's spatial processing methodology considers the overlap between the selected radii and the census blocks (for U.S. Census demographics) and census block groups (for ACS demographics) in determining the demographics surrounding the facility. For more detail about this methodology, see the [DFR Data Dictionary](#).

General Statistics (U.S. Census)	
Total Persons	7,253
Population Density	2,415/sq.mi.
Housing Units in Area	3,163

General Statistics (ACS (American Community Survey))	
Total Persons	7,903
Percent People of Color	18%
Households in Area	3,213
Households on Public Assistance	43
Persons With Low Income	1,424
Percent With Low Income	18%

Geography	
Radius of Selected Area	1 mi.
Center Latitude	40.01842
Center Longitude	-82.86881
Land Area	98%
Water Area	2%

Income Breakdown (ACS (American Community Survey)) - Households (%)	
Less than \$15,000	110 (3.42%)
\$15,000 - \$25,000	166 (5.17%)
\$25,000 - \$50,000	670 (20.86%)
\$50,000 - \$75,000	576 (17.93%)
Greater than \$75,000	1,690 (52.62%)

Age Breakdown (U.S. Census) - Persons (%)	
Children 5 years and younger	389 (5%)
Minors 17 years and younger	1,707 (24%)
Adults 18 years and older	5,546 (76%)
Seniors 65 years and older	1,084 (15%)


Race Breakdown (U.S. Census) - Persons (%)	
White	6,016 (83%)
African-American	815 (11%)
Hispanic-Origin	186 (3%)
Asian/Pacific Islander	147 (2%)
American Indian	12 (0%)
Other/Multiracial	262 (4%)

Education Level (Persons 25 & older) (ACS (American Community Survey)) - Persons (%)	
Less than 9th Grade	22 (.39%)
9th through 12th Grade	146 (2.58%)
High School Diploma	1,207 (21.36%)
Some College/2-year	1,324 (23.43%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,496 (44.16%)

LAST UPDATED ON MAY 10, 2022

[DATA REFRESH INFORMATION](#)

APPENDIX F
TOPOGRAPHIC MAPS



348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-23/2022

2019 USGS Topo Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell




APPENDIX G
SOILS INFORMATION

Soil Map—Franklin County, Ohio
(Soil Map)



Soil Map may not be valid at this scale.



MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Franklin County, Ohio
Survey Area Data: Version 20, Sep 7, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Apr 1, 2020—Oct 1, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Ee	Eel silt loam, 0 to 2 percent slopes, occasionally flooded	2.4	42.6%
EmA	Eldean-Urban land complex, 0 to 2 percent slopes	0.2	3.5%
EmB	Eldean-Urban land complex, 2 to 6 percent slopes	3.1	53.9%
Totals for Area of Interest		5.7	100.0%

Franklin County, Ohio

EmB—Eldean-Urban land complex, 2 to 6 percent slopes

Map Unit Setting

National map unit symbol: 5mq4
Elevation: 670 to 1,160 feet
Mean annual precipitation: 29 to 45 inches
Mean annual air temperature: 50 to 55 degrees F
Frost-free period: 151 to 192 days
Farmland classification: Not prime farmland

Map Unit Composition

Eldean and similar soils: 45 percent
Urban land: 30 percent
Minor components: 25 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Eldean

Setting

Landform: Moraines, kames, outwash terraces
Landform position (three-dimensional): Tread
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Silty and clayey outwash over sandy and gravelly outwash

Typical profile

H1 - 0 to 7 inches: silt loam
H2 - 7 to 35 inches: clay loam
H3 - 35 to 70 inches: stratified gravelly sand to gravelly loamy sand

Properties and qualities

Slope: 2 to 6 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.20 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 65 percent
Available water supply, 0 to 60 inches: Moderate (about 6.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Hydrologic Soil Group: B
Ecological site: F111AY015IN - Dry Outwash Upland

Hydric soil rating: No

Minor Components

Areas radically altered by cutting and filling

Percent of map unit: 15 percent

Westland

Percent of map unit: 5 percent

Landform: Drainageways

Ecological site: R111AY016IN - Outwash Mollisol

Hydric soil rating: Yes

Sleeth

Percent of map unit: 5 percent

Landform: Outwash plains, stream terraces, outwash terraces

Ecological site: F111AY014IN - Outwash Upland

Data Source Information

Soil Survey Area: Franklin County, Ohio

Survey Area Data: Version 20, Sep 7, 2021

Franklin County, Ohio

Ee—Eel silt loam, 0 to 2 percent slopes, occasionally flooded

Map Unit Setting

National map unit symbol: 2ygzp

Elevation: 440 to 1,280 feet

Mean annual precipitation: 37 to 46 inches

Mean annual air temperature: 48 to 55 degrees F

Frost-free period: 145 to 180 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Eel, occasionally flooded, and similar soils: 80 percent

Minor components: 20 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Eel, Occasionally Flooded

Setting

Landform: Flood-plain steps

Landform position (three-dimensional): Tread

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Loamy alluvium

Typical profile

Ap - 0 to 9 inches: silt loam

Bw1 - 9 to 15 inches: silt loam

Bw2 - 15 to 53 inches: silt loam

Cg - 53 to 72 inches: stratified sandy loam to silty clay loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Moderately well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: About 15 to 24 inches

Frequency of flooding: OccasionalNone

Frequency of ponding: None

Calcium carbonate, maximum content: 25 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water supply, 0 to 60 inches: Very high (about 12.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w
Hydrologic Soil Group: A/D
Ecological site: F111AY005IN - Dry Alluvium
Hydric soil rating: No

Minor Components

Genesee, occasionally flooded

Percent of map unit: 10 percent
Landform: Flood-plain steps, natural levees
Landform position (three-dimensional): Tread
Down-slope shape: Concave
Across-slope shape: Linear
Ecological site: F111AY005IN - Dry Alluvium
Hydric soil rating: No

Shoals, occasionally flooded

Percent of map unit: 6 percent
Landform: Flood-plain steps
Landform position (three-dimensional): Tread
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: F111AY004IN - Wet Alluvium
Hydric soil rating: No

Sloan, occasionally ponded

Percent of map unit: 4 percent
Landform: Depressions
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Ecological site: F111AY004IN - Wet Alluvium
Hydric soil rating: Yes

Data Source Information

Soil Survey Area: Franklin County, Ohio
Survey Area Data: Version 20, Sep 7, 2021

Franklin County, Ohio

EmA—Eldean-Urban land complex, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 5mq3

Elevation: 670 to 1,160 feet

Mean annual precipitation: 29 to 45 inches

Mean annual air temperature: 50 to 55 degrees F

Frost-free period: 151 to 192 days

Farmland classification: Not prime farmland

Map Unit Composition

Eldean and similar soils: 45 percent

Urban land: 30 percent

Minor components: 25 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Eldean

Setting

Landform: Moraines, kames, outwash terraces

Landform position (three-dimensional): Tread

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Silty and clayey outwash over sandy and gravelly outwash

Typical profile

H1 - 0 to 7 inches: silt loam

H2 - 7 to 35 inches: clay loam

H3 - 35 to 70 inches: stratified gravelly sand to gravelly loamy sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.20 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 65 percent

Available water supply, 0 to 60 inches: Moderate (about 6.4 inches)

Minor Components

Areas radically altered by cutting and filling

Percent of map unit: 15 percent

Westland

Percent of map unit: 5 percent

Landform: Drainageways

Ecological site: R111EY401OH - Wet Outwash Mollisol

Hydric soil rating: Yes

Sleeth

Percent of map unit: 5 percent

Landform: Outwash plains, stream terraces, outwash terraces


Ecological site: F111EY403OH - Outwash Upland

Data Source Information

Soil Survey Area: Franklin County, Ohio

Survey Area Data: Version 20, Sep 7, 2021

APPENDIX H
FEMA FLOOD MAP



348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

FEMA Flood Map

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-23/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell



APPENDIX I
AERIAL PHOTOGRAPHS



348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

2021 Aerial Photo

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell







ERA[®]
tech
Environmental, Inc.

348 Granville St. & 60 Rocky Creek Dr
Gahanna, OH

Project No: 22-13050
Prepared: 05-24/2022

2011 Aerial Photo

Phase I Site Assessment
Prepared by: Timothy D. Farrell







ERA[®]
tech
Environmental, Inc.

348 Granville St. & 60 Rocky Creek Dr
Gahanna, OH

Project No: 22-13050
Prepared: 05-24/2022

2000 Aerial Photo

Phase I Site Assessment
Prepared by: Timothy D. Farrell





ERA[®]
tech
Environmental, Inc.

348 Granville St. & 60 Rocky Creek Dr
Gahanna, OH

Project No: 22-13050
Prepared: 05-24/2022

1995 Aerial Photo

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


1989 Aerial Photo

ERA[®]*tech*
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1980 Aerial Photo

N

ERA[®]*tech*
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1973 Aerial Photo

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1971 Aerial Photo

ERA[®]*tech*
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1965 Aerial Photo

ERA[®]*tech*
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


1963 Aerial Photo

ERA[®]*tech*
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1960 Aerial Photo

N

ERA[®]*tech*
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1953 Aerial Photo

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1948 Aerial Photo

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell



APPENDIX J
CURRENT PROPERTY DEEDS

QUIT-CLAIM DEED

VOL 3171 PAGE 354

REGISTERED U.S. PAT. OFFICE
Ruffe Law Print Publishers, Ruffland, W.
Standard Ohio Form 806

Know all Men by these Presents

That Michael Lassel and Maria Lassel, husband and wife and
John Karst and Susanna Karst, husband and wife
21598

Grantors, in consideration of the sum of
One Dollar (\$1.00) and other good and valuable considerations

to them paid by The Kassel Company

TRANSFERRED

SEP 2 1971

154

ARCH J. WARREN
AUDITOR
FRANKLIN COUNTY, OHIO

Grantee, the receipt whereof is hereby
acknowledged, do hereby **Remise, Release and forever Quit-Claim,**
to the said Grantee The Kassel Company

its successors ~~heirs and assigns forever, the~~
following **Real Estate** situated in the County of Franklin
in the State of Ohio, and in the City of

Gahanna

and bounded and described as follows:

Being located in Quarter Township 1, Range 17, U. S. M. Lands and bounded
and described as follows:

Beginning at a railroad spike in the centerline of Granville Street, at the
south-westerly corner of the May B. Roush 2.81 acre tract as shown of record in
Deed Book 1521, page 290, all reference being to records of the Recorder's Office,
Franklin County, Ohio, that is North 87 deg. 20' West, 651.09 feet from a railroa
spike where the centerline of Granville Street intersects the centerline of Hamilton
Road; thence along the centerline of the said Granville Street, North 87 deg.,
20' West, 169.5 feet to a point at the southeasterly corner of the Evelyn M.
Lauffer 0.584 acre tract as shown of record in Deed Book 2584, page 48; thence
along the southeasterly line of the said Lauffer 0.584 acre tract North 34 deg.
15' East, (passing an iron pin at 23.48 feet), 92.05 feet to an iron pin; thence
along the easterly line of the said Lauffer 0.584 acre tract North 3 deg. 43' East,
193.85 feet to an iron pin at the northeasterly corner of the said 0.584 acre tract;
thence along the northerly line of the said 0.584 acre tract, North 86 deg. 19'
West, 100.0 feet to an iron pin at the northwesterly corner of the said 0.584
acre tract, being also the southeasterly corner of the Bernard N. Murray 2.792
acre tract as shown of record in Deed Book 2314, Page 204; thence along the
easterly line of the said 2.792 acre tract, North 3 deg. 43' East, (Passing an
iron pin at 224.0 feet), 473.95 feet to a point in the centerline of Rocky Fork
Creek; thence along the centerline of the said Rocky Fork Creek, the following
courses and distances: North 76 deg. 23' East, 1105 feet to a point; and
North 60 deg. 30' East, 246.8 feet to a point; thence along the westerly line
of the May B. Roush 2.81 acre tract, South 3 deg. 21' West (passing an iron
pin at 56.96 feet and a second iron pin at 862.40 feet), 882.4 feet to the
place of beginning, containing 3.525 acres, more or less. Subject, however,
to all legal highways and/or rights-of-way, of previous record.

0-57-CC
ALC
GOWAL A



LAST TRANSFER: Deed Book 3147, Page 383

To have and to hold said premises, with all the privileges and appurtenances
thereunto belonging, to the said Grantee The Kassel Company

its successors ~~heirs and assigns forever.~~



531710195

TRANSFER TAX EXEMPT
By J. U. M.
RON J. WARDEN
FRANKLIN COUNTY, AUDITOR

In Witness Whereof the said Grantor s Michael Lassel and Maria Lassel, husband and wife and John Karst and Susanna Karst, husband and wife

who hereby release their right s of dower in the premises, ha ve hereunto set their hand s, this 30th day of August in the year of our Lord one thousand nine hundred and seventy-one (1971)

Signed and acknowledged in presence of
[Signature]
[Signature]

Michael Lassel
Michael Lassel
Maria Lassel
Maria Lassel
John Karst
John Karst
Susanna Karst
Susanna Karst

The State of OHIO FRANKLIN County SS.
Be it Remembered That on this 30th day of August, A. D. 1971, before me, the subscriber, a Notary Public in and for said county, personally came the above named Michael Lassel and Maria Lassel, husband and wife and John Karst and Susanna Karst, husband and wife

the Grantor s in the foregoing Deed, and acknowledged the signing of the same to be their voluntary act and deed, for the uses and purposes therein mentioned.

In Testimony Whereof, I have hereunto subscribed my name and affixed my official seal on the day and year last aforesaid

[Signature]

This instrument prepared by Bernard Feitlinger, Attorney At Law, 10 East Town Street, Columbus, Ohio 43215

Quit-Claim Deed
Michael Lassel and Maria Lassel, husband and wife and John Karst and Susanna Karst, husband and wife
TO
The Kassel Company

Transferred 19
COUNTY AUDITOR
STATE OF OHIO
COUNTY OF FRANKLIN SS
RECEIVED FOR RECORD ON THE
day of SEP 2 - 1971
at 2:50 o'clock P. M.
and RECORDED SEP 7 - 1971
DEED BOOK PAGE
James A. Debaugh
RECORDERS FEE \$ 3.00



WARRANTY DEED

VOL. 3172 PAGE 682

COLUMBUS BLANK BOOK CO., COL., D.
FORM L12-8


Know all Men by these Presents

That

LARRY L. LINTNER and HELEN LINTNER, his wife

3172-
split 2.204 ac.
out of 2.204 384

22151



of Gahanna County of Franklin

and State of Ohio Grantors, in consideration of the sum of

One Dollar and other good and valuable considerations

to them paid by

THE KASSEL COMPANY, an Ohio Corporation

of the City of Columbus County of Franklin

and State of Ohio Grantee, the receipt whereof is hereby

acknowledged, do hereby grant, bargain, sell and convey to the said

Grantee THE KASSEL COMPANY, an Ohio Corporation

VIA

its successors heirs and assigns forever the

following Real Estate situated in the County of Franklin

in the State of Ohio and in the City of

Gahanna and bounded and described as follows:

Being located in Quarter Township 1, Township 1, Range 17, United States Military Lands, and being 2.204 acres of the Larry L. Lintner tract of record in Deed Book 3056, Page 329, all references being to records of the Recorder's Office, Franklin County, Ohio, and bounded and described as follows:

Beginning at a point in the westerly line of the said Larry L. Lintner tract, being also the easterly line of the Michael Lassel, et al. (4) 3.52 acre tract of record in Deed Book 3147, Page 383, that is North 3° 21' East, 200.0 feet from a point in the centerline of Granville Street;

thence along the said line, North 3° 21' East, 682.40 feet to a point in the centerline of Rocky Fork Creek, at the northeasterly corner of the said Michael Lassel, et al. (4) 3.52 acre tract;

thence along the centerline of the said Rocky Fork Creek, being also the northerly line of the said Larry L. Lintner tract, North 60° 30' East, 158.2 feet to a point at the northwesterly corner of the D. G. and H. M. Deffenbaugh 3.06 acre tract of record in Deed Book 2473, Page 529;

thence along the westerly line of the said Deffenbaugh 3.06 acre tract, being also the easterly line of the said Larry L. Lintner tract, South 3° 24' 14" West, 766.64 feet to a point;

thence North 87° 20' West, (being 200 feet Northerly and parallel to the centerline of the said Granville Street), 132.19 feet to the place of beginning, containing 2.204 acres, more or less.

Subject, however, to all easements of previous record.

Subject to all conditions, easements, and restrictions, if any, of record.

TRANS R PAID \$42.00 By ARCH J. WARREN FRANKLIN COUNTY, AUDITOR

APPROVED CITY OF GAHANNA PLANNING COMMISSION (NO PLAT REQUIRED)

By John Mahan

Received SEP 8- 1971 At 3:40 P.M. Recorded SEP 10 1971 In Franklin County JAMES A. SCHAEFER, Recorder Recorder's fee \$ 4.00

LAST TRANSFER: Deed Record Volume, 3056, Page 329

To have and to hold said premises, with all the privileges and appurtenances thereunto belonging, to the said Grantee

its successors ~~heirs~~ and assigns forever.

And the said Grantors

LARRY L. LINTNER and HELEN LINTNER, his wife

for themselves and their heirs,

do hereby covenant with the said Grantee

successors its / ~~heirs~~ and assigns, that they are lawfully seized of the premises aforesaid; that the said premises are Free and Clear from all Incumbrances whatsoever

EXCEPT: Taxes and assessments, if any, due and payable in the June 1971 collection, and thereafter, all of which grantee herein assumes and agrees to pay as a part of the consideration of this conveyance.

and that they will forever **Warrant and Defend** the same, with the appurtenances, unto the said Grantee

its successors ~~heirs~~ and assigns against the lawful claims of all persons whomsoever

In Witness Whereof the said Grantor s

LARRY L. LINTNER and HELEN LINTNER, his wife

who hereby release s her right of dower in the premises hereunto set their hands this 7 day of September in the year of our Lord one thousand nine hundred and seventy-one (19 71)

Signed and acknowledged in presence of

[Signature]
[Signature]

[Signature]
LARRY L. LINTNER

[Signature]
HELEN LINTNER

The State of OHIO
FRANKLIN County } ss.

Be it Remembered that on this day of A.D. 19 71 before me, the subscriber, Notary Public in and for said county, personally came the above named

LARRY L. LINTNER and HELEN LINTNER, his wife


the grantors in the foregoing Deed, and acknowledged the signing of the same to be their voluntary act and deed for the uses and purposes therein mentioned

In Testimony Whereof, I have hereunto subscribed my name and affixed my official seal on the day and year last aforesaid.

RS

[Signature]

APPENDIX K
HISTORIC MAPS



348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


1982 Topo Map

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


1973 Topo Map

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


1966 Topo Map

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

1955 Topo Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

1910 Historic Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell






348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

Project No: 22-13050
Prepared: 05-24/2022

1904 Topo Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio



Project No: 22-13050
Prepared: 05-24/2022

1895 Historic Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio


1883 Historic Map



Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

ERA[®]tech
Environmental, Inc.

Project No: 22-13050
Prepared: 05-24/2022

1872 Historic Map

Phase I Site Assessment
Prepared by: Timothy D. Farrell





348 Granville St. & 60 Rocky Creek Dr.
Gahanna, Ohio

1856 Historic Map



Project No: 22-13050
Prepared: 05-24/2022

Phase I Site Assessment
Prepared by: Timothy D. Farrell




APPENDIX L
SITE PHOTOGRAPHS

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 1: Inside the Rental Office at 60 Rocky Creek Drive



Photograph 2: Storage room in basement maintenance area beneath Rental Office

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061



Photograph 3: Miscellaneous storage in basement maintenance area beneath Rental Office

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061



Photograph 4: Living area inside 70 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 5: Sump pi tin basement of 78 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 6: Looking north along east side of subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 7: Basement of 82 Rocky Creek Drive



Photograph 8: One of six pad-mounted transformers along east side of subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 9: Front (south) side of 82-98 Rocky Creek Drive building



Photograph 10: Looking south along Rocky Creek Drive entrance to subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 11: Sump pump discharge east of 140-158 Rocky Creek Drive building

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 12: Sump pump discharge behind 160 Rocky Creek Drive apartment space



Photograph 13: Wooded north end of subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 14: Looking south along east side of subject property



Photograph 15: Swimming pool in northwest section of subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 16: Rocky Creek near northwest corner of subject property



Photograph 17: Looking south along west side of subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 18: Looking north along west side of northwest section of subject property



Photograph 19: One of two pad-mounted transformers along west side of subject property

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 20: Looking north along Rocky Creek Drive on west side of subject property



Photograph 21: Basement of 104 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 22: Solid waste receptacle behind (north of) Rocky Creek Professional Office building



Photograph 23: Front (west) side of Rocky Creek Professional Office building

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**




Photograph 24: Rear (east) side of Rocky Creek professional office building



Photograph 25: Looking west along Granville Street on south property boundary

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 26: Looking downstream (southwest) along Rocky Fork along north property boundary

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**




Photograph 27: Looking upstream (northeast) along Rocky Fork along north property boundary



Photograph 28: Living area inside 138 Rocky Creek Drive

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061



Photograph 29: Pool equipment room in west section of clubhouse building at 111 Rocky Creek Drive

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061



Photograph 30: Pool equipment room in west section of clubhouse building at 111 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 31: Clubhouse building at 111 Rocky Creek Drive



Photograph 32: Inside Clubhouse building at 111 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 33: Kitchen space inside clubhouse building

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061



Photograph 34: Clubhouse building furnace equipment

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 35: Second floor of 107 Rocky Creek Drive



Photograph 36: Basement of 107 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 37: Sump pit in basement of 107 Rocky Creek Drive

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 38: Vacant suite being renovated inside Rocky Creek Professional Office building

**1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061**



Photograph 39: Vacant suite being renovated inside Rocky Creek Professional Office building

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061




Photograph 40: Furnace equipment on ground floor of Rocky Creek Professional Office building

1565-1569 STANLEY AVENUE
DAYTON, OHIO
21-12061



Photograph 41: Common hallway inside Rocky Creek Professional Office building



Photograph 42: Stairwell inside Rocky Creek Professional Office building

APPENDIX M
USER QUESTIONNAIRE

ASTM E1527-21

USER QUESTIONNAIRE

INTRODUCTION

In order to qualify for one of the *Landowner Liability Protections (LLPs)* offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the “*Brownfields Amendments*”) the *user* must conduct the following inquiries required by 40 CFR 312.25, 312.28,312.29, 312.30, and 312.31. These inquiries must also be conducted by EPA Brownfield Assessment and Characterization grantees. The *user* should provide the following information to the *environmental professional*. Failure to conduct these inquiries could result in a determination that “*all appropriate inquiries*” is not complete.

(1.) Environmental liens that are filed or recorded against the *property* (40 CFR 312.25).

Did a search of *recorded land title records* (or judicial records where appropriate, see **Note 1** below) identify any environmental liens filed or recorded against the *property* under federal, tribal, state or local law?

NOTE 1—In certain jurisdictions, federal, tribal, state, or local statutes, or regulations specify that environmental liens and AULs be filed in judicial records rather than in land title records. In such cases judicial records must be searched for environmental liens and AULs. **NO**

(2.) Activity and use limitations that are in place on the *property* or that have been filed or recorded against the *property* (40 CFR 312.26(a)(1)(v) and vi).

Did a search of *recorded land title records* (or judicial records where appropriate, see **Note 1** above) identify any AULs, such as *engineering controls*, land use restrictions or *institutional controls* that are in place at the *property* and/or have been filed or recorded against the *property* under federal, tribal, state or local law? **NO**

(3.) Specialized knowledge or experience of the person seeking to qualify for the LLP (40 CFR 312.28).

Do you have any specialized knowledge or experience related to the *property* or nearby properties? For example, are you involved in the same line of business as the current or former *occupants* of the *property* or an *adjoining property* so that you would have specialized knowledge of the chemicals and processes used by this type of business? **NO**

(4.) Relationship of the purchase price to the fair market value of the *property* if it were not contaminated (40 CFR 312.29).

Does the purchase price being paid for this *property* reasonably reflect the fair market value of the *property*? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the *property*? **Price is market value**

(5.) Commonly known or *reasonably ascertainable* information about the *property* (40 CFR 312.30).

Are you aware of commonly known or *reasonably ascertainable* information about the *property* that would help the *environmental professional* to identify conditions indicative of releases or threatened releases? For example,

- (a.) Do you know the past uses of the *property*? **Apartments and Commercial Office**
- (b.) Do you know of specific chemicals that are present or once were present at the *property*? **NO**
- (c.) Do you know of spills or other chemical releases that have taken place at the *property*? **NO**
- (d.) Do you know of any environmental cleanups that have taken place at the *property*? **NO**

(6.) The degree of obviousness of the presence or likely presence of contamination at the *property*, and the ability to detect the contamination by appropriate investigation (40 CFR 312.31).

Based on your knowledge and experience related to the *property* are there any *obvious* indicators that point to the presence or likely presence of releases at the *property*? **NO**

X3.1 In addition, certain information should be collected, if available, and provided to the *environmental professional* conducting the *Phase I Environmental Site Assessment*. This information is intended to assist the *environmental professional*, but is not necessarily required to qualify for one of the *LLPs*. The information includes:

(a) the reason why the Phase I is being performed, **Acquisition Diligence**

(b) the type of *property* and type of *property* transaction, for example, sale, purchase, exchange, etc.,
Multifamily apartments & commercial office - purchase

(c) the complete and correct address for the *property* (a map or other documentation showing *property* location and boundaries is helpful), **Apartments – 60 Rocky Creek Drive Columbus, OH 43230, Office – 348 Granville St. Columbus, OH 43230**

(d) the scope of services desired for the Phase I (including whether any parties to the *property* transaction may have a required standard scope of services or whether any considerations beyond the requirements of Practice E1527 are to be considered), **None**

(e) identification of all parties who will rely on the Phase I *report*, **Purchaser**

(f) identification of the site contact and how the contact can be reached, **Go-forward contact will be myself matt.vonbargen@gmail.com and 585-261-5013**

(g) any special terms and conditions which must be agreed upon by the *environmental professional*, **None**

(h) any other knowledge or experience with the *property* that may be pertinent to the *environmental professional* (for example, copies of any available prior *environmental site assessment reports*, documents, correspondence, etc., concerning the *property* and its environmental condition). **None**

Completed by: Matt Von Bargen

Title: Purchaser

Date: 5-23/2022

APPENDIX N

RESUMES OF ERAtech ENVIRONMENTAL, INC. PERSONNEL

DOUGLAS M. KOHNEN, MS, CMC, AHES, AHAPD, LRA

ERAtch Environmental, Inc.
3508 Wilmington Pike, Kettering, Ohio 45429

(937) 859-8998
dkohnen@eratechenv.com

Education:

B.S. Business Administration, University of Dayton, 1984
Worked on M.B.A., University of Dayton, 1987
M.S. Environmental Management, University of Findlay, 1996

Certifications & Coursework:

1993 - Ohio Certified Asbestos Hazard Abatement Specialist
1994 - National Registry of Environmental Professionals,
Registered Environmental Property Assessor (REPA)
1995 - Institute of Hazardous Materials Management,
Certified Hazardous Materials Manager (CHMM) - Master Level
1999 - Ohio Certified Asbestos Hazard Evaluation Specialist - #ES33758
2000 - Niton XRF Spectrum Analyzer Course
2001 - Ohio Certified Lead Risk Assessor - #OH-006213
2002 - ACAC (Formerly American Indoor Air Quality Council)
Certified Microbial Consultant (CMC)
2006 - Ohio Certified Asbestos Abatement Project Designer #PD60679
2008 - BCAM Basics Thermography Course
2011 - Indoor Air Quality: Fungal Spore Identification - McCrone Research Institute
2014 - Registered Professional Industrial Hygienist - Association of Professional Industrial
Hygienists
2014 - 40-Hour HAZWOPER Training
2014 - Methamphetamine Production Contamination/Screening & Reporting - Meth Lab Cleanup,
LLC.
2014 - Advanced Clandestine Drug Lab Decontamination Training - Meth Lab Cleanup, LLC.
2014 - Tennessee Certified Clandestine Meth Lab Hygienist #CML-H 0514-01
2015 - Indiana Asbestos Inspector License #: 19A007155
2015 - Indiana Asbestos Management Planner License #: 19A007156

Professional Affiliations:

Member of:

Association of Professional Industrial Hygienists
American Indoor Air Quality Association

Company Affiliations:

1979 - 1981 Assistant Operator (Summers) - Solvent Resource Recovery, Inc.,
West Carrollton, Ohio
1982 - 1983 Sales Representative - Solvent Resource Recovery, Inc.,
West Carrollton, Ohio
1983 - 1988 Director - St. Vincent De Paul Stores, Inc., Dayton, Ohio
1988 - 1993 Project Manager - ERAtch, Inc., Dayton, Ohio
1993 - 1995 Vice President - ERAtch Environmental, Inc. Dayton, Ohio
1995 - 1998 President - ERAtch Environmental, Inc.
1996 - 1998 President - ERAtch, Inc.
1998 - 1999 Vice President - EHS Network
2000 - Present President - ERAtch Environmental, Inc.

Experience:

Mr. Kohnen is experienced in managing a wide range of resources including personnel, inventory, equipment, and real estate. During his position at Solvent Resource Recovery, Inc., he worked with customers such as General Motors, Whirlpool, Rockwell, RCA and GTE. He also worked in the accounting department as well as assisted in the operation of distillation units, transferred hazardous waste, delivered solvents, and supervised temporary help.

As Project Manager for ERAtech, Inc., Mr. Kohnen was responsible for a staff of five environmental engineers for the siting, permitting, designing, building, and installing of five complete medical waste incineration facilities in the United States. This included all necessary incineration and air pollution control equipment; coordination with the NRC, the FDA, for permits as well as coordinating with state agencies such as Ohio EPA for permits to install, permits to operate, and the necessary stack testing. He was also involved in management and overseeing the use of scrap tires as an alternate fuel for a cement kiln.

As Vice President for ERAtech Environmental, Inc., Mr. Kohnen's responsibilities included complete responsibility for two geologists, industrial hygienist, regulatory compliance manager, and a technician; overseeing projects such as asbestos assessment, asbestos abatement, environmental site assessment, (Phase I, II and III), underground storage tank assessment and remediation, permit writing for air and solid waste issues, hydrogeological investigations, RCRA closure plans, UST closures, SPCC plans, NPDES permitting, storm water runoff permit applications, environmental audits, OSHA compliance audits, confined space entry programs and lockout/tagout programs. He has conducted OSHA HazCom and DOT Hazardous Materials Shipping and Handling, HM-126f Training, etc. He was personally involved in underground storage tank assessment and remediation, environmental site assessments, indoor air quality investigations and asbestos abatement projects.

As President and Owner, Mr. Kohnen worked with management of Fortune 500 companies and supervised all activities of ERAtech Environmental, Inc. and ERAtech, Inc. Mr. Kohnen is nationally recognized as an expert on Mold and Indoor Air Quality issues within Industrial, Commercial, Governmental, Healthcare and Residential structures. As an experienced professional, he managed projects from small scale residential mold investigations to overseeing all health issues for a major water release containing legionella bacteria and mold within an endoscopy center. Mr. Kohnen has also provided consulting services on issues concerning Asbestos and Lead-in-paint in federal government facilities, commercial developments and to private homeowners. He has also conducted clearance sampling for a Methamphetamine Lab in Tennessee.

Publications:

"Be Aware of Environmental Liability When Buying Land" *The Business News* May, 1994

"Selecting an Environmental Consultant for Site Assessments" *Acquisition*

TIMOTHY D. FARRELL

ERAtch Environmental, Inc.

Vice President

3508 Wilmington Pike

Kettering, Ohio 45429

(937) 859-8998

tfarrell@eratechenv.com

Education:

B.A. in Geological/Environmental Sciences 1985

Wright State University; Dayton, Ohio.

Certifications:

1990 Red Cross Training in Adult CPR

1990 Red Cross Training in Standard First Aid

1990 Health and Safety Supervisors Course

1990 OSHA 40-Hour Training Program

1996 Certified Hazardous Materials Manager - Master Level

1997 OSHA 8-Hour Refresher Course

2010 Ohio Certified Asbestos Hazard Evaluation Specialist - #ES35212

Company Affiliations:

1985-1986 Quality Assurance/Quality Control Technician - Stolle Corporation;
Sidney, Ohio

1986-1987 Lab Manager-Environmental Processing Services; Dayton, Ohio

1987-1994 Project Manager-Hayden Environmental Group, Inc., Miamisburg, Ohio

1994-1996 Geologist-ERAtch Environmental, Inc., Kettering, Ohio

1996-Present Project Manager, ERAtch Environmental

Experience:

As a Project Manager for ERAtch, Mr. Farrell has performed groundwater and soil sampling investigations, as well as field-screening/laboratory investigations. Mr. Farrell has completed over 500 Phase I environmental property assessments for ERAtch since 1996. In addition, Mr. Farrell has is responsible for completing Phase II confirmatory and extent of contamination sampling, and Phase III remedial projects. Mr. Farrell is knowledgeable in current state-of-the-art sampling procedures for groundwater, soil and waste water discharge sampling, as well as Industrial Hygiene and source sampling procedures. Mr. Farrell is experienced in landfill gas monitoring, supervision and logging of boreholes and monitoring well installations. Mr. Farrell has worked with government regulators and industry professionals on numerous underground storage tank assessment and remediation projects; permit writing for air and solid waste issues; hydrogeological investigations; RCRA closure plans, SPCC plans, SWP3 plans and NPDES permitting. Mr. Farrell has performed environmental audits, compliance audits, underground storage tank closures and asbestos assessment and abatement projects.

KEITH MOORE

ERAtch Environmental, Inc.
3508 Wilmington Pike, Kettering, Ohio 45429

(937) 859-8998
kmoore@eratechenv.com

Education:

A.S. Environmental Engineering Technology, Sinclair Community College, May 2014

Certifications & Coursework:

Completed Six-Month Training Program as a Microbial Technician for Indoor Air-Quality Sampling
40-Hour HAZWOPER
FEMA Certifications for ICS (level 100b & 200b) and NIMS (level 700.a)
Environmental Assessment & Analysis
Waste Management
Soil & Fluid Mechanics
Certified Asbestos Hazard Evaluation Specialist
USEPA Lead RRP Certified

Professional Affiliations:

Member of:
American Indoor Air-Quality Association

Company Affiliations:

1999 - 2004 - Kettering Memorial Hospital, Kettering, Ohio
2004 - 2013 - Management and Food Service Operations
2013 - Present Environmental Technician - ERAtch Environmental, Inc.

Experience:

Mr. Moore is experienced in the Healthcare, Restaurant/Food Service, and Environmental Consulting Industries. He has managed a wide range of resources including personnel, inventory, equipment, and real estate. During his positions at Kettering Memorial Hospital, he worked with medical and oxygen equipment, patient schedules and insurance issues, as well as radiological administration and operations.

As Environmental Consultant and Technician for ERAtch Environmental, Inc., Mr. Moore's responsibilities have included overseeing projects such as asbestos assessments, mold and indoor air quality investigations and remediation. He has conducted air and surface sampling for mold and bacteria using state of the art technology such as ATP surface sampling and surface sampling using expedited PCR analysis to quickly reopen a healthcare facility after a catastrophic water damaging event. He has also been personally involved in environmental site assessments, indoor air quality investigations, and asbestos abatement projects, as well as on-site monitoring for health and safety of remediation contractors.

Mr. Moore is also experienced in using the latest investigative technology such as laser particle counters, Infrared Thermal Imaging Cameras, ATP analyzers, Portable X-ray fluorescence (XRF) analyzers, moisture meters, CO/CO₂/Temp/Relative Humidity meters, air sampling pumps, and surface sampling media.

CYNTHIA PLUMBY

ERAtch Environmental, Inc.
3508 Wilmington Pike, Kettering, Ohio 45429

(937) 859-8998
cplumby@eratechenv.com

Education:

B.A. Microbiology, Miami University, 1982

Certifications & Coursework:

Presently, participates in various continuing education webinars and yearly re-certification classes.

- 2003 - Ohio Certified Asbestos Hazard Evaluation Specialist (AHES)
- 2004 - OSHA 10-Hour General Industry Training
- 2005 - Certified Residential Mold Inspector (CRMI)
- 2018 - Ohio Certified Asbestos Hazard Evaluation Specialist (AHES) #ES34330

Professional Affiliations:

Past Member of Indoor Air Quality Association, American Indoor Air Quality Council, and American Public Health Association.

Company Affiliations:

- 1980 - 1981 Wilson Memorial Hospital Laboratory (Summer Intern/Phlebotomist) – Sidney, Ohio
- 1980 - 1982 Miami University Dean of Arts & Sciences Laboratory (Intern) – Oxford, Ohio
- 1982 - 1985 Blanchard Valley Medical Associates Laboratory (Medical Technologist/Phlebotomist) – Findlay, Ohio
- 1995 - 2005 Saint Luke School (Food Service Coordinator) – Beavercreek, Ohio
- 2002 - 2002 Helix Environmental, Inc. (Industrial Hygiene Tech) – Dayton, Ohio
- 1997 - 2007 Herbalife International of America (Authorized Distributor) – Memphis, Tennessee
- 2003 - 2014 Indoor Air Quality & Infection Control Specialist – Hayden Environmental Group, Inc., Centerville, Ohio
- 2014 - 2017 Environmental Doctor (Microbiologist/Professional Environmental Consultant) – Centerville, Ohio

Experience:

Ms. Plumby has a strong proficiency in managing a wide range of skills in microbiological testing for infection control programs in medical facilities, commercial and residential structures. This also includes a strong working knowledge of clinical laboratories and monitoring environmental health related issues. She also has experience in food service quality control.

She believes in customer care and customer advocacy which builds a rapport with clients and customers alike. During her position with Hayden Environmental Group, Inc., she worked with clients such as Dayton and Cincinnati Children’s Hospital Medical Centers, Kettering & Premiere Health Networks and various area hospitals. Wright Patterson Air Force Base, AK Steel-Middletown Works Safety Department, Us Inspect, Inc., and Edge & Tinny Architects. She also developed the Enviro IC division for Hayden Environmental Group by establishing new clients through the sale of a new “Green” disinfectant and its associated equipment.

As Project Manager for Environmental Doctor, Ms. Plumby consulted with commercial and residential customers about all aspects of indoor air quality issues. This was accomplished by performing on-site environmental assessments. An experienced writer of remediation solution proposals with an 85% close rate, she regularly writes technical reports detailing analytical results and assessment findings.

As a Microbiologist/Consultant for ERAtech Environmental, Inc., Ms. Plumby's responsibilities include overseeing projects such as indoor air quality testing and assessments, asbestos assessments, report writing, administrative assisting, production line quality control, and acquiring and working with new clients. Due to her extensive experience in microbial testing she has been highly involved with background culturing the production lines of a local manufacturer of auto care and other consumer product categories.